(19) World Intellectual Property Organization International Bureau





(43) International Publication Date 15 November 2001 (15.11.2001)

PCT

(10) International Publication Number WO 01/85772 A2

(51) International Patent Classification⁷: C07K 14/195

(21) International Application Number: PCT/GB01/02003

(22) International Filing Date: 8 May 2001 (08.05.2001)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:

0011108.8 8 May 2000 (08.05.2000) GB

(71) Applicant (for all designated States except US): MICRO-SCIENCE LIMITED [GB/GB]; 545 Eskdale Road, Winnersh Triangle, Wokingham, Berks RG41 5TU (GB).

(72) Inventor; and

(75) Inventor/Applicant (for US only): TANG, Christoph [GB/GB]; University of Oxford, Dept. of Paediatrics, John Radcliffe Hospital, Headington, Oxford OX3 9DU (GB).

(74) Agent: GILL JENNINGS & EVERY; Broadgate House, 7 Eldon Street, London EC2M 7LH (GB).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

 without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.



15772 A

(54) Title: VIRULENCE GENES, PROTEINS, AND THEIR USE

(57) Abstract: A series of genes from *Neisseria meningitidis* are shown to encode products which are implicated in virulence. The identification of these genes therefore allows attenuated microorganisms to be produced. Furthermore, the genes or their encoded products can be used in the manufacture of vaccines for therapeutic application.

1

VIRULENCE GENES, PROTEINS, AND THEIR USE

Field of the Invention

5

10

15

20

25

30

35

This invention relates to virulence genes and proteins, and their use. More particularly, it relates to genes and proteins/peptides obtained from *Neisseria meningitidis*, and their use in therapy and in screening for drugs.

Background of the Invention

Neisseria meningitidis is a Gram-negative bacterial pathogen that is implicated in septic shock and bacterial meningitis. This bacterium is a leading cause of bacterial meningitis in developed countries, and causes large-scale epidemics in Africa and China. In the UK, Neisseria meningitidis is the leading cause of death in childhood apart from road traffic accidents. The bacterium naturally inhabits the human naso-pharynx and then gains access to the blood stream from where it causes severe septicaemia or meningitis. Although current anti-microbials are effective in eliminating the bacterium from the body, the mortalilty from menigococcal septicaemia remains substantial. It would be desirable to provide means for treating or preventing conditions caused by Neisseria meningitidis, e.g. by immunisation.

Summary of the Invention

The present invention is based on the discovery of virulence genes in *Neisseria* meningitidis.

According to a first aspect of the invention, a peptide of the invention is encoded by an operon including any of the nucleotide sequences identified in claim 1, or a homologue thereof in a Gram-negative bacterium, or a functional fragment thereof, for therapeutic or diagnostic use.

The peptides may have many therapeutic uses for treating *Neisseria* infections, including use in vaccines for prophylactic application.

According to a second aspect, a polynucleotide encoding a peptide defined above, may also be useful for therapy or diagnosis.

According to a third aspect, the genes that encode the peptides may be utilised to prepare attenuated microorganisms. The attenuated microorganisms will usually have a mutation that disrupts the expression of one or more of the genes identified herein, to provide a strain that lacks virulence. These microorganisms will also have use in therapy and diagnosis.

According to a fourth aspect, the peptides, genes and attenuated microorganisms according to the invention may be used in the treatment or prevention of a condition associated with infection by *Neisseria* or Gram-negative bacteria.

2

Description of the Invention

5

10

15

20

25

30

35

The present invention is based on the discovery of genes encoding peptides which are implicated in virulence. The peptides and genes of the invention are therefore useful for the preparation of therapeutic agents to treat infection. It should be understood that references to therapy also include preventative treatments, e.g. vaccination. Furthermore, while the products of the invention are intended primarily for treatment of infections in human patients, veterinary applications are also considered to be within the scope of the invention.

The present invention is described with reference to *Neisseria meningitidis*. However, all the *Neisseria* strains, and many other Gram-negative bacterial strains are likely to include related peptides or proteins having amino acid sequence identity or similarity to those identified herein. Organisms likely to contain the peptides include, but are not limited to the genera *Salmonella*, *Enterobacter*, *Klebsiella*, *Shigella* and *Yersinia*.

The experiments carried out to identify the virulence genes of the invention utilised *N. meningitidis* strain B. Homology searches were performed on the strain A database, however the proteins and genes from strain B are preferred.

Preferably, the peptides that may be useful in the various aspects of the invention have greater than a 40% similarity with the peptides identified herein. More preferably, the peptides have greater than 60% sequence similarity. Most preferably, the peptides have greater than 80% sequence similarity, e.g. 95% similarity. With regard to the polynucleotide sequences identified herein, related polynucleotides that may be useful in the various aspects of the invention may have greater than 40% identity with the sequences identified herein. More preferably, the polynucleotide sequences have greater than 60% sequence identity. Most preferably, the polynucleotide sequences have greater than 80% sequence identity, e.g. 95% identity.

The terms "similarity" and "identity" are known in the art. The use of the term "identity" refers to a sequence comparison based on identical matches between correspondingly identical positions in the sequences being compared. The term "similarity" refers to a comparison between amino acid sequences, and takes into account not only identical amino acids in corresponding positions, but also functionally similar amino acids in corresponding positions. Thus similarity between polypeptide sequences indicates functional similarity, in addition to sequence similarity.

Levels of identity between gene sequences and levels of identity or similarity between amino acid sequences can be calculated using known methods. In relation

3

to the present invention, publicly available computer based methods for determining identity and similarity include the BLASTP, BLASTN and FASTA (Atschul *et al.*, J. Molec. Biol., 1990; 215:403-410), the BLASTX program available from NCBI, and the Gap program from Genetics Computer Group, Madison WI. The levels of similarity and identity provided herein, were obtained using the Gap program, with a Gap penalty of 12 and a Gap length penalty of 4 for determining the amino acid sequence comparisons, and a Gap penalty of 50 and a Gap length penalty of 3 for the polynucleotide sequence comparisons.

Having characterised a gene according to the invention, it is possible to use the gene sequence to search for related genes or peptides in other microorganisms. This may be carried out by searching in existing databases, e.g. EMBL or GenBank.

10

15

20

25

30

35

Peptides or proteins according to the invention may be purified and isolated by methods known in the art. In particular, having identified the gene sequence, it will be possible to use recombinant techniques to express the genes in a suitable host. Active fragments and related molecules can be identified and may be useful in therapy. For example, the peptides or their active fragments may be used as antigenic determinants in a vaccine, to elicit an immune response. They may also be used in the preparation of antibodies, for passive immunisation, or diagnostic applications. Suitable antibodies include monoclonal antibodies, or fragments thereof, including single chain Fv fragments. Methods for the preparation of antibodies will be apparent to those skilled in the art.

Active fragments of the peptides are those that retain the biological function of the peptide. For example, when used to elicit an immune response, the fragment will be of sufficient size, such that antibodies generated from the fragment will discriminate between that peptide and other peptides on the bacterial microorganism. Typically, the fragment will be at least 30 nucleotides (10 amino acids) in size, preferably 60 nucleotides (20 amino acids) and most preferably greater than 90 nucleotides (30 amino acids) in size.

It should also be understood, that in addition to related molecules from other microorganisms, the invention encompasses modifications made to the peptides and polynucleotides identified herein which do not significantly alter the biological function. It will be apparent to the skilled person that the degeneracy of the genetic code can result in polynucleotides with minor base changes from those specified herein, but which nevertheless encode the same peptides. Complementary polynucleotides are also within the invention. Conservative replacements at the amino acid level are also

5

10

15

20

25

30

4

envisaged, i.e. different acidic or basic amino acids may be substituted without substantial loss of function.

The preparation of vaccines based on attenuated microorganisms is known to those skilled in the art. Vaccine compositions can be formulated with suitable carriers or adjuvants, e.g. alum, as necessary or desired, to provide effective immunisation against infection. The preparation of vaccine formulations will be apparent to the skilled person. The attenuated microorganisms may be prepared with a mutation that disrupts the expression of any of the genes identified herein. The skilled person will be aware of methods for disrupting expression of particular genes. Techniques that may be used include insertional inactivation or gene deletion techniques. Attenuated microorganisms according to the invention may also comprise additional mutations in other genes, for example in a second gene identified herein or in a separate gene required for growth of the microorganism, e.g. an *aro* mutation or, with regard to *Salmonella*, in a gene located in the SPI2 region identified in WO-A-96/17951.

Attenuated microorganisms may also be used as carrier systems for the delivery of heterologous antigens, therapeutic proteins or nucleic acids (DNA or RNA). In this embodiment, the attenuated microorganisms are used to deliver a heterologous antigen, protein or nucleic acid to a particular site *in vivo*. Introduction of a heterologous antigen, peptide or nucleic acid into an attenuated microorganism can be carried out by conventional techniques, including the use of recombinant constructs, e.g. vectors, which comprise polynucleotides that express the heterologous antigen or therapeutic protein, and also include suitable promoter sequences. Alternatively, the gene that encodes the heterologous antigen or protein may be incorporated into the genome of the organism and the endogenous promoters used to control expression.

More generally, and as is well known to those skilled in the art, a suitable amount of an active component of the invention can be selected, for therapeutic use, as can suitable carriers or excipients, and routes of administration. These factors would be chosen or determined according to known criteria such as the nature/severity of the condition to be treated, the type and/or health of the subject etc.

In a separate embodiment, the products of the invention may be used in screening assays for the identification of potential antimicrobial drugs or for the detection for virulence. Routine screening assays are known to those skilled in the art, and can be adapted using the products of the invention in the appropriate way. For example, the products of the invention may be used as the target for a potential drug,

5

10

15

20

25

30

35

with the ability of the drug to inactivate or bind to the target indicating its potential antimicrobial activity.

The various products of the invention may also be used in veterinary applications.

The following is a brief overview of the experimental procedure used to identify the virulence genes.

Signature-tagged mutagenesis (STM) (Hensel *et al.*, Science, 1995; 269: 400-403) was used to identify genes in *N. meningitidis* that are essential for septicemic infection. In STM, individual mutants are tagged with unique sequence identifiers, allowing large numbers of mutants to be analyzed simultaneously. However, it is necessary to construct libraries of insertional mutants, so far a limitation in studying *N. meningitidis*. Mutagenesis was accomplished successfully using a method in which *Neisseria* DNA is modified *in vitro* using purified components of Tn10 transposition. As *N. meningitidis* efficiently takes up exogenous DNA, the modified alleles are then introduced into *N. meningitidis* by transformation. The mutants can then be screened for their ability to cause systemic infection.

The vector pSTM115 (Sun *et al.* Nature Medicine, 2000; 6(11): 1269-1273) was used as the transposon donor for *in vitro* mutagenesis. 96 pSTM115 derivatives, each containing unique signature tags, were included in 96 separate transposition reactions. The modified genomic DNA was repaired, and returned to the host by transformation. To determine whether Tn10 insertion occurs at diverse sites, 40 transformants were assessed from a single transposition reaction by Southern blot analysis. Each had a single, distinct Tn10 insertion. To establish whether Tn10 integration was stable during systemic infection of infant rats, the hydridization patterns of six mutants before and after passage through rats were compared. Identical hybridization patterns before and after infection were obtained.

The experimental conditions used were as follows: Bacterial strains and growth:

C311+ is an ET-5, serogroup B *N. meningitidis* isolate from a patient with invasive meningococcal infection (Virji *et al.*, Mol. Microbiol., 1991; 5: 1831-1841). *N. meningitidis* was grown on brain-heart infusion medium with 5% Levinthal's supplement. *E. coli* strains were propagated on Luria Bertani media. Kanamycin was added to solid media as required at concentrations of 75 and 50 µg/ml for *N. meningitidis* and *E. coli*, respectively.

In vitro transposition and insertion site characterization:

5

15

20

25

30

The pACYC184 origin of replication in pSTM115 was used to isolate the insertion site by marker rescue. Nucleotide sequencing was carried out using the dyetermination method (Perkin Elmer, Norwalk, Connecticut) with primers NG62 (5'-TTGGTTAATTGGTTGTAACACTGG-3') (SEQ ID NO. 209) or NG99 (5'-ATTCTCATGTTTGACAGCG-3') (SEQ ID NO. 210). Homology searches were performed against protein databases (http://www.ncbi.nlm.nih.gov/), including the serogroup A and B *N.meningitidis* and the *N. gonorrhoeae* genome sequences (http://www.sanger.ac.uk/Projects/N_meningitidis and http://www.tigr.org, and http://dna1.chem.ou.edu/gono.html, respectively).

10 Tag amplification, cloning and Southern blot analyses:

Hybridizations and preparations of dot blots were performed as described in Hensel et al., supra, except that tags were amplified with primers NG13 (5'-ATCCTACAACCTCAAGCT-3') (SEQ ID NO. 211) and NG14 ATCCCATTCTAACCAAGC-3') (SEQ ID NO. 212), and PCR products, rather than plasmid DNA, were fixed onto membranes. Oligonucleotides S1 (5'-AAGAGATTACGCGCAGACC-3') (SEQ ID NO. 213) and S2 (5'-AATACGCAACCGCCTCTC-3') (SEQ ID NO. 214) anneal to sequences in pSTM115 flanking the 'signature tags' and were used to amplify a 367-base-pair product from each pSTM115 derivative. For Southern blot analysis, the kanamycin-resistance cassette from pSTM115 was labelled using the random primers method (NEB), and was used as a probe against genomic DNA digested with Clal.

Animal model:

For screening the STM pools, mutants were grown individually for 18 h in microtiter plates. The bacteria were pooled, then re-suspended in PBS. Wistar rats (5 days old) were inoculated intraperitoneally with 100 µl of the suspension, and were monitored for 48 h. To establish the competitive index of a mutant, wild-type and mutant bacteria were grown for 18 h on solid media and collected into PBS, and rats were inoculated with a 1:1 ratio of mutant to wild-type cells in a total inoculum of 5 x 10⁶ CFU. The proportion of mutant (kanamycin-resistant) to wild-type (kanamycin-sensitive) bacteria was determined by plating replicate samples to media with or without added antibiotic.

The results of the homology searches are shown in Table 1.

<u>Table 1</u>

SEQ ID NO.	PROTEIN	ACCESSION NO.	ORGANISM
3 & 4	3'dehydroquinate synthase	NMB0647	N. gonorrhoeae
25 & 26	Glycosyl transferase	LSI2	N. gonorrheae
35 & 36	Polyribonucleotide nucleotidyl transferase	NMB0758	N. meningitidis
37 & 38	Phosphoribosyl formyl glycinamide synthase	PURL	E. coli
43 & 44	Shikimate dehydrogenase	AROE	N. meningitidis
47 & 48	Hypothetical 21.7 kD protein	NMB0673	N. meningitidis
53 & 54	Putative cell binding factor	NMB0345	N. meningitidis
57 & 58	Hypothetical protein	HI0633	H. influenzae
61 & 62	Na+/H+ antiporter	NMBN0536	N. memingitidis
63 & 64	Chorismate synthase	AROC	V. anguillarum
67 & 68	Paraquat-inducible protein B	PQ15B	E. coli
71 & 72	5'-methyltetrahydropteroylyl triglutamate-homocysteine methyl transferase	NMB0944	N. meningitidis
79 & 80	α-1,2 N-acetylglucosamine transferase	RFAK	N. meningitidis
83 & 84	Putative RNA methylase	NMB1348	N. meningitidis
89 & 90	L-lactate permease	NMB0543	N. meningitidis
91 & 92	ABC transporter	NMB1240	N. meningitidis
103 & 104	Probable GTP-binding protein	HI0393	H. influenzae
109 & 110	Capsule polysaccharide modification protein	LIPB	N. meningitidis
113 & 114	Hypothetical 17.8 kD protein	NMB0734	N. meningitidis
115 & 116	E. coli hypothetical protein	YIGC	S. typhimurium
119 & 120	Ribonuclease III	NMB0686	N. meningitidis
121 & 122	AMPD protein	NMB0668	N. meningitidis
123 & 124	5-methyltetrahydropteroylyl triglutamate-homocysteine methyl transferase	NMB0944	N. meningitidis

		,	
133 & 134	Putative ATP-depenent RNA helicase	NMB1422	N. meningitidis
137 & 138	Putative RNA methylase	NMB1348	N. meningitidis
141 & 142	Shikimate dehydrogenase	AROE	N. meningitidis
143 & 144	Putative outer membrane protein	OMPU	N. meningitidis
145 & 146	TONB protein	TONB	N. meningitidis
147 & 148	Putative apolipoprotein N-acyl transferase	NMB0713	N. meningitidis
149 & 150	Transposase	NMB0991	N. meningitidis
153 & 154	UTP-glucose-1-phosphate uridylyltransferase	NMB0638	N. meningitidis
157 & 158	ADP Heptose-LPS heptosyl transferase II	NMB1527	N. meningitidis
161 & 162	Putative membrane-bound lytic murein transglycosylase B	NMB1279	N. meningitidis
171 & 172	Putative cell-binding factor	NMB0345	N. meningitidis
173 & 174	P-amino benzoate synthetase	PABB	H. pylori J99
177 & 178	5'-methyltetrahydropteroylyl triglutamate-homocysteine methyl transferase	NMB0944	N. meningitidis
183 & 184	Conserved hypothetical protein	NMB0183	N. meningitidis
185 & 186	E. coli hypothetical protein	YIGC	S. typhi LT2

For the remaining sequences identified herein, no homology results were obtained.

The gene products were used to produce polyclonal antibodies that were tested in an Elisa assay against various *N. meningitidis* strains to evaluate their effectiveness as a vaccine candidate. The strains used were:

Neisseria meningitidis (B) Type 1000

Neisseria meningitidis (B) Type NGE31

Neisseria meningitidis (B) Type NGH15

Neisseria meningitidis (B) Type SW2 107

10 Neisseria meningitidis (B) Type NHG38

Neisseria meningitidis (B) Type NGE28

Neisseria meningitidis (B) Type 2996

WO 01/85772

5

10

15

20

25

30

9

This provides information as to the variety of *N. meningitidis* strains that are recognised by these antibodies.

N. Meningitidis was grown on Columbia agar with chocolated horse blood (Oxoid) for 14 hours at 37°C in 5% CO₂. The cells were scraped from agar plates and resuspended in 20ml PBS in a 50ml tube. The cell suspension was heated for 30 minutes at 56°C to kill the bacteria.

A 50 μ I sample of the heat-killed *N. Meningitidis* was spread on the Columbia agar with the chocolated horse blood and incubated for 18 hours at 37C, 5%CO₂. This allows confirmation that all *N. Meningitidis* cells have been killed. The OD₆₂₀ of the suspension is adjusted to 0.1 OD units versus PBS.

Elisa with heat killed N. meningitidis

Elisa assays were carried out using the heat-killed *N. meningitidis* using the following protocol. Elisa plates were coated overnight with heat-killed cells (50µl of killed bacteria in PBS to each well of 96 well plate and incubated 4°C).

Standard Elisa protocols were followed, with all incubations at 37°C for 1 hour. PBS/3% BSA blocking solution, PBS/Tween 0.1% wash solution, anti-rabbit AP conjugate secondary antibody (Sigma) and Sigma Fast P Nitrophenyl phosphate detection reagent (Sigma) were utilised. The data was read at 405nm using an appropriate micro-titre plate reader. The sera used was that available seven days after the first booster vaccination (day 35 after first vaccination).

The antibodies tested were those raised against the gene products identified as SEQ ID NOS. 8, 102, 140, 158 and 202. In each case, the results showed that the antisera recognised several different strains of *N. meningitidis* B.

Ex vivo/in vitro screening.

Protection against meningococcal disease in humans has been associated with the presence of bacteriocidal antibodies against *N. meningitidis* (Goldscheider *et al.* J. Exp. Med., 1969; 129: 1307-1326). There is also evidence to suggest a correlation between the presence of detectable bacteriocidal activity and protection in an *in vivo* model (reference Martin, J. Bacteriol., 2000; 83: 27-31). Therefore, the antiserum generated was used to evaluate the bacteriocidal activity of the antibodies generated.

The bactericidal assays were performed with pre-immune sera and the corresponding rabbit antiserum raised against the candidate antigens. Commercially available rabbit serum was used as the complement source following pre-screening to eliminate complement only killing. Dulbecco's PBS (Gibco) was used as a buffer where

WO 01/85772

5

10

15

20

25

30

PCT/GB01/02003

necessary. The *N. meningitidis* strain MC58, was grown at 37°C (5% CO₂) for 14 hours prior to use in the assay.

200-400 CFU of MC58 in a 50µl volume were incubated in the presence of complement (50µl) with 100µl of serial dilutions of heat-inactivated serum. Samples at time zero were plated to Columbia agar with chocolated horse blood (Oxoid). After incubation for 60 minutes, the number of surviving bacteria was evaluated by plating to Columbia agar with chocolated horse blood (Oxoid). The bacteriocidal activity was expressed in terms of percentage of bacteria surviving after 60 minutes. All samples were tested in duplicate and plated in triplicate. All appropriate positive and negative controls were utilised. In each test sample, the bacteriocidal activity was substantially greater than that for the pre-immune sera. *In vivo* screening.

To evaluate the protective efficacy of vaccine candidates, adult mice were immunised with the recombinant proteins identified herein as SEQ ID NOS. 102 and 108 and the protective response determined by live bacterial challenge. For each vaccine candidate 15 six week old mice (6 week old balb/C mice) were vaccinated (subcutaneously) with 25µg of antigen on two separate occasions at three week intervals.

One week after the end of the immunisation schedule, the group was challenged with the homologous bacterial strain MC58. The bacteria were inoculated intraperiponeally in a volume of 500µl in Brain Heart Infusion/ 0.5% iron dextran media at a dose of 10⁷ cfu. Previous results have shown that iron is required for initiation of bacteraemic disease in these animals. This model has previously been used to demonstrate the protective efficacy of vaccination (Lissolo *et al.*, Infect. Immujn., 1995; 63: 884-890).

Control groups included animals vaccinated with adjuvant alone (negative control) or with adjuvant combined with purified PorA (positive control). PorA is an outer membrane protein expressed exclusively by *N. meningitidis* and is the principal target for bactericidal antibodies induced by outer membrane vesicle vaccines. Monoclonal antibodies against PorA have also been shown to passively protect animals in the infant rat model. PorA however varies considerably between strains and so while it elicits some protection when challenged with a homologous strain, it is not an ideal vaccine candidate. Survival was monitored following challenge. The negative control showed no survival after 48 hours. Those vaccinated with PorA showed 6 survivors at 72 hours.

11

Those vaccinated with the proteins of SEQ ID NOS. 102 and 108 showed 5 and 3 survivors, respectively.

PCT/GB01/02003

<u>CLAIMS</u>

WO 01/85772

10

1. A peptide encoded by an operon including any of the nucleotide sequences identified herein as SEQ ID NOS. 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 191, 193, 195, 197, 199, 201, 203, 205, 207, of *N. meningitidis*, or a related molecule having at least 40% sequence similarity or identity at the peptide or nucleotide level in a Gram-negative bacterium, or a functional fragment thereof, for therapeutic or diagnostic use.

- 2. A peptide according to claim 1, wherein the sequence similarity or identity is at least 60%.
- 3. A peptide according to claim 1 or claim 2, wherein the sequence similarity or identity is at least 90%.
 - 4. A peptide according to claim 1, comprising the amino acid sequence identified herein as SEQ ID NOS. 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, 120,
- 20 122, 124, 126, 128, 130, 132, 134, 136, 138, 140, 142, 144, 146, 148, 150, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, 178, 180, 182, 184, 186, 188, 190, 192, 194, 196, 198, 200, 202, 204, 206 and 208.
 - 5. A polynucleotide encoding a peptide according to any preceding claim, for therapeutic or diagnostic use.
- 25 6. A host transformed to express a peptide according to any of claims 1 to 4.
 - 7. An attenuated microorganism comprising a mutation that disrupts the expression of any of the nucleotide sequences defined in claim 1.
 - 8. A microorganism according to claim 7, wherein the mutation is insertional inactivation or a gene deletion.
- 30 9. A microorganism according to claim 7 or claim 8, wherein the microorganism is *Neisseria meningitidis*.
 - 10. A microorganism according to any of claims 7 to 9, comprising a second mutation in a second nucleotide sequence.
- 11. A microorganism according to any of claims 7 to 10, for therapeutic or diagnostic use.

- 12. A microorganism according to any of claims 7 to 11, comprising a heterologous antigen, therapeutic peptide or nucleic acid.
- 13. A vaccine comprising a peptide according to any of claims 1 to 4, or the means for its expression.
- 5 14. A vaccine comprising a microorganism according to any of claims 7 to 12.
 - 15. An antibody raised against a peptide according to any of claims 1 to 4.
 - 16. Use of a product according to any of claims 1 to 12, for the manufacture of a medicament for use in the treatment or prevention of a condition associated with infection by *Neisseria* or Gram-negative bacteria.
- 10 17. Use according to claim 16, wherein the condition is meningitis.
 - 18. Use according to claim 16 or claim 17, for veterinary treatment.
 - 19. Use of a product according to any of claims 1 to 12, in a screening assay for the identification of an antimicrobial drug.

SEQUENCE LISTING

. <110> Microscience Limited <120> Virulence Gene and Protein, and Their Use <130> REP06436WO <140> not yet known <141> 2001-05-08 <150> 0011108.8 <151> 2000-05-08 <160> 214 <170> PatentIn Ver. 2.1 <210> 1 <211> 1674 <212> DNA <213> Neisseria meningitidis <220> <221> CDS <222> (1)..(1674) <400> 1 atg ctg acc tat acc ccg ccc gat gcc cgc ccg ccc gcc aaa acc cac Met Leu Thr Tyr Thr Pro Pro Asp Ala Arg Pro Pro Ala Lys Thr His 1. 5 10 1.5 gaa aag ccg tgg ctg ttg ctg ttg atg gcg ttt gcc tgg ttg tgg ccc 96 Glu Lys Pro Trp Leu Leu Leu Met Ala Phe Ala Trp Leu Trp Pro 20 2.5 ggc gtg ttt tcc cac gat ttg tgg aat cct gac gaa cct gcc gtc tat Gly Val Phe Ser His Asp Leu Trp Asn Pro Asp Glu Pro Ala Val Tyr 35 40 ace gcc gtc gaa gca ctg gca ggc agc ccc acc cct ttg gtt gcc cat Thr Ala Val Glu Ala Leu Ala Gly Ser Pro Thr Pro Leu Val Ala His 50 55 ctg ttc ggt caa atc gat ttc ggc ata ccg ccc gtg tat ctt tgg gtt Leu Phe Gly Gln Ile Asp Phe Gly Ile Pro Pro Val Tyr Leu Trp Val 70 75

_	_		ttc Phe				_	_	_		_	_	_	_		288
_	_	_	cgc Arg 100		-					_	_	_		_		336
	_		ttt Phe	_					_		_				_	384
_	•	_	ctg Leu					_			_		_		_	432
			aac Asn		_	_	-	-		-	-	_		_		480
			tat Tyr													528
_			acg Thr 180			_	_	_	_	_	_	_	_			576
	-		gcc Ala	_	_	_		_			_	-			_	624
			agc Ser		_	_	_	_	_	_	_	_	_		_	672
		_	ccg Pro		-		_		_	-		•	-		_	720
			ctg Leu						-	-		-			-	768
			gtg Val 260				_	_	-		_	_				816

. 2

							_	_			_	_	-	gcg Ala		864
		_							_					att Ile		912
	_			_		_	-	7		-		-	-	aat Asn	-	960
	_		_	_			_				_	_		gcc Ala 335		1008
					_	_	_	_	_	_				gcg Ala		1056
														ttc Phe		1104
	_				-	_						-	_	ctt Leu		1152
_	_	_	_			_	_			-		_		gat Asp		1200
	_	_		_	•	_	_				_		_	tgg Trp 415	5 5	1248
		_				-			_		_			tgg Trp		1296
														ctg Leu		1344
														atg Met		1392

PCT/GB01/02003 WO 01/85772

_	_			_	_						tca Ser					1440
_		_					_			_	cgg Arg		Val		_	1488
				-	_		_	_		-	gta Val		_	-		1536
_		_	-	_					_	, ,	ccg Pro				_	1584
_	_		_			_	_	_			gac Asp 540	_	_		_	1632
_						_					aca Thr		_			1674
<210 <211)> 2 L> 55	58								٠						

<212> PRT

<213> Neisseria meningitidis

Met Leu Thr Tyr Thr Pro Pro Asp Ala Arg Pro Pro Ala Lys Thr His 5 10

Glu Lys Pro Trp Leu Leu Leu Met Ala Phe Ala Trp Leu Trp Pro 20 25

Gly Val Phe Ser His Asp Leu Trp Asn Pro Asp Glu Pro Ala Val Tyr 35 40

Thr Ala Val Glu Ala Leu Ala Gly Ser Pro Thr Pro Leu Val Ala His 50 55 60

Leu Phe Gly Gln Ile Asp Phe Gly Ile Pro Pro Val Tyr Leu Trp Val 65 70 75 80

Ala Ala Phe Lys His Leu Leu Ser Pro Trp Ala Ala Asp Pro Tyr 85 90

Asp	Ala	Ala	Arg 100	Phe	Ala	Gly	Val	Phe 105	Phe	Ala	Val	Val	Gly 110	Leu	Thr
Ser	Cys	Gly 115	Phe	Ala	Gly	Phe	Asn 120	Phe	Leu	Gly	Arg	His 125	His	Gly	Arg
Ser	Val 130	Val	Leu	Ile	Leu	Ile 135	Gly	Cys	Ile	Gly	Leu 140	Ile	Pro	Thr	Val
His 145	Phe	Leu	Asn	Pro	Ala 150	Ala	Ala	Ala	Phe	Ala 155	Ala	Ala	Gly	Leu	Val 160
Leu	His	Gly	Tyr	Ser 165	Leu	Ala	Arg	Arg	Arg 170	Val	Ile	Ala	Ala	Ser 175	Phe
Leu	Leu	Gly	Thr 180	Gly	Trp	Thr	Leu	Met 185	Ser	Leu	Ala	Ala	Ala 190	Tyr	Pro
Ala	Ala	Phe 195	Ala	Leu	Met	Leu	Pro 200	Leu	Pro	Val	Leu	Met 205	Phe	Phe	Arg
Pro	Trp 210	Gln	Ser	Arg	Arg	Leu 215	Met	Leu	Thr	Ala	Val 220	Ala	Ser	Leu	Ala
Phe 225	Ala	Leu	Pro	Leu	Met 230	Thr	Val	Tyr	Pro	Leu 235	Leu	Leu	Ala	Lys	Thr 240
Gln	Pro	Ala	Leu	Phe 245	Ala	Gln	Trp	Leu	Asp 250	Asp	His	Val	Phe	Gly 255	Thr
Phe	Gly	Gly	Val 260	Arg	His	Ile	Gln	Thr 265	Ala	Phe	Ser	Leu	Phe 270	Tyr	Tyr
Leu	Lys	Asn 275	Leu	Leu	Trp	Phe	Ala 280	Leu	Pro	Ala	Leu	Pro 285	Leu	Ala	Val
Trp	Thr 290	Val	Cys	Arg	Thr	Arg 295	Leu	Phe	Ser	Thr	Asp 300	Trp	Gly	Ile	Leu
Gly 305	Val	Val	Trp	Met	Leu 310	Ala	Val	Leu	Val	Leu 315	Leu	Ala	Val	Asn	Pro 320
Gln	Arg	Phe	Gln	Asp 325	Asn	Leu	Val	Trp	Leu 330	Leu	Pro	Pro	Leu	Ala 335	Leu
Phe	Gly	Ala	Ala 340	Gln	Leu	Asp	Ser	Leu 345	Arg	Arg	Gly	Ala	Ala 350	Ala	Phe

Val Asn Trp Phe Gly Ile Met Ala Phe Gly Leu Phe Ala Val Phe Leu 355 360 365

Trp Thr Gly Phe Phe Ala Met Asn Tyr Gly Trp Pro Ala Lys Leu Ala 370 375 380

Glu Arg Ala Ala Tyr Phe Ser Pro Tyr Tyr Val Pro Asp Ile Asp Pro 385 390 395 400

Ile Pro Met Ala Val Ala Val Leu Phe Thr Pro Leu Trp Leu Trp Ala 405 410 415

Ile Thr Arg Lys Asn Ile Arg Gly Arg Gln Ala Val Thr Asn Trp Ala 420 425 430

Ala Gly Val Thr Leu Thr Trp Ala Leu Leu Met Thr Leu Phe Leu Pro 435 440 445

Trp Leu Asp Ala Ala Lys Ser His Ala Pro Val Val Arg Ser Met Glu
450 455 460

Ala Ser Leu Ser Pro Glu Leu Lys Arg Glu Leu Ser Asp Gly Ile Glu 465 470 475 480

Cys Ile Asp Ile Gly Gly Gly Asp Leu His Thr Arg Ile Val Trp Thr 485 490 495

Gln Tyr Gly Thr Leu Pro His Arg Val Gly Asp Val Gln Cys Arg Tyr 500 505 510

Arg Ile Val Arg Leu Pro Gln Asn Ala Asp Ala Pro Gln Gly Trp Gln 515 520 525

Thr Val Trp Gln Gly Ala Arg Pro Arg Asn Lys Asp Ser Lys Phe Ala 530 540

Leu Ile Arg Lys Thr Gly Glu Asn Ile Leu Lys Thr Thr Asp 545 550 555

<210> 3

<211> 1077

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS <222> (1)..(1077)

<400> 3 atg aaa aca ctg acc gta cac acc ccg tcc cac agc tac ccc atc ttt 48 Met Lys Thr Leu Thr Val His Thr Pro Ser His Ser Tyr Pro Ile Phe 1 atc ggc aac gga ctg ctg ccg cag gca gga agc ctg ctc aaa ccg cat Ile Gly Asn Gly Leu Leu Pro Gln Ala Gly Ser Leu Leu Lys Pro His 20 25 ttg ggc aaa cgc gcc gcc atc atc acc aac gaa acc gtc gcc ccg ctc 144 Leu Gly Lys Arg Ala Ala Ile Ile Thr Asn Glu Thr Val Ala Pro Leu 35 40 tac etc ggc acg ett cag acg gca ttg gat gcg gca ggc gta tec cat 192 Tyr Leu Gly Thr Leu Gln Thr Ala Leu Asp Ala Ala Gly Val Ser His 50 55 ttc agc atc atc ctg ccc gac ggc gag gcg cac aaa aac tgg cag acg 240 Phe Ser Ile Ile Leu Pro Asp Gly Glu Ala His Lys Asn Trp Gln Thr 65 70 75 80 ctc aac ctc atc ttt gac ggg ctg atg caa aac cgc gcc gaa cgc aaa 288 Leu Asn Leu Ile Phe Asp Gly Leu Met Gln Asn Arg Ala Glu Arg Lys 85 acc acg ctc atc gca ctg ggc ggc gtg atc ggc gat atg acg ggt 336 Thr Thr Leu Ile Ala Leu Gly Gly Gly Val Ile Gly Asp Met Thr Gly 100 105 110 ttt gcg gcg gct act tat caa cgc ggc gcg cca ttt gtt caa att ccc 384 Phe Ala Ala Ala Thr Tyr Gln Arg Gly Ala Pro Phe Val Gln Ile Pro 115 120 125 act act tta tta agt cag gtc gat tcc tcc gtc ggc ggc aaa acc gcc 432 Thr Thr Leu Leu Ser Gln Val Asp Ser Ser Val Gly Gly Lys Thr Ala 130 135 140 atc aac cac ccg ctc ggc aaa aat atg atc ggc gcg ttc tac cag ccg Ile Asn His Pro Leu Gly Lys Asn Met Ile Gly Ala Phe Tyr Gln Pro 145 150 155 160 cag gcg gtg ctt gcc gac ttg gac acg ctg cac acc ctg ccc gcc cgc 528 Gln Ala Val Leu Ala Asp Leu Asp Thr Leu His Thr Leu Pro Ala Arg 165 170 175

_	_		gcc Ala 180		_		-	-					_			576
		-	ttt Phe		-		_	-			_		_	_		624
			cgc Arg						_			_	-	-		672
_			gac Asp													720
_			aac Asn								-		-			768
_			ggt Gly 260			_				_	_	_	_		_	816
	_		gcg Ala	-	-		-		_					-	-	864
_			cgg Arg		_	_	_		-	_	-		_	_		912
			gtg Val		_		_			_	_		_	_		960
			gtc Val													1008
		_	gcc Ala 340				_			_	_	_			-	1056
-		_	caa Gln	_												1077

8 .

<210> 4

<211> 359

<212> PRT

<213> Neisseria meningitidis

<400> 4

Met Lys Thr Leu Thr Val His Thr Pro Ser His Ser Tyr Pro Ile Phe 1 5 10 15

Ile Gly Asn Gly Leu Leu Pro Gln Ala Gly Ser Leu Leu Lys Pro His
20 25 30

Leu Gly Lys Arg Ala Ala Ile Ile Thr Asn Glu Thr Val Ala Pro Leu 35 40 45

Tyr Leu Gly Thr Leu Gln Thr Ala Leu Asp Ala Ala Gly Val Ser His 50 55 60

Phe Ser Ile Ile Leu Pro Asp Gly Glu Ala His Lys Asn Trp Gln Thr 65 70 75 80

Leu Asn Leu Ile Phe Asp Gly Leu Met Gln Asn Arg Ala Glu Arg Lys
85 90 95

Thr Thr Leu Ile Ala Leu Gly Gly Gly Val Ile Gly Asp Met Thr Gly
100 105 110

Phe Ala Ala Ala Thr Tyr Gln Arg Gly Ala Pro Phe Val Gln Ile Pro
115 120 125

Thr Thr Leu Leu Ser Gln Val Asp Ser Ser Val Gly Gly Lys Thr Ala 130 135 140

Ile Asn His Pro Leu Gly Lys Asn Met Ile Gly Ala Phe Tyr Gln Pro 145 150 155 160

Gln Ala Val Leu Ala Asp Leu Asp Thr Leu His Thr Leu Pro Ala Arg 165 170 175

Glu Leu Ser Ala Gly Met Ala Glu Val Ile Lys Tyr Gly Thr Leu Gly
180 185 190

Asp Ile Ser Phe Phe Glu Trp Leu Glu Gln His Met Pro Glu Leu Met 195 200 205

Ala Leu Glu Arg Ala Pro Leu Ile Gln Ala Val Tyr Arg Cys Cys Gln 210 215 220

Met Lys Ala Asp Ile Val Ala Gln Asp Glu Thr Glu Gln Gly Ile Arg 225 230 235 240

Ala Trp Leu Asn Leu Gly His Thr Phe Gly His Ala Ile Glu Thr Glu 245 250 255

Met Gly Tyr Gly Thr Trp Leu His Gly Glu Ala Val Ala Ala Gly Cys
260 265 270

Val Leu Ala Arg Leu Ser Glu Gln Leu Gly Lys Ile Ser Ala Ala 275 280 285

Asp Thr Ala Arg Leu Ala Ala Leu Leu Glu Ala Ala Gly Leu Pro Ser 290 295 300

Ala Pro Pro Val Phe Ala Phe Glu Lys Trp Leu Glu His Met Ser His 305 310 315 320

Asp Lys Lys Val Ser Gly Gly Ile Met Arg Phe Ile Gly Leu Asn Arg 325 330 335

Leu Gly Glu Ala Asn Ile Thr Glu Ile Thr Asp Thr Asp Ile Leu Arg 340 345 350

Arg Thr Leu Gln Pro Tyr Leu 355

<210> 5

<211> 1053

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(1053)

<400> 5

atg aca cac cat tac ccc aca gac gat att aag att aaa gaa gtt aaa 48
Met Thr His His Tyr Pro Thr Asp Asp Ile Lys Ile Lys Glu Val Lys

1 5 10 . 15

gag ttg ttg ccg ccg att gcc cat ctt tac gag ctg ccg att tcc aaa 96
Glu Leu Pro Pro Ile Ala His Leu Tyr Glu Leu Pro Ile Ser Lys
20 25 30

	gct Ala	_		_	_		-		-	-	_			_	_	144
_	cac His 50	-		_	_		_	_	-				_	_	_	192
	cac His	_	_				_	-				_	_	_		240
	cgc Arg		_		_				_			_	_	_		288
	gag Glu		_		_	_						_			_	336
_	cat His		_				_					_	_	_	_	384
_	agc Ser 130	_	_	_	_	_			_		_		_			432
	ttt Phe															480
	erà aaa	_					_		_	_		_		_	_	528
	gca Ala													-		576
	aat Asn															624
	cat His 210		_		_		_	_				_		_		672

	ggc				-	_		_		_	-					720
_	aat Asn															768
	gca Ala		-		-	_	_	_		_	_	_		_		816
_	cgc Arg	_	_			_	_	_	_						_	864
_	caa Gln 290	_	_	_	_					_		~ ~	_	, ,	_	912
_	cat His	_	_	_			_	_	_	_	_					960
_	att Ile		-		_				_			_	_	_	_	1008
-	ttg Leu	_	-		_				_	_		_	_			1053

<210> 6

<211> 351

<212> PRT

<213> Neisseria meningitidis

<400> 6

Met Thr His His Tyr Pro Thr Asp Asp Ile Lys Ile Lys Glu Val Lys 1 5 10 15

Glu Leu Leu Pro Pro Ile Ala His Leu Tyr Glu Leu Pro Ile Ser Lys 20 25 30

Glu Ala Ser Gly Leu Val His Arg Thr Arg Gln Glu Ile Ser Asp Leu 35 40 45

Val	His 50	Gly	Arg	Asp	Lys	Arg 55	Leu	Leu	Val	Ile	Ile 60	Gly	Pro	Cys	Ser
Ile 65	His	Asp	Pro	Lys	Ala 70	Ala	Leu	Glu	Tyr	Ala 75	Glu	Arg	Leu	Leu	Lys 80
Leu	Arg	Lys	Gln	Tyr 85	Glu	Asn	Glu	Leu	Leu 90	Ile	Val	Met	Arg	Val 95	Tyr
Phe	Glu	Lys	Pro 100	Arg	Thr	Thr	Val	Gly 105	Trp	Lys	Gly	Leu	Ile 110	Asn	Asp
Pro	His	Leu 115	Asp	Gly	Thr	Phe	Asp 120	Ile	Asn	Phe	Gly	Leu 125	Arg	Gln	Ala
Arg	Ser 130	Leu	Leu	Leu	Ser	Leu 135	Asn	Asn	Met	Gly	Met 140	Pro	Ala	Ser	Thr
Glu 145	Phe	Leu	Asp	Met	Ile 150	Thr	Pro	Gln	Tyr	Tyr 155	Ala	Asp	Leu	Ile	Ser 160
Trp	Gly	Ala	Ile	Gly 165	Ala	Arg	Thr	Thr	Glu 170	Ser	Gln	Val	His	Arg 175	Glu
Leu	Ala	Ser	Gly 180	Leu	Ser	Cys	Pro	Val 185	Gly	Phe	Lys	Asn	Gly 190	Thr	Asp
Gly	Asn	Leu 195	Lys	Ile	Ala	Ile	Asp 200	Ala	Ile	Gly	Ala	Ala 205	Ser	His	Ser
His	His 210	Phe	Leu	Ser	Val	Thr 215	Lys	Ala	Gly	His	Ser 220	Ala	Ile	Val	His
Thr 225	Gly	Gly	Asn	Pro	Asp 230	Суз	His	Val	Ile	Leu 235	Arg	Gly	Gly	Lys	Glu 240
Pro	Asn	Туг	Asp	Ala 245	Gly	His	Val	Ser	Glu 250	Ala	Ala	Glu	Gln	Leu 255	Arg
Ala	Ala	Gly	Val 260	Thr	Asp	Lys	Leu	Met 265	Ile	Asp	Cys	Ser	His 270	Ala	Asn
Ser	Arg	Lys 275	Asp	Tyr	Thr	Arg	Gln 280	Met	Glu	Val	Ala	Gln 285	Asp	Ile	Ala
Ala	Gln 290	Leu	Glu	Gln	Asp	Gly 295	Gly	Asn	Ile	Met	Gly 300	Val	Met	Val	Glu

Ser His Leu Val Glu Gly Arg Gln Asp Lys Pro Glu Val Tyr Gly Lys

305 310 315 320 Ser Ile Thr Asp Ala Cys Ile Gly Trp Asp Ala Thr Glu Glu Leu Leu 325 330 Ala Leu Leu Ala Gly Ala Asn Lys Lys Arg Met Ala Arg Ala Gly 340 345 <210> 7 <211> 1686 <212> DNA <213> Neisseria meningitidis <220> <221> CDS <222> (1)..(1686) <400> 7 atg tta caa tcc gaa aat tcg aaa aat tta atc tct tgt tca ata aag 48 Met Leu Gln Ser Glu Asn Ser Lys Asn Leu Ile Ser Cys Ser Ile Lys gct tta cca atc atg att tct acc aac ggc atc acc atg cag ttc ggc 96 Ala Leu Pro Ile Met Ile Ser Thr Asn Gly Ile Thr Met Gln Phe Gly 20 25 30 gcg aag ccg ctg ttt gaa aac gta tcc gtt aaa ttc ggc gaa ggc aac 144 Ala Lys Pro Leu Phe Glu Asn Val Ser Val Lys Phe Gly Glu Gly Asn 40 35 cgc tac ggt ttg atc ggc gcg aac ggc tca ggc aaa tcc acc ttc atg 192 Arg Tyr Gly Leu Ile Gly Ala Asn Gly Ser Gly Lys Ser Thr Phe Met 50 55 aaa atc ctc ggc ggc gat ttg gaa cag aca gcc ggc gaa gtg gcg att Lys Ile Leu Gly Gly Asp Leu Glu Gln Thr Ala Gly Glu Val Ala Ile 65 70 75 80 gaa aac ggc gtg cgt ttg ggt aaa ttg cgc caa gac cag ttt gcc tac 288 Glu Asn Gly Val Arg Leu Gly Lys Leu Arg Gln Asp Gln Phe Ala Tyr 90 gaa gat atg cgc gtg ctg gac gtg gta atg ggt cac acc gaa atg 336 Glu Asp Met Arg Val Leu Asp Val Val Met Met Gly His Thr Glu Met 100

			atg Met		_	_	_				-			-	_	384
	_	-	gac Asp				_	_	_			-	_			432
_		_	ggc Gly			_	-		_	-	-		_	_	_	480
		00	att Ile		-	_	_			-		_	-	-	-	528
_	_		ttc Phe 180		_	_	-	_	_			_	_			576
		_	gta Val				_	_					_	_		624
			cgt Arg		_	-			_		_		_		_	672
_			atc Ile	_		_	_			_		_	_	_	_	720
			gat Asp													768
			tat Tyr 260													816
	_		gcc Ala	_		_	-		_	_	-	_		_		864
_			ttc Phe												-	912

													gtc Val		960
						_			_	_	_	_	gaa Glu 335		1008
_	_	-		_	_	-			-		_		aaa Lys	_	1056
	_		_	_				_					gcg Ala		1104
	_		-				_			 			acc Thr	_	1152
-			_	_									ggt Gly		1200
													gtc Val 415		1248
				_									gat Asp		1296
													caa Gln		1344
	-			_		_	_			 _		_	gtc Val		1392
			_	_					_				ctt Leu		1440
		_	_	_	_				_	-	_	-	gaa Glu 495	_	1488

acc aac c	-	-	_	_	_		_		-		_		_	1536
gaa aaa t Glu Lys T			_	_			-			-	-	_		1584
gtt tct t Val Ser S 530	-	-					-	-	-					1632
tat gaa c Tyr Glu H 545		_		_		_	-							1680
gta gca Val Ala														1686
<210> 8 <211> 562 <212> PRT <213> Neisseria meningitidis														
		meni	.ngit	idis	š									
	isseria					Asn	Leu 10	Ile	Ser	Cys	Ser	Ile 15	Lys	
<213> Nei <400> 8 Met Leu G	isseria 31n Ser	Glu 5	Asn	Ser	Lys		10					15	-	
<213> Nei <400> 8 Met Leu G	isseria Gln Ser Pro Ile 20	Glu 5 Met	Asn	Ser Ser	Lys Thr	Asn 25	10 Gly	Ile	Thr	Met	Gln 30	15 Phe	Gly	
<213> Nei <400> 8 Met Leu G 1 Ala Leu P	isseria Gln Ser Pro Ile 20 Pro Leu 35	Glu 5 Met Phe	Asn Ile Glu	Ser Ser Asn	Lys Thr Val 40	Asn 25 Ser	10 Gly Val	Ile Lys	Thr Phe	Met Gly 45	Gln 30 Glu	15 Phe Gly	Gly Asn	
<213> Nei <400> 8 Met Leu G 1 Ala Leu F Ala Lys F Arg Tyr G	Sln Ser Pro Ile 20 Pro Leu 35 Gly Leu	Glu 5 Met Phe	Asn Ile Glu	Ser Ser Asn Ala 55	Lys Thr Val 40 Asn	Asn 25 Ser Gly	10 Gly Val Ser	Ile Lys Gly	Thr Phe Lys 60	Met Gly 45 Ser	Gln 30 Glu Thr	15 Phe Gly Phe	Gly Asn Met	
<213> Nei <400> 8 Met Leu G 1 Ala Leu F Ala Lys F Arg Tyr G 50 Lys Ile I	isseria Gln Ser Pro Ile 20 Pro Leu 35 Gly Leu Leu Gly	Glu 5 Met Phe Ile	Asn Ile Glu Gly Asp 70	Ser Ser Asn Ala 55 Leu	Lys Thr Val 40 Asn	Asn 25 Ser Gly	10 Gly Val Ser	Ile Lys Gly Ala 75	Thr Phe Lys 60 Gly	Met Gly 45 Ser	Gln 30 Glu Thr	15 Phe Gly Phe	Gly Asn Met Ile 80	

Trp	Ala	Ala 115	Met	Thr	Glu	Arg	Asp 120	Ala	Ile	Tyr	Ala	Asn 125	Pro	Glu	Ala
Thr	Glu 130	Asp	Asp	Tyr	Met	Lуs 135	Ala	Ala	Glu	Leu	Glu 140	Ala	Lys	Phe	Ala
Glu 145	Tyr	Asp	Gly	Туг	Thr 150	Ala	Glu	Ala	Arg	Ala 155	Ala	Glu	Leu	Leu	Ser 160
Gly	Val	Gly	Ile	Ser 165	Glu	Asp	Leu	His	Asn 170	Ala	Thr	Met	Ala	Glu 175	Val
Ala	Pro	Gly	Phe 180	Lys	Leu	Arg	Val	Leu 185	Leu	Ala	Gln	Ala	Leu 190	Phe	Ser
Lys	Pro	Asp 195	Val	Leu	Leu	Leu	Asp 200	Glu	Pro	Thr	Asn	Asn 205	Leu	Asp	Ile
Asn	Thr 210	Ile	Arg	Trp	Leu	Glu 215	Gly	Val	Leu	Asn	Gln 220	Туг	Asp	Ser	Thr
Met 225	Ile	Ile	Ile	Ser	His 230	Asp	Arg	His	Phe	Leu 235	Asn	Glu	Val	Cys	Thr 240
His	Met	Ala	Asp	Leu 245	Asp	Tyr	Asn	Thr	Ile 250	Thr	Ile	Tyr	Pro	Gly 255	Asn
Tyr	Asp	Asp	Tyr 260	Met	Leu	Ala	Ser	Ala 265	Gln	Ser	Arg	Glu	Arg 270	Ala	Leu
Lys	Asp	Asn 275	Ala	Lys	Ala	Lys	Glu 280	Lys	Leu	Gln	Glu	Leu 285	Gln	Glu	Phe
Val	Ala 290	Arg	Phe	Ser	Ala	Asn 295	Lys	Ser	Lys	Ala	Arg 300	Gln	Ala	Thr	Ser
Arg 305	Leu	Lys	Gln	Ala	Asp 310	Lys	Ile	Lys	Ser	Glu 315	Met	Val	Glu	Val	Lуs 320
Pro	Ser	Thr	Arg	Gln 325	Asn	Pro	Tyr	Ile	Arg 330	Phe	Glu	Ala	Asp	Glu 335	Lys
Ala	Lys	Leu	His 340	Arg	Gln	Ala	Val	Glu 345	Val	Glu	Lys	Leu	Ala 350	Lys	Arg
Phe	Glu	Thr 355	Gln	Leu	Phe	Lys	Asn 360	Leu	Asn	Phe	Ile	Leu 365	Glu	Ala	Gly

Gln Arg Leu Ala Ile Ile Gly Pro Asn Gly Ala Gly Lys Ser Thr Leu 370 375 380

Leu Lys Leu Leu Ala Gly Ala Tyr Asn Pro Glu Tyr Ser Asp Gly Leu 385 390 395 400

Leu Pro Asp Glu Gly Ser Ile Lys Trp Ala Glu Lys Ala Ser Val Gly
405 410 415

Tyr Tyr Pro Gln Asp His Glu Asn Asp Phe Asp Val Asp Met Asp Leu 420 425 430

Ser Glu Trp Met Arg Gln Trp Gly Gln Asp Gly Asp Asp Glu Gln Val
435 440 445

Ile Arg Gly Thr Leu Gly Arg Leu Leu Phe Gly Ser Asn Asp Val Val 450 455 460

Lys Lys Val Lys Val Leu Ser Gly Gly Glu Lys Gly Arg Met Leu Tyr 465 470 470 480

Gly Lys Leu Leu Leu Lys Pro Asn Val Leu Val Met Asp Glu Pro 485 490 495

Thr Asn His Met Asp Met Glu Ser Ile Glu Ser Leu Asn Met Ala Leu 500 505 510

Glu Lys Tyr Asn Gly Thr Leu Ile Phe Val Ser His Asp Arg Gln Phe 515 520 525

Val Ser Ser Leu Ala Thr Gln Ile Ile Glu Leu Asp Gly Lys Gly Gly 530 535 540

Tyr Glu His Tyr Leu Gly Asp Tyr Glu Ser Tyr Leu Glu Lys Lys Gly 545 550 555 560

Val Ala

<210> 9

<211> 1632

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(1632)

<400> 9 atg ata aaa ccg aac ctg agg ccg aag ctc ggc tct tcc gcg ctg att Met Ile Lys Pro Asn Leu Arg Pro Lys Leu Gly Ser Ser Ala Leu Ile 10 gcc ttc ctt tcc ctg tat tcc tcg ctg gta ttg aat tac gcc ttt ttt 96 Ala Phe Leu Ser Leu Tyr Ser Ser Leu Val Leu Asn Tyr Ala Phe Phe 20 25 gcc aaa gtt gtc gag ctt cat cct ttt aac ggc acc ggg gcg gat atc 144 Ala Lys Val Val Glu Leu His Pro Phe Asn Gly Thr Gly Ala Asp Ile 35 45 40 ttc ctc tat acg atg ccg gtg gtg ctg ttt ttt tta agt aat ttc gtt 192 Phe Leu Tyr Thr Met Pro Val Val Leu Phe Phe Leu Ser Asn Phe Val 50 55 ttt cac gtc att gcc ctg cct ttc gtg cat aag gta ttg att ccg ttg Phe His Val Ile Ala Leu Pro Phe Val His Lys Val Leu Ile Pro Leu 65 70 75 80 ata ttg gtt atc agt gcg gcg gtg tct tac caa gaa ata ttt ttc aat 288 Ile Leu Val Ile Ser Ala Ala Val Ser Tyr Gln Glu Ile Phe Phe Asn 85 90 95 atc tat ttc aac aag tcg atg ttg aat aat gtc ttg caa act acg gct Ile Tyr Phe Asn Lys Ser Met Leu Asn Asn Val Leu Gln Thr Thr Ala 100 105 gcc gaa agc gcg cgc ctg att acg ccg ggc tat gtg ctg tgg att gta 384 Ala Glu Ser Ala Arg Leu Ile Thr Pro Gly Tyr Val Leu Trp Ile Val 115 120 125 tgt ttg ggc gta ttg ccc gcg ctg gcg tat atc gcc gtc aag gtt aaa 432 Cys Leu Gly Val Leu Pro Ala Leu Ala Tyr Ile Ala Val Lys Val Lys 130 135 tac ege gtt tgg tat aag gag ett ttg aeg ege ett gtg ett gee gee 480 Tyr Arg Val Trp Tyr Lys Glu Leu Leu Thr Arg Leu Val Leu Ala Ala 145 150 155 160 gtt tcc ttt ttg tgc gcg ttg ggc atc gca atg ttg caa tat cag gat 528 Val Ser Phe Leu Cys Ala Leu Gly Ile Ala Met Leu Gln Tyr Gln Asp

tac gcc tcg ttt ttc cgc aac aat aaa tca gta acc cat ctg att gtg 576

20

170

175

Tyr	Ala	Ser	Phe 180	Phe	Arg	Asn	Asn	Lys 185	Ser	Val	Thr	His	Leu 190	Ile	Val	
									_	aaa Lys			-		_	624
_						_				atg Met						672
_		_		_		-	-			gtg Val 235	_	-				720
										ggt Gly						768
_	_	_		_		_		_	_	att Ile	-			_	-	816
_	-	-	_			-				tcc ser	_	_	_	_		864
			-	-	_	_		_	_	atc Ile		-	-			912
-		_	_	_			-	_	_	ggc Gly 315		_	-			960
										tgc Cys						1008
	_	_		-			_		_	tac Tyr	_	-				1056
_						_		_		gac Asp						1104
aac	gat	aaa	gac	gcg	gtt	tta	atc	ctg	cat	acc	atc	ggc	agc	cac	ggg	1152

Asn	Asp 370	Lys	Asp	Ala	Val	Leu 375	Ile	Leu	His	Thr	Ile 380	Gly	Ser	His	Gly	
_				-			acc Thr	-	_	_	_			_	-	1200
	_	_			-		aac Asn		-		-	_	_	_	_	1248
			_		-	_	ttg Leu			_	_			_	-	1296
_		-			_		cgc Arg 440	_	_	_	_	_	-			1344
	_		_			_	agt Ser	_		_					_	1392
	-				-		gcg Ala					-	-		_	1440
-	-	_					gcc Ala		_						_	1488
		-					gcg Ala		-		-		_		-	1536
							ggg Gly 520									1584
			-	_	_	_	ata Ile	_	-	_	-	_	_	_		1632

<210> 10

<211> 544

<212> PRT

<213> Neisseria meningitidis

<400> 10

Met Ile Lys Pro Asn Leu Arg Pro Lys Leu Gly Ser Ser Ala Leu Ile 1 5 10 15

Ala Phe Leu Ser Leu Tyr Ser Ser Leu Val Leu Asn Tyr Ala Phe Phe 20 25 30

Ala Lys Val Val Glu Leu His Pro Phe Asn Gly Thr Gly Ala Asp Ile 35 40 45

Phe Leu Tyr Thr Met Pro Val Val Leu Phe Phe Leu Ser Asn Phe Val 50 55 60

Phe His Val Ile Ala Leu Pro Phe Val His Lys Val Leu Ile Pro Leu 65 70 75 80

Ile Leu Val Ile Ser Ala Ala Val Ser Tyr Gln Glu Ile Phe Phe Asn 85 90 95

Ile Tyr Phe Asn Lys Ser Met Leu Asn Asn Val Leu Gln Thr Thr Ala 100 105 110

Ala Glu Ser Ala Arg Leu Ile Thr Pro Gly Tyr Val Leu Trp Ile Val 115 120 125

Cys Leu Gly Val Leu Pro Ala Leu Ala Tyr Ile Ala Val Lys Val Lys 130 135 140

Tyr Arg Val Trp Tyr Lys Glu Leu Leu Thr Arg Leu Val Leu Ala Ala 145 150 155 160

Val Ser Phe Leu Cys Ala Leu Gly Ile Ala Met Leu Gln Tyr Gln Asp 165 170 175

Tyr Ala Ser Phe Phe Arg Asn Asn Lys Ser Val Thr His Leu Ile Val 180 185 190

Pro Ser Asn Phe Ile Gly Ala Gly Val Ser Lys Tyr Lys Asp Trp Lys
195 200 205

Arg Ser Asn Ile Pro Tyr Thr Gln Leu Asp Met Ala Val Val Gln Asn 210 215 220

Arg Pro Ala Gly Ser Leu Arg Arg Phe Val Val Leu Val Val Gly Glu 225 230 235 240

Thr Thr Arg Ala Ala Asn Trp Gly Leu Asn Gly Tyr Ser Arg Gln Thr

VO 01/85772	PCT/GB01/02003

Thr Pro Leu Leu Ala Ala Arg Gly Asp Glu Ile Val Asn Phe Pro Gln Val Arg Ser Cys Gly Thr Ser Thr Ala His Ser Leu Pro Cys Met Phe Ser Thr Phe Asp Arg Thr Asp Tyr Asp Glu Ile Lys Ala Glu His Gln Asp Asn Leu Leu Asp Ile Val Gln Arg Ala Gly Val Glu Val Thr Trp Leu Glu Asn Asp Ser Gly Cys Lys Gly Val Cys Gly Lys Val Pro Asn Thr Asp Val Thr Ser Leu Asn Leu Pro Glu Tyr Cys Arg Asn Gly Glu Cys Leu Asp Asn Ile Leu Leu Thr Lys Phe Asp Glu Val Leu Asn Lys Asn Asp Lys Asp Ala Val Leu Ile Leu His Thr Ile Gly Ser His Gly Pro Thr Tyr Tyr Glu Arg Tyr Thr Glu Ala Glu Arg Lys Phe Thr Pro Thr Cys Asp Thr Asn Glu Ile Asn Lys Cys Thr Arg Ala Thr Leu Val Asn Thr Tyr Asp Asn Thr Val Leu Tyr Val Asp Gln Phe Ile Asp Lys Val Ile Arg Lys Leu Glu Asn Arg Asp Leu Glu Ser Val Val His Tyr Val Ser Asp His Gly Glu Ser Leu Gly Glu Asn Gly Met Tyr Leu His Ala Pro Tyr Ala Ile Ala Pro Ser Gly Gln Thr His Ile Pro Met Val Met Trp Phe Ser Lys Ala Phe Arg Gln His Gly Gly Ile Asp

Phe Gln Cys Leu Lys Gln Lys Ala Ala Glu Asn Glu Tyr Ser His Asp

500 505 510

His Tyr Phe Ser Thr Val Leu Gly Leu Met Asp Ile Ser Asn Ser Gln 515 520 525

Thr Tyr Arg Lys Glu Met Asp Ile Leu Ala Ala Cys Arg Arg Pro Arg 530 535 540

<210> 11

<211> 1052

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(1050)

<400> 11

atg aca cac cat tac ccc aca gac gat att aag att aaa gaa gtt aaa 48
Met Thr His His Tyr Pro Thr Asp Asp Ile Lys Ile Lys Glu Val Lys

1 5 10 15

gag ttg ttg ccg ccg att gcc cat ctt tac gag ctg ccg att tcc aaa 96
Glu Leu Leu Pro Pro Ile Ala His Leu Tyr Glu Leu Pro Ile Ser Lys
20 25 30

gag gct tcg ggc ttg gtt cac cgc acc cgt cag gaa att tcc gat ttg 144 Glu Ala Ser Gly Leu Val His Arg Thr Arg Gln Glu Ile Ser Asp Leu 35 40 45

gtt cac ggc agg gac aag cgg ctg ttg gtt att atc ggg ccg tgt tcg 192
Val His Gly Arg Asp Lys Arg Leu Leu Val Ile Ile Gly Pro Cys Ser
50 55 60

att cac gat ccg aaa gcg gcg ttg gaa tat gcg gag cgt ttg ttg aaa 240

Ile His Asp Pro Lys Ala Ala Leu Glu Tyr Ala Glu Arg Leu Leu Lys

65 70 75 80

ctc cgc aag cag tat gaa aac gag ctt ttg att gtg atg cgc gtt tat 288
Leu Arg Lys Gln Tyr Glu Asn Glu Leu Leu Ile Val Met Arg Val Tyr
85 90 95

ttc gag aag ccg agg acg acg gtg ggt tgg aaa ggt ttg att aac gac 336
Phe Glu Lys Pro Arg Thr Thr Val Gly Trp Lys Gly Leu Ile Asn Asp
100 105 110

_	cat His	_	-		_		_									384
_	agc Ser 130	_		_	-	_			_		_		-			432
2 2	ttt Phe	_	_	_		_	_					_	_			480
22	ej aaa	-					_			_		-		-	-	528
_	gca Ala	-		-		_	Pro	-						-	_	576
	aat Asn	_	_		-		_	_					_		_	624
	cat His 210		_		_		_	_				-		-		672
	GJA GGC				-	_		_		_	_				2 2	720
	aat Asn															768
	gca Ala		-			_	_	_				_		-		816
	cgc Arg					_							_			864
_	caa Gln 290									_			_		_	912

age cat ttg gtc gaa ggc agg cag gac aag ccg gaa gtg tac ggc aaa Ser His Leu Val Glu Gly Arg Gln Asp Lys Pro Glu Val Tyr Gly Lys 305 310 315 320 agc att acc gat gcg tgt att ggt tgg gac gcg act gaa gaa ctg ttg Ser Ile Thr Asp Ala Cys Ile Gly Trp Asp Ala Thr Glu Glu Leu Leu 325 330 335 1052 gca ttg ttg gca ggt gca aac aaa aaa cgt atg gcg cgc ggc gg Ala Leu Leu Ala Gly Ala Asn Lys Lys Arg Met Ala Arg Ala 340 345 350

<210> 12

<211> 350

<212> PRT

<213> Neisseria meningitidis

<400> 12

Met Thr His His Tyr Pro Thr Asp Asp Ile Lys Ile Lys Glu Val Lys

1 5 10 15

Glu Leu Leu Pro Pro Ile Ala His Leu Tyr Glu Leu Pro Ile Ser Lys 20 25 30

Glu Ala Ser Gly Leu Val His Arg Thr Arg Gln Glu Ile Ser Asp Leu
35 40 45

Val His Gly Arg Asp Lys Arg Leu Leu Val Ile Ile Gly Pro Cys Ser
50 55 60

Ile His Asp Pro Lys Ala Ala Leu Glu Tyr Ala Glu Arg Leu Leu Lys 65 70 75 80

Leu Arg Lys Gln Tyr Glu Asn Glu Leu Leu Ile Val Met Arg Val Tyr 85 90 95

Phe Glu Lys Pro Arg Thr Thr Val Gly Trp Lys Gly Leu Ile Asn Asp 100 105 110

Pro His Leu Asp Gly Thr Phe Asp Ile Asn Phe Gly Leu Arg Gln Ala 115 120 125

Arg Ser Leu Leu Ser Leu Asn Asn Met Gly Met Pro Ala Ser Thr 130 135 140

Glu Phe Leu Asp Met Ile Thr Pro Gln Tyr Tyr Ala Asp Leu Ile Ser 145 150 155 160

Trp Gly Ala Ile Gly Ala Arg Thr Thr Glu Ser Gln Val His Arg Glu
165 170 175

Leu Ala Ser Gly Leu Ser Cys Pro Val Gly Phe Lys Asn Gly Thr Asp 180 185 190

Gly Asn Leu Lys Ile Ala Ile Asp Ala Ile Gly Ala Ala Ser His Ser 195 200 205

His His Phe Leu Ser Val Thr Lys Ala Gly His Ser Ala Ile Val His 210 215 220

Thr Gly Gly Asn Pro Asp Cys His Val Ile Leu Arg Gly Gly Lys Glu 225 230 235 240

Pro Asn Tyr Asp Ala Gly His Val Ser Glu Ala Ala Glu Gln Leu Arg 245 250 255

Ala Ala Gly Val Thr Asp Lys Leu Met Ile Asp Cys Ser His Ala Asn 260 265 270

Ser Arg Lys Asp Tyr Thr Arg Gln Met Glu Val Ala Gln Asp Ile Ala 275 280 285

Ala Gln Leu Glu Gln Asp Gly Gly Asn Ile Met Gly Val Met Val Glu 290 295 300

Ser His Leu Val Glu Gly Arg Gln Asp Lys Pro Glu Val Tyr Gly Lys 305 310 315 320

Ser Ile Thr Asp Ala Cys Ile Gly Trp Asp Ala Thr Glu Glu Leu Leu 325 330 335

Ala Leu Leu Ala Gly Ala Asn Lys Lys Arg Met Ala Arg Ala 340 . 345 350

<210> 13

<211> 432

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(432)

<400> 13 atg gca ttt ggt tcg atg aat tcc ggc gac gat tct ccg atg tcc gac Met Ala Phe Gly Ser Met Asn Ser Gly Asp Asp Ser Pro Met Ser Asp 1 atc aac gtt acg ccg ttg gtg gac gtg atg ctg gtg ttg ctg att gtg 96 Ile Asn Val Thr Pro Leu Val Asp Val Met Leu Val Leu Leu Ile Val 20 25 30 ttt atg att act atg ccg gtg ctg acg cat tcc atc cct ttg gaa ctg 144 Phe Met Ile Thr Met Pro Val Leu Thr His Ser Ile Pro Leu Glu Leu 35 40 ccg acc gcg tcc gag cag aca aac aag cag gac aaa cag cct aaa gac 192 Pro Thr Ala Ser Glu Gln Thr Asn Lys Gln Asp Lys Gln Pro Lys Asp 50 55 ccc ctg cgc ctg acg att gat gcg aac ggc ggc tat tat gtc ggc ggg 240 Pro Leu Arg Leu Thr Ile Asp Ala Asn Gly Gly Tyr Tyr Val Gly Gly 65 70 75 gat tot goa ago aaa gtg gaa ato ggg gaa gtg gaa ago ogt otg aaa 288 Asp Ser Ala Ser Lys Val Glu Ile Gly Glu Val Glu Ser Arg Leu Lys 85 gcc gcc aag gag cag aat gaa aac gtg att gtg gcg att gcg gca gac 336 Ala Ala Lys Glu Gln Asn Glu Asn Val Ile Val Ala Ile Ala Ala Asp 100 105 110 aag gcg gtg gaa tac gat tat gta aac aaa gct tta gaa gcc gcc cgt 384 Lys Ala Val Glu Tyr Asp Tyr Val Asn Lys Ala Leu Glu Ala Ala Arg 115 120 125 cag gca gga atc acc aaa atc ggt ttt gta acc gaa acc aag gcg caa 432 Gln Ala Gly Ile Thr Lys Ile Gly Phe Val Thr Glu Thr Lys Ala Gln 130 135 140

<210> 14

<211> 144

<212> PRT

<213> Neisseria meningitidis

<400> 14

Met Ala Phe Gly Ser Met Asn Ser Gly Asp Asp Ser Pro Met Ser Asp 1 5 10 15

Ile Asn Val Thr Pro Leu Val Asp Val Met Leu Val Leu Leu Ile Val

20 25 30

PCT/GB01/02003

Phe Met Ile Thr Met Pro Val Leu Thr His Ser Ile Pro Leu Glu Leu 35 40 45

Pro Thr Ala Ser Glu Gln Thr Asn Lys Gln Asp Lys Gln Pro Lys Asp
50 55 60

Pro Leu Arg Leu Thr Ile Asp Ala Asn Gly Gly Tyr Tyr Val Gly Gly 65 70 75 80

Asp Ser Ala Ser Lys Val Glu Ile Gly Glu Val Glu Ser Arg Leu Lys
85 90 95

Ala Ala Lys Glu Gln Asn Glu Asn Val Ile Val Ala Ile Ala Ala Asp 100 105 110

Lys Ala Val Glu Tyr Asp Tyr Val Asn Lys Ala Leu Glu Ala Ala Arg 115 120 125

Gln Ala Gly Ile Thr Lys Ile Gly Phe Val Thr Glu Thr Lys Ala Gln 130 135 140

<210> 15

WO 01/85772

<211> 267

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(267)

<400> 15

atg ctc aaa caa tcc atc gaa atc atc aac aaa ctc gga ctc cac gcc 48
Met Leu Lys Gln Ser Ile Glu Ile Ile Asn Lys Leu Gly Leu His Ala
1 5 10 15

cgc gcg tcc aac aag ttc acc caa acc gcg tcc caa ttc aaa agc gaa 96
Arg Ala Ser Asn Lys Phe Thr Gln Thr Ala Ser Gln Phe Lys Ser Glu
20 25 30

gtc tgg gtt acg aaa aac gac agc cgc gtc aac ggc aaa agc att atg 144
Val Trp Val Thr Lys Asn Asp Ser Arg Val Asn Gly Lys Ser Ile Met
35 40 45

ggg ctg atg atg ctc gcc gcc aag ggt acg gtc atc gaa ctg gag 192

Gly Leu Met Met Leu Ala Ala Lys Gly Thr Val Ile Glu Leu Glu 50 55 60

acg gac ggc gcg gac gag gcg gaa gcg atg cgc gcc ctg acc gac tta 240
Thr Asp Gly Ala Asp Glu Ala Glu Ala Met Arg Ala Leu Thr Asp Leu
65 70 75 80

atc aac ggc tac ttc ggc gag ggc gaa 267

Ile Asn Gly Tyr Phe Gly Glu Gly Glu

85

<210> 16

<211> 89

<212> PRT

<213> Neisseria meningitidis

<400> 16

Met Leu Lys Gln Ser Ile Glu Ile Ile Asn Lys Leu Gly Leu His Ala 1 5 10 15

Arg Ala Ser Asn Lys Phe Thr Gln Thr Ala Ser Gln Phe Lys Ser Glu
20 25 30

Val Trp Val Thr Lys Asn Asp Ser Arg Val Asn Gly Lys Ser Ile Met 35 40 45

Gly Leu Met Met Leu Ala Ala Lys Gly Thr Val Ile Glu Leu Glu
50 55 60

Thr Asp Gly Ala Asp Glu Ala Glu Ala Met Arg Ala Leu Thr Asp Leu 65 70 75 80

Ile Asn Gly Tyr Phe Gly Glu Gly Glu 85

<210> 17

<211> 633

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(633)

<400> 17

		_	aac Asn					-				_	_	-		48
			gac Asp 20		_	_				_				_		96
	_		gcc Ala				_					_				144
_			gcc Ala		•							_	_			192
			gag Glu	_	_		-			-	_	_	-			240
			gcc Ala		_		_	_	-	_	_			_		288
_			gac Asp 100		_		_	•							-	336
_		_	gat Asp	-	_					_		_		_	_	384
			ttc Phe													432
	_	_	aaa Lys					-	_				_			480
			ctg Leu						_					_	_	528
			tcc Ser 180								_		_		_	576

act gtc gga agc tgg ttt gac gca gca gat gcc gcc gct tcc tct cca 624
Thr Val Gly Ser Trp Phe Asp Ala Ala Asp Ala Ala Ala Ser Ser Pro
195 200 205

aag gaa aac 633 Lys Glu Asn

210

<210> 18

<211> 211

<212> PRT

<213> Neisseria meningitidis

<400> 18

Met Pro Met Asn Leu Phe Gln Asn Ala Lys Phe Phe Thr Thr Val Asn 1 5 10 15 .

His Leu Lys Asp Leu Pro Asp Thr Pro Leu Glu Ile Ala Phe Val Gly
20 25 30

Arg Ser Asn Ala Gly Lys Ser Ser Ala Ile Asn Thr Leu Thr Asn His
35 40 45

Val Arg Leu Ala Tyr Val Ser Lys Thr Pro Gly Arg Thr Gln His Ile 50 55 60

Asn Phe Phe Glu Leu Gln Asn Gly Asn Phe Met Val Asp Leu Pro Gly 65 70 75 80

Tyr Gly Tyr Ala Gln Val Pro Glu Ala Val Arg Ala His Trp Val Asn 85 90 95

Leu Leu Gly Asp Tyr Leu Gln Gln Arg Lys Gln Leu Ile Gly Leu Val
100 105 110

Leu Ile Met Asp Ala Arg His Pro Leu Lys Glu Leu Asp Ile Arg Met
115 120 125

Leu Asp Phe Phe His Thr Thr Gly Arg Pro Val His Ile Leu Leu Ser 130 135 140

Lys Ala Asp Lys Leu Ser Lys Asn Glu Gln Ile Lys Thr Leu Ser Gln 145 150 155 160

Val Lys Lys Leu Leu Lys Pro Tyr Ser Asp Arg Gln Asn Ile Ser Val

165 170 175

Gln Leu Phe Ser Ser Leu Lys Lys Gln Gly Ile Asp Glu Ala Asn Arg 180 185 190

Thr Val Gly Ser Trp Phe Asp Ala Ala Asp Ala Ala Ala Ser Ser Pro 195 200 205

Lys Glu Asn 210

<210> 19

<211> 621

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(621)

<400> 19

atg aaa cga ttg act tta ttg gcc ttt gtt ttg gct gcc ggt gcg gtt 48

Met Lys Arg Leu Thr Leu Leu Ala Phe Val Leu Ala Ala Gly Ala Val

1 5 10 15

tcc gca tct ccc aaa gca gac gtg gaa aaa ggc aaa cag gtt gcc gca 96 Ser Ala Ser Pro Lys Ala Asp Val Glu Lys Gly Lys Gln Val Ala Ala 20 25 30

acg gtt tgt gcg gct tgc cat gca gca gac ggt aac agc ggc att gcg 144
Thr Val Cys Ala Ala Cys His Ala Ala Asp Gly Asn Ser Gly Ile Ala
35 40 45

atg tat ccg cgt ttg gcg gca cag cat act gct tac atc tat cat caa 192
Met Tyr Pro Arg Leu Ala Ala Gln His Thr Ala Tyr Ile Tyr His Gln
50 55 60

acc atc ggc atc cgc gac ggt aaa cgc acc cac ggt tcg gca gct gtg 240
Thr Ile Gly Ile Arg Asp Gly Lys Arg Thr His Gly Ser Ala Ala Val
65 70 75 80

atg aaa ccg gtg gta atg aat ttg agc gat cag gat att ttg aac gta 288
Met Lys Pro Val Val Met Asn Leu Ser Asp Gln Asp Ile Leu Asn Val
85 90 95

tcc gca ttc tat gcc aaa cag cag ccc aaa tcc ggt gaa gcc aat cct 336 Ser Ala Phe Tyr Ala Lys Gln Gln Pro Lys Ser Gly Glu Ala Asn Pro 100 105 110

-	_			_	_									ttg Leu	384
-				-		_	_		_			-	_	ggt Gly	 432
	_	_					_		_	_		_	_	ttg Leu	 480
	_		_				-	_	_			_		aag Lys 175	528
	_	_					_	-	-		-		-	atg Met	576
-	_	_	ttg Leu			_	_						_	_	621

<210> 20

<211> 207

<212> PRT

<213> Neisseria meningitidis

<400> 20

Met Lys Arg Leu Thr Leu Leu Ala Phe Val Leu Ala Ala Gly Ala Val 1 5 10 15

Ser Ala Ser Pro Lys Ala Asp Val Glu Lys Gly Lys Gln Val Ala Ala 20 25 30

Thr Val Cys Ala Ala Cys His Ala Ala Asp Gly Asn Ser Gly Ile Ala 35 40 45

Met Tyr Pro Arg Leu Ala Ala Gln His Thr Ala Tyr Ile Tyr His Gln 50 55 60

Thr Ile Gly Ile Arg Asp Gly Lys Arg Thr His Gly Ser Ala Ala Val 65 70 75 80

Met Lys Pro Val Val Met Asn Leu Ser Asp Gln Asp Ile Leu Asn Val

85 90 95

Ser Ala Phe Tyr Ala Lys Gln Gln Pro Lys Ser Gly Glu Ala Asn Pro 100 105 110

Lys Glu Asn Pro Glu Leu Gly Ala Lys Ile Tyr Arg Gly Gly Leu Ser 115 120 125

Asp Lys Lys Val Pro Ala Cys Met Ser Cys His Gly Pro Ser Gly Ala 130 135 140

Gly Met Pro Gly Gly Gly Ser Glu Ile Gln Ala Tyr Pro Arg Leu Gly 145 150 155 160

Gly Gln His Gln Ala Tyr Ile Val Glu Gln Met Asn Ala Tyr Lys Ser 165 170 175

Gly Gln Arg Lys Asn Thr Ile Met Glu Asp Ile Ala Asn Arg Met Ser 180 185 190

Glu Glu Asp Leu Lys Ala Val Ala Asn Phe Ile Gln Gly Leu Arg 195 200 205

<210> 21

<211> 765

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(765)

<400> 21

atg ccg tct gaa gcc cga ttt ttc agg ctt cag acg gca ttt ccc cgt 48

Met Pro Ser Glu Ala Arg Phe Phe Arg Leu Gln Thr Ala Phe Pro Arg

1 5 10 15

ttg att tgc ggt ata atc cgc ctt tac cca ttg ttt gca aag cac aat 96
Leu Ile Cys Gly Ile Ile Arg Leu Tyr Pro Leu Phe Ala Lys His Asn
20 25 30

atg aca cgc aaa atc ctc gtt acc tcc gcc ctg ccc tat gcc aac ggc 144
Met Thr Arg Lys Ile Leu Val Thr Ser Ala Leu Pro Tyr Ala Asn Gly
35 40 45

age ate cae ete gge cae atg gte gaa eae ate caa ace gae gtt tgg 192

Ser	Ile 50	His	Leu	Gly	His	Met 55	Val	Glu	His	Ile	Gln 60	Thr	Asp	Val	Trp	
	_				-	_			-	_			_	tgc Cys	-	240
	-									_				caa Gln 95		288
			_	_	_		-			_	-			ctc Leu	-	336
_									_				-	acc Thr		384
		-			_				-			-		ctg Leu		432
_			_		-	_	_	-		~ -	_			gac Asp		480
_			_		_		_	_		-			_	tgc Cys 175	_	528
	_		_		-				_		_	-	-	tgc Cys		576
_				_		-	-			_			-	gtt Val		624
				_	_	_	-		_					aaa Lys	_	672
	_	_	_	_				_						aac Asn	_	720
cac	gac	ggc	aag	ccc	cat	ctg	caa	gcc	gaa	gcc	ctc	aac	aaa	atg		765

His Asp Gly Lys Pro His Leu Gln Ala Glu Ala Leu Asn Lys Met 245 250 255

<210> 22

<211> 255

<212> PRT

<213> Neisseria meningitidis

<400> 22

Met Pro Ser Glu Ala Arg Phe Phe Arg Leu Gln Thr Ala Phe Pro Arg

1 5 10 15

Leu Ile Cys Gly Ile Ile Arg Leu Tyr Pro Leu Phe Ala Lys His Asn 20 25 30

Met Thr Arg Lys Ile Leu Val Thr Ser Ala Leu Pro Tyr Ala Asn Gly 35 40 45

Ser Ile His Leu Gly His Met Val Glu His Ile Gln Thr Asp Val Trp 50 55 60

Val Arg Phe Gln Lys Leu Arg Gly Asn Glu Cys His Tyr Cys Cys Ala 65 70 75 80

Asp Asp Thr His Gly Thr Pro Val Met Leu Ala Ala Gln Lys Gln Gly 85 90 95

Ile Ala Pro Glu Asp Met Ile Ala Lys Val Arg Glu Glu His Leu Ala
100 105 110

Asp Phe Thr Gly Phe Phe Ile Gly Tyr Asp Asn Tyr Tyr Ser Thr His 115 120 125

Ser Pro Glu Asn Lys Gln Phe Ser Gln Asp Ile Tyr Arg Ala Leu Lys 130 135 140

Ala Asn Gly Lys Ile Glu Ser Arg Val Ile Glu Gln Leu Phe Asp Pro 145 150 155 160

Glu Lys Gln Met Phe Leu Pro Asp Arg Phe Val Lys Gly Glu Cys Pro 165 170 175

Lys Cys His Ala Gln Asp Gln Tyr Gly Asp Asn Cys Glu Val Cys Gly
180 185 190

Thr Thr Tyr Ser Pro Thr Glu Leu Ile Asn Pro Tyr Ser Ala Val Ser 195 200 205

Gly Ala Lys Pro Glu Leu Arg Glu Ser Glu His Phe Phe Lys Leu

215 210 Gly Glu Cys Ala Asp Phe Leu Lys Ala Trp Thr Ser Gly Asn Asn Pro 230 235 225 His Asp Gly Lys Pro His Leu Gln Ala Glu Ala Leu Asn Lys Met 245 250 <210> 23 <211> 1539 <212> DNA <213> Neisseria meningitidis <220> <221> CDS <222> (1)..(1539) <400> 23 atg aag ttt tta gac cgt gag gca agc att gcc aag ccg ggt ttc aac 48 Met Lys Phe Leu Asp Arg Glu Ala Ser Ile Ala Lys Pro Gly Phe Asn 1 5 10 15 cgt tgg ctc gta ccg ccc gca gca ttg gcg gta cac ctt gcc atc ggg 96 Arg Trp Leu Val Pro Pro Ala Ala Leu Ala Val His Leu Ala Ile Gly 25 20 30 cag att tac gcc tat tcc gta ttc aac gcg ccg ctg acc aaa ctt atc 144 Gln Ile Tyr Ala Tyr Ser Val Phe Asn Ala Pro Leu Thr Lys Leu Ile 35 40 ggc ata acc gaa tcg gcg gcc gga gat tgg aag ctg acc gta ggt 192 Gly Ile Thr Glu Ser Ala Ala Gly Asp Trp Lys Leu Thr Thr Val Gly 50 55 60 tgg att ttc agt atc gca ctc gcg atg ctg ggc gcg tcg gcc ctg 240 Trp Ile Phe Ser Ile Ala Leu Ala Met Leu Gly Ala Ser Ala Ala Leu 65 70 75 ttc ggt acg tgg atg gaa cgg gta ggg ccg cgc aaa gcc ata ttt gcc 288 Phe Gly Thr Trp Met Glu Arg Val Gly Pro Arg Lys Ala Ile Phe Ala 85 90 95 gcc gcc tgc tgt ttc agc ctg ggc ttc ttc gta tcc gca ttc ggc gtg Ala Ala Cys Cys Phe Ser Leu Gly Phe Phe Val Ser Ala Phe Gly Val

100 105 110

								<u> </u>	.						~~~	204
-	acg Thr					_							_			384
ALG	# # # # JL	115	ASII	пец	FIIC	пец	120	тУт	пеп	ст ў	ASII	125	vai	110	OLY	
ggc	gta	ggc	ttg	ggt	ttg	ggc	tac	atc	ggg	ccg	gtt	tcc	aca	ctg	atg	432
Gly	Val	Gly	Leu	Gly	Leu	Gly	Tyr	Ile	Gly	Pro	Val	Ser	Thr	Leu	Met	
	130					135					140					
aaa	tgg	ttt	ccc	gac	aag	ccg	ggt	atg	gcg	acc	ggt	ttg	gcg	att	atg	480
-	Trp	Phe	Pro	Asp	_	Pro	Gly	Met	Ala		Gly	Leu	Ala	Ile		
145					150					155					160	
aat	ttc	aat	aac	aac	aca	2 t c	ata	aaa	taa	aca	c++	taa	at a	tca	c+«	528
	Phe				_	•	_	-	_	_			-		_	320
0	-110	0	011	165	1124		200		170					175		
atg	aac	acc	ttt	tca	aac	gct	act	tcg	gtt	ggg	gtt	gcc	gaa	acc	ttc	576
Met	Asn	Thr	Phe	Ser	Asn	Ala	Thr	Ser	Val	Gly	Val	Ala	Glu	Thr	Phe	
			180					185					190			
- T	gta	_		_					_	_	_					624
Ala	Val	ьеи 195	GTĀ	ьеи	ьеи	туг	ьеи 200	Ala	Leu	Met	Met		GТĀ	Ala	Pne	
		193					200					205				
acc	atc	cac	ata	cct	acc	gac	aac	taa	aaa	cct	gaa	aac	tat	acc	aca	672
	Ile	-	_		_	-					_					
	210					215	_	_	_		220	_	_			
ccg	aaa	acg	caa	aac	aag	ctg	gtc	agc	agc	aat	cat	gtc	aac	gtg	tcc	720
	Lys	Thr	Gln	Asn	-	Leu	Val	Ser	Ser		His	Val	Asn	Val	Ser	
225					230					235					240	
Caa	gcc	a+c	333	3.C.C	cca	C 3 C	+++	taa	ata	++~	++-	taa	at a	++~	tac	768
	Ala					_				-				_		700
02	u	1100	<i></i>	245		0111		TTP	250	Lea		TTP	v can	255	0,5	
ctg	aac	gta	act	gcc	ggc	atc	ggc	gta	ttg	ggt	cag	gca	tcc	gtg	atg	816
Leu	Asn	Val	Thr	Ala	Gly	Ile	Gly	Val	Leu	Gly	Gln	Ala	Ser	Val	Met	
			260					265					270			
								,							,	
	cag	_				_						_		_	_	864
тте	Gln	G1u 275	ьeu	Lue	ser	ъти	1hr 280	ser	тте	стλ	Arg	G1n 285	АТā	АТА	νal	
		۷,۱					200					د ں ے				
ggc	gca	ggt	gcg	gcg	gca	ggc	ttc	gtc	agc	ctc	ctg	agc	ctg	ttt	aac	912
	Ala	-	_		_			_	_			_				

290 295 300

		22							_		_			gga Gly	_	960
								-			-	_	_	tat Tyr 335		1008
-	-				0 2				_		-	_		atc Ile		1056
		_					_						-	gcc Ala		1104
	-		_		-	-					_	_		gcg Ala		1152
		_		_	_	_				_		-		Gly ggc	_	1200
-	-	_				_		_			•	-		ata Ile 415		1248
2	-	_	_		-	_		_			_			ctg Leu		1296
			-	_	-			-	-			-		gaa Glu		1344
		-		_				-	_		-			ccc Pro	_	1392
_	_		-			-	_					-		gtt Val		1440
	_			_	_			_		_	_	_	_	ata Ile	_	1488

485 490 495

ctc gcc tac ggc gtg gtg atg atc ttt gtc aaa gca ctc gac ctt ttc 1536 Leu Ala Tyr Gly Val Val Met Ile Phe Val Lys Ala Leu Asp Leu Phe 500 505 510

tcc 1539

Ser

<210> 24

<211> 513

<212> PRT

<213> Neisseria meningitidis

<400> 24

Met Lys Phe Leu Asp Arg Glu Ala Ser Ile Ala Lys Pro Gly Phe Asn 1 5 10 15

Arg Trp Leu Val Pro Pro Ala Ala Leu Ala Val His Leu Ala Ile Gly
20 25 30

Gln Ile Tyr Ala Tyr Ser Val Phe Asn Ala Pro Leu Thr Lys Leu Ile 35 40 45

Gly Ile Thr Glu Ser Ala Ala Gly Asp Trp Lys Leu Thr Thr Val Gly 50 55 60

Trp Ile Phe Ser Ile Ala Leu Ala Met Leu Gly Ala Ser Ala Ala Leu 65 70 75 80

Phe Gly Thr Trp Met Glu Arg Val Gly Pro Arg Lys Ala Ile Phe Ala 85 90 95

Ala Ala Cys Cys Phe Ser Leu Gly Phe Phe Val Ser Ala Phe Gly Val
100 105 110

Arg Thr His Asn Leu Phe Leu Leu Tyr Leu Gly Asn Gly Val Ile Gly
115 120 125

Gly Val Gly Leu Gly Leu Gly Tyr Ile Gly Pro Val Ser Thr Leu Met 130 135 140

Lys Trp Phe Pro Asp Lys Pro Gly Met Ala Thr Gly Leu Ala Ile Met 145 150 155 160

Gly Phe Gly Gly Ala Met Leu Ala Ser Pro Leu Ser Val Ser Leu
165 170 175

Met Asn Thr Phe Ser Asn Ala Thr Ser Val Gly Val Ala Glu Thr Phe Ala Val Leu Gly Leu Leu Tyr Leu Ala Leu Met Met Phe Gly Ala Phe Thr Ile Arg Val Pro Ala Asp Gly Trp Lys Pro Glu Gly Tyr Thr Ala Pro Lys Thr Gln Asn Lys Leu Val Ser Ser Asn His Val Asn Val Ser Gln Ala Met Lys Thr Pro Gln Phe Trp Leu Leu Phe Trp Val Leu Cys Leu Asn Val Thr Ala Gly Ile Gly Val Leu Gly Gln Ala Ser Val Met Ile Gln Glu Leu Phe Ser Glu Thr Ser Ile Gly Arg Gln Ala Ala Val Gly Ala Gly Ala Ala Gly Phe Val Ser Leu Ser Leu Phe Asn Met Gly Gly Arg Phe Leu Trp Ser Ser Val Ser Asp Lys Ile Gly Arg Lys Asn Thr Tyr Thr Ile Phe Phe Val Leu Gly Ser Leu Leu Tyr Phe 325 330 Ala Val Pro Ser Ile Gly Glu Gly Ser Lys Ala Leu Phe Ile Ile Gly Phe Cys Val Ile Ile Ser Met Tyr Gly Gly Phe Ala Ala Ile Pro Ala Tyr Leu Lys Asp Leu Phe Gly Thr Tyr Gln Val Gly Ala Ile His Gly Arg Ile Leu Leu Ala Trp Ser Thr Ala Ala Val Ile Gly Pro Val Leu Val Asn Tyr Ile Arg Gln Ser Gln Ile Asp Ser Gly Ile Pro Ala Ala Gln Ala Tyr Ser Val Thr Met Tyr Ile Met Ala Gly Leu Leu

Ile Ile Gly Leu Leu Cys Asn Leu Ala Val Lys Ser Val His Glu Lys 435 440 His His Glu Lys Asp Ile Lys Thr Ala Ala His Ser Gly Asn Pro Asp 455 Asp Glu Thr Ala Ile Ser Asp Ala Tyr Leu Val Gly Glu Lys Val Ser 470 475 Gly Gly Gly Ile Ser Val Trp Trp Arg Trp Ala Leu Ala Val Ile Pro 485 490 Leu Ala Tyr Gly Val Val Met Ile Phe Val Lys Ala Leu Asp Leu Phe 505 Ser <210> 25 <211> 1038 <212> DNA <213> Neisseria meningitidis <220> <221> CDS <222> (1)..(1038) <400> 25 ttg cag cct tta gtc agc gta ttg att tgc gcc tac aac gta gaa aaa 48 Leu Gln Pro Leu Val Ser Val Leu Ile Cys Ala Tyr Asn Val Glu Lys 1 5 10 15 tat ttc gcc caa tca tta gcc acc gtc gtg aat cag act tgg cgc aac 96 Tyr Phe Ala Gln Ser Leu Ala Thr Val Val Asn Gln Thr Trp Arg Asn 20 25 ttg gag att ttg att gtc gat gac ggc tcg aca gac ggt acg ctt gcc 144 Leu Glu Ile Leu Ile Val Asp Asp Gly Ser Thr Asp Gly Thr Leu Ala 35 40 45 att gcc aag gat ttt caa aag cgg gac agc cgt atc aaa atc ctt gca 192 Ile Ala Lys Asp Phe Gln Lys Arg Asp Ser Arg Ile Lys Ile Leu Ala 50 55 60

44

caa gct caa aat tcc ggc ctg att ccc tct tta aac atc ggg ctg gac

Gln 65	Ala	Gln	Asn	Ser	Gly 70	Leu	Ile	Pro	Ser	Leu 75	Asn	Ile	Gly	Leu	Asp 80	
				tca Ser 85										_	-	288
				gcc Ala											-	336
				agc Ser												384
				gac Asp												432
				aag Lys	_				~	-		_	-			480
				ccc Pro 165					_	_		_		_	_	528
				gga Gly												576
_				tgg Trp		-	-	_		_			~	~		624
				ttg Leu									_	-		672
				atc Ile				-								720
				gat Asp 245		-	-		_							768
gac	agc	ctt	gaa	tac	cgc	caa	ata	aaa	gca	gta	gcg	tat	gaa	ttg	ctg	816

Asp Ser Leu Glu Tyr Arg Gln Ile Lys Ala Val Ala Tyr Glu Leu Leu 260 265 270 gag aaa cat ttg ccg gaa gat ttt gaa cgc gcc cgc cgg ttt ttg Glu Lys His Leu Pro Glu Glu Asp Phe Glu Arg Ala Arg Arg Phe Leu 275 280 tac caa tgc ttc aaa cgg acg gac acg ccg ccc gcc ggc gcg tgg ctg 912 Tyr Gln Cys Phe Lys Arg Thr Asp Thr Pro Pro Ala Gly Ala Trp Leu 290 295 300 gat ttc gcg gca gac ggc aag atg agg cgg ctg ttt acc atg agg caa 960 Asp Phe Ala Ala Asp Gly Lys Met Arg Arg Leu Phe Thr Met Arg Gln 305 310 315 320 tac ttc ggc att ttg cac cgg ctg att aaa aac cgc cgg cag gcg cgg 1008 Tyr Phe Gly Ile Leu His Arg Leu Ile Lys Asn Arg Arg Gln Ala Arg 325 330 tcg gat tcg gca ggg aaa gaa cag gag att 1038 Ser Asp Ser Ala Gly Lys Glu Gln Glu Ile 340 345

<210> 26

<211> 346

<212> PRT

<213> Neisseria meningitidis

<400> 26

Leu Gln Pro Leu Val Ser Val Leu Ile Cys Ala Tyr Asn Val Glu Lys
1 5 10 15

Tyr Phe Ala Gln Ser Leu Ala Thr Val Val Asn Gln Thr Trp Arg Asn 20 25 30

Leu Glu Ile Leu Ile Val Asp Asp Gly Ser Thr Asp Gly Thr Leu Ala 35 40 45

Ile Ala Lys Asp Phe Gln Lys Arg Asp Ser Arg Ile Lys Ile Leu Ala 50 55 60

Gln Ala Gln Asn Ser Gly Leu Ile Pro Ser Leu Asn Ile Gly Leu Asp
65 70 75 80

Glu Leu Ala Lys Ser Gly Met Gly Glu Tyr Ile Ala Arg Thr Asp Ala 85 90 95

Asp Asp Ile Ala Ala Pro Asp Trp Ile Glu Lys Ile Val Gly Glu Met Glu Lys Asp Arg Ser Ile Ile Ala Met Gly Ala Trp Leu Glu Val Leu Ser Glu Glu Lys Asp Gly Asn Arg Leu Ala Arg His His Arg His Gly Lys Ile Trp Lys Lys Pro Thr Arg His Glu Asp Ile Ala Asp Phe Phe Pro Phe Gly Asn Pro Ile His Asn Asn Thr Met Ile Met Arg Arg Ser Val Ile Asp Gly Gly Leu Arg Tyr Asn Thr Glu Arg Asp Trp Ala Glu Asp Tyr Gln Phe Trp Tyr Asp Val Ser Lys Leu Gly Arg Leu Ala Tyr Tyr Pro Glu Ala Leu Val Lys Tyr Arg Leu His Ala Asn Gln Val Ser Ser Lys Tyr Ser Ile Arg Gln His Glu Ile Ala Gln Gly Ile Gln Lys Thr Ala Arg Asn Asp Phe Leu Gln Ser Met Gly Phe Lys Thr Arg Phe Asp Ser Leu Glu Tyr Arg Gln Ile Lys Ala Val Ala Tyr Glu Leu Leu Glu Lys His Leu Pro Glu Glu Asp Phe Glu Arg Ala Arg Arg Phe Leu Tyr Gln Cys Phe Lys Arg Thr Asp Thr Pro Pro Ala Gly Ala Trp Leu Asp Phe Ala Ala Asp Gly Lys Met Arg Arg Leu Phe Thr Met Arg Gln Tyr Phe Gly Ile Leu His Arg Leu Ile Lys Asn Arg Arg Gln Ala Arg Ser Asp Ser Ala Gly Lys Glu Gln Glu Ile

<210> 27 <211> 1856 <212> DNA <213> Neisseria meningitidis <220> <221> CDS <222> (1)..(1857) <400> 27 atg cca gaa tac cgc tcc aaa acc tcc acc cac ggt cgc aat atg gcg 48 Met Pro Glu Tyr Arg Ser Lys Thr Ser Thr His Gly Arg Asn Met Ala ggc gcg cgc gcg ttg tgg cgc gcc acc ggc gtg atg gaa acc gac ttc 96 Gly Ala Arg Ala Leu Trp Arg Ala Thr Gly Val Met Glu Thr Asp Phe 20 25 30 ggc aaa ccg att atc gcc gtt gcc aac tcg ttc acc caa ttc gtg cca 144 Gly Lys Pro Ile Ile Ala Val Ala Asn Ser Phe Thr Gln Phe Val Pro 35 40 ggt cat gtc cac ctg cac aat atg ggc cag ctg gtt gcc cgc gaa atc 192 Gly His Val His Leu His Asn Met Gly Gln Leu Val Ala Arg Glu Ile 50 55 gaa aaa gcc ggc gcc atc gcc aaa gaa ttc aac acc atc gcc atc gac 240 Glu Lys Ala Gly Ala Ile Ala Lys Glu Phe Asn Thr Ile Ala Ile Asp 65 70 75 80 gac ggc atc gct atg gga cac agc ggt atg ctg tat tcc ctg ccc agc 288 Asp Gly Ile Ala Met Gly His Ser Gly Met Leu Tyr Ser Leu Pro Ser 85 90 cgc gat ttg att gcc gac tcc atc gaa tat atg gtc aat gcc cac tgc Arg Asp Leu Ile Ala Asp Ser Ile Glu Tyr Met Val Asn Ala His Cys 100 105 110 gec gac geg ctg gtg tgc att tec aac tgc gac aaa atc acc ccg ggc Ala Asp Ala Leu Val Cys Ile Ser Asn Cys Asp Lys Ile Thr Pro Gly 120 115 125 atg ctg att gcc gcg atg cgc ctg aac atc ccg acc atc ttc gtt tcc Met Leu Ile Ala Ala Met Arg Leu Asn Ile Pro Thr Ile Phe Val Ser 135 140

			,			,					١					400
		_	_	_	gca Ala			-						_	_	480
145	O.L.y	110	1100	OLu	150	Сту	цур	Val	1.1.0	155	vai	711.4	11011		160	
ccc	gaa	cgc	cgt	ttg	gac	ttg	att	gac	gcg	atg	att	gaa	tcg	gcg	gac	528
Pro	Glu	Arg	Arg		Asp	Leu	Ile	Asp		Met	Ile	Glu	Ser		Asp	
				165					170					175		
gac	aat	atc	agc	aac	cgg	caa	gtt	gaa	gaa	gtc	gaa	caa	aac	gcc	tgc	576
Asp	Asn	Ile	Ser	Asn	Arg	Gln	Val	Glu	Glu	Val	Glu	Gln	Asn	Ala	Суѕ	
			180					185					190			
		.		.	3 3_	1		. 1	1-1-1-				a			CO 1
					tgt Cys											624
110		195	CLY	501	O.Y.D	501	200	1100	1110		11114	205	DOL	1100	11011	
_	_		_	-	ctc		_			_						672
Cys		Thr	Glu	Ala	Leu	_	Leu	Ser	Leu	Pro	_	Asn	Gly	Ser	Tyr	
	210					215					220					
ctc	gcc	acc	cac	gtc	ggc	cgc	aaa	gaa	ctg	ttc	ctc	gaa	gcc	ggc	cgt	720
Leu	Ala	Thr	His	Val	Gly	Arg	Lys	Glu	Leu	Phe	Leu	Glu	Ala	Gly	Arg	
225					230					235					240	
2 + ~	-+-	~+~	~	2+4	200		~~~	+ - +	+	~~~	~~~		~-+	~~~	200	768
_		_	_		acc Thr		_						_	_		700
				245		-1-	5	-1-	250				1	255		
		_	_	_	att		_								-	816
Va⊥	Leu	Pro	Arg 260	Ser	Ile	Ala	Thr	Lуs 265	Lys	АДа	Phe	GLu	Asn 270	Ala	Met	
			200					200					270			
acc	atg	gac	att	gcc	atg	ggc	ggc	agc	acc	aac	act	att	ttg	cat	tta	864
Thr	Met		Ile	Ala	Met	Gly	Gly	Ser	Thr	Asn	Thr	Ile	Leu	His	Leu	
		275					280					285				
ctc	acc	att	acc	aac	gaa	aca	aac	ata	gat	ttc	aaa	ato	gca	gac	atc	912
	_	_	_		Glu				_			_	_	_		
	290					295					300					
_	_			-	gtt			_		-			-			960
305	ALG	пеп	ser	ALG	Val 310	Val	PIO	СУБ	TTE	315	пур	7117	Ala	PLO	320	
					_•										= =	
aac	cac	gac	tac	tat	atg	gaa	gac	gtg	cac	cga	gcc	ggc	ggc	atc	ttc	1008
Asn	His	Asp	Tyr		Met	Glu	Asp	Val		Arg	Ala	Gly	Gly		Phe	
				325					330					335		

_	atc Ile	_		_	_	_				_	_					1056
	act Thr				_	_	_		_			~			-	1104
_	acc Thr 370			_				-		_	~			_		1152
	ggc		-	_						_			•	-	2 5	1200
	acc Thr				~	-	_			_		_	_		_	1248
	gcc Ala		_		-			_		_	_					1296
_	gag Glu	_		-		-			-		-	~		_		1344
	aaa Lys 450						-			_			_	_	-	1392
	gaa Glu									-		_		_		1440
	cgc Arg								_		_	-	_	-	_	1488
	ccg Pro													-		1536
	tta Leu				_								_			1584

	g gcg gaa ggt ggc gcg atc ggt ttg gta a Ala Glu Gly Gly Ala Ile Gly Leu Val 5 540	1632
3 33 3 3 3	a atc gac atc ccc aac cgc agc atc cgc u Ile Asp Ile Pro Asn Arg Ser Ile Arg 555 560	1680
	a ctc gcc gcc cgc cgt gcc gaa atg gaa u Leu Ala Ala Arg Arg Ala Glu Met Glu 570 575	1728
	g aaa ccg gaa aac cgc gac cgc tac gtc o Lys Pro Glu Asn Arg Asp Arg Tyr Val 585 590	1776
	c ggc gcg atg gcg act tcc gcc gac aaa r Gly Ala Met Ala Thr Ser Ala Asp Lys 600 605	1824
ggc gcg gtg cgc gac gta gcg Gly Ala Val Arg Asp Val Ala 610 615	a Gln Ile Glu Arg	1857
<210> 28 <211> 619 <212> PRT <213> Neisseria meningitid	is	
<211> 619 <212> PRT	is	
<211> 619 <212> PRT <213> Neisseria meningitid: <400> 28	is s Thr Ser Thr His Gly Arg Asn Met Ala 10 15	
<211> 619 <212> PRT <213> Neisseria meningitid: <400> 28 Met Pro Glu Tyr Arg Ser Lys 1 5	s Thr Ser Thr His Gly Arg Asn Met Ala	
<211> 619 <212> PRT <213> Neisseria meningitid: <400> 28 Met Pro Glu Tyr Arg Ser Lys 1 5 Gly Ala Arg Ala Leu Trp Arg 20	s Thr Ser Thr His Gly Arg Asn Met Ala 10 15 g Ala Thr Gly Val Met Glu Thr Asp Phe	
<211> 619 <212> PRT <213> Neisseria meningitid: <400> 28 Met Pro Glu Tyr Arg Ser Lys 1 5 Gly Ala Arg Ala Leu Trp Arg 20 Gly Lys Pro Ile Ile Ala Vai	S Thr Ser Thr His Gly Arg Asn Met Ala 10 15 G Ala Thr Gly Val Met Glu Thr Asp Phe 25 30 L Ala Asn Ser Phe Thr Gln Phe Val Pro 40 45 Met Gly Gln Leu Val Ala Arg Glu Ile	
<pre><211> 619 <212> PRT <213> Neisseria meningitid: <400> 28 Met Pro Glu Tyr Arg Ser Lys 1</pre>	S Thr Ser Thr His Gly Arg Asn Met Ala 10 15 G Ala Thr Gly Val Met Glu Thr Asp Phe 25 30 L Ala Asn Ser Phe Thr Gln Phe Val Pro 40 45 Met Gly Gln Leu Val Ala Arg Glu Ile	

Arg Asp Leu Ile Ala Asp Ser Ile Glu Tyr Met Val Asn Ala His Cys Ala Asp Ala Leu Val Cys Ile Ser Asn Cys Asp Lys Ile Thr Pro Gly Met Leu Ile Ala Ala Met Arg Leu Asn Ile Pro Thr Ile Phe Val Ser Gly Gly Pro Met Glu Ala Gly Lys Val Ile Gly Val Ala Asn Ile Gln Pro Glu Arg Arg Leu Asp Leu Ile Asp Ala Met Ile Glu Ser Ala Asp Asp Asn Ile Ser Asn Arg Gln Val Glu Glu Val Glu Gln Asn Ala Cys Pro Thr Cys Gly Ser Cys Ser Gly Met Phe Thr Ala Asn Ser Met Asn Cys Leu Thr. Glu Ala Leu Gly Leu Ser Leu Pro Gly Asn Gly Ser Tyr Leu Ala Thr His Val Gly Arg Lys Glu Leu Phe Leu Glu Ala Gly Arg Met Ile Val Glu Ile Thr Lys Arg Tyr Tyr Glu Gln Asn Asp Glu Thr Val Leu Pro Arg Ser Ile Ala Thr Lys Lys Ala Phe Glu Asn Ala Met Thr Met Asp Ile Ala Met Gly Gly Ser Thr Asn Thr Ile Leu His Leu Leu Ala Val Ala Asn Glu Ala Gly Val Asp Phe Lys Met Ala Asp Ile Asp Arg Leu Ser Arg Val Val Pro Cys Ile Cys Lys Thr Ala Pro Asn Asn His Asp Tyr Tyr Met Glu Asp Val His Arg Ala Gly Gly Ile Phe Ala Ile Leu Lys Glu Leu Asp Lys Ala Gly Lys Leu His Thr Asp Val

His	Thr	355	His	ALa	Pro	Thr	Leu 360	Lys	Asp	ALa	Ile	365	Lys	Trp	Asp
Val	Thr 370	Asn	Pro	Glu	Asn	Thr 375	His	Ala	Ile	Glu	Arg 380	Phe	Lys	Ala	Ala
Pro 385	Gly	Gly	Val	Arg	Thr 390	Thr	Gln	Ala	Phe	Ser 395	Gln	Asn	Arg	Met	Trp
Lys	Thr	Leu	Asp	Leu 405	Asp	Arg	Glu	Lys	Gly 410	Cys	Ile	Arg	Asp	Val 415	Ala
His	Ala	Tyr	Ser 420	Gln	Asp	Gly	Gly	Leu 425	Ala	Val	Leu	Phe	Gly 430	Asn	Ile
Ala	Glu	Arg 435	Gly	Cys	Val	Val	Lys 440	Thr	Ala	Gly	Val	Asp 445	Glu	Ser	Ile
Leu	Lys 450	Phe	Thr	Gly	Arg	Ala 455	Arg	Val	Phe	Glu	ser 460	Gln	Glu	Asp	Ala
Val 465	Glu	Gly	Ile	Leu	Gly 470	Asn	Gln	Ile	Val	Ala 475	Gly	Asp	Ile	Val	Ile 480
Ile	Arg	Tyr	Glu	Gly 485	Pro	Lys	Gly	Gly	Pro 490	Gly	Met	Gln	Glu	Met 495	Leu
Tyr	Pro	Thr	Ser 500	Tyr	Leu	Lys	Ser	Lys 505	Gly	Leu	Gly	Lys	Ala 510	Сув	Ala
Leu	Leu	Thr 515	Asp	Gly	Arg	Phe	Ser 520	Gly	Gly	Thr	Ser	Gly 525	Leu	Ser	Ile
Gly	His 530	Ala	Ser	Pro	Glu	Ala 535	Ala	Glu	Gly	Gly	Ala 540	Ile	Gly	Leu	Val
His 545	Glu	Gly	Asp	Thr	Val 550	Glu	Ile	Asp	Ile	Pro 555	Asn	Arg	Ser	Ile	Arg 560
Leu	Val	Ile	Ser	Asp 565	Glu	Glu	Leu	Ala	Ala 570	Arg	Arg	Ala	Glu	Met 575	Glu
Ala	Arg	Gly	Ser 580	Lys	Ala	Trp	Lys	Pro 585	Glu	Asn	Arg _.	Asp	Arg 590	Tyr	Val
Ser	Ala	Ala 595	Leu	Arg	Ala	Tyr	Gly 600	Ala	Met	Ala	Thr	Ser 605	Ala	Asp	Lys

Gly Ala Val Arg Asp Val Ala Gln Ile Glu Arg 610 615

<210> 29 <211> 1725 <212> DNA <213> Neisseria meningitidis <220> <221> CDS <222> (1)..(1725) <400> 29 atg cag cta tca ggc gcg caa atc ata gtg cag agt ctc aaa gcc gaa Met Gln Leu Ser Gly Ala Gln Ile Ile Val Gln Ser Leu Lys Ala Glu 1 5 15 ggt gtc gag tac gtt ttc ggt tat ccc ggc ggt gcg gtt atc gaa atc 96 Gly Val Glu Tyr Val Phe Gly Tyr Pro Gly Gly Ala Val Ile Glu Ile 20 25 30 tac gat gcc ctt ttc caa ctc aat aaa ttc aag cac att ctg acc cgt 144 Tyr Asp Ala Leu Phe Gln Leu Asn Lys Phe Lys His Ile Leu Thr Arg 35 40 cac gag cag gcg gca gta cac gcg gca gat gcg tat gcg cgc gtc agc 192 His Glu Gln Ala Ala Val His Ala Ala Asp Ala Tyr Ala Arg Val Ser 50 55 60 ggt aag gtg ggc gtg gca ttg gtt aca tcc ggc ccg ggc gtt acc aat Gly Lys Val Gly Val Ala Leu Val Thr Ser Gly Pro Gly Val Thr Asn 70 75 gca ctg acc ggt att gct act gcc tat acg gat tcg att ccg atg gtg Ala Leu Thr Gly Ile Ala Thr Ala Tyr Thr Asp Ser Ile Pro Met Val 85 95 gtc atc agc ggg cag gta ggc aat tcc ctg att ggt acg gat gcg ttc 336 Val Ile Ser Gly Gln Val Gly Asn Ser Leu Ile Gly Thr Asp Ala Phe 100 105 110 caa gaa gtt gat acg gtg ggt att acc cgt ccg tgc gtc aaa cac aat 384 Gln Glu Val Asp Thr Val Gly Ile Thr Arg Pro Cys Val Lys His Asn 115 120 125

	_	-	_	gac Asp				_		_						432
			-	gca Ala	_		_		222				-	_	_	480
		_	_	acg Thr 165			_				_			_	_	528
-				cgt Arg	_			_	-	_						576
_				gcc Ala		_	_	_	-		_		_	_	_	624
_				ggc Gly				_			-		-		-	672
	_		_	cga Arg	_	-		-	-	_	_		_	_	_	720
	_		-	tat Tyr 245				-	_					_		768
	-			act Thr			-			-	_	-			_	816
				gta Val		-				-						864
_				ttc Phe		_		_	_	-				-	_	912
			-	atc Ile	_			_			_		-			960

	_			aac Asn 325	-	_			_	-		-				1008
				ccg Pro		-	_	-	_							1056
		-		cgt Arg		_	_	~	_			_			-	1104
_			_	cca Pro			-		_	_		_				1152
		-	-	atc Ile			_	-	-		_			_		1200
	_			tat Tyr 405			_									1248
		_		acg Thr	-		-		_						-	1296
		_	_	ccg Pro	_		_	_		_				_	33	1344
			_	aac Asn				_			_					1392
				gtc Val												1440
_	_	-	_	gaa Glu 485						_		_	_			1488
				ccc Pro	-					_		_				1536

atc ggt atc cgc gtg gac aag aag tct gat gtg gaa ggt gcg ttg ttg Ile Gly Ile Arg Val Asp Lys Lys Ser Asp Val Glu Gly Ala Leu Leu 520 525 515 gaa gca ttg aac caa aaa gac agg ctg gtg ttt atc gac ttc ctg acc 1632 Glu Ala Leu Asn Gln Lys Asp Arg Leu Val Phe Ile Asp Phe Leu Thr 530 535 gac cag aaa cag aat gtg atg ccc atg gtc ggc aac ggc aaa ggt ttg Asp Gln Lys Gln Asn Val Met Pro Met Val Gly Asn Gly Lys Gly Leu 545 550 555 560 gac gaa atg gta ctt ccg ccg cat atg cgt gcg gac gga aag gcg 1725 Asp Glu Met Val Leu Pro Pro His Met Arg Ala Asp Gly Lys Ala 570 565 575

<210> 30

<211> 575

<212> PRT

<213> Neisseria meningitidis

<400> 30

Met Gln Leu Ser Gly Ala Gln Ile Ile Val Gln Ser Leu Lys Ala Glu
1 5 10 15

Gly Val Glu Tyr Val Phe Gly Tyr Pro Gly Gly Ala Val Ile Glu Ile
20 25 30

Tyr Asp Ala Leu Phe Gln Leu Asn Lys Phe Lys His Ile Leu Thr Arg 35 40 45

His Glu Gln Ala Ala Val His Ala Ala Asp Ala Tyr Ala Arg Val Ser 50 55 60

Gly Lys Val Gly Val Ala Leu Val Thr Ser Gly Pro Gly Val Thr Asn 65 70 75 80

Ala Leu Thr Gly Ile Ala Thr Ala Tyr Thr Asp Ser Ile Pro Met Val
85 90 95

Val Ile Ser Gly Gln Val Gly Asn Ser Leu Ile Gly Thr Asp Ala Phe 100 105 110

Gln Glu Val Asp Thr Val Gly Ile Thr Arg Pro Cys Val Lys His Asn 115 120 125

Phe Leu Val Thr Asp Ile Asn Glu Leu Ala Glu Thr Ile Lys Lys Ala

130 135 140

Phe Gln Ile Ala Ala Ser Gly Arg Pro Gly Pro Val Val Val Asp Val 145 150 155 160

- Pro Lys Asp Val Thr Gln Ala Met Ala Lys Phe Ser Tyr Pro Gln Glu
 165 170 175
- Asp Ile Phe Ile Arg Ser Tyr Gln Pro Val Val Gln Gly His Ile Gly
 180 185 190
- Gln Ile Lys Lys Ala Val Gln Met Leu Ala Ser Ala Lys Arg Pro Val 195 200 205
- Val Tyr Phe Gly Gly Gly Val Val Leu Gly Asn Ala Ser Glu Glu Leu 210 215 220
- Thr Arg Phe Val Arg Met Thr Gly Ala Pro Cys Thr Gly Thr Leu Met 225 230 235 240
- Gly Leu Gly Ala Tyr Pro Ser Gly Asp Arg Gln Phe Leu Gly Met Leu 245 250 255
- Gly Met His Gly Thr Tyr Glu Ala Asn Leu Ala Met Gln Asn Ala Asp 260 265 270
- Val Val Leu Ala Val Gly Ala Arg Phe Asp Asp Arg Val Val Ser Val 275 280 285
- Pro Ser Lys Phe Phe Glu Lys Ala Lys Lys Val Ile His Ile Asp Val 290 295 300
- Asp Pro Ser Ser Ile Ala Lys Arg Val Lys Ala Asp Ile Pro Ile Val 305 310 315 320
- Gly Asp Val Lys Asn Val Leu Ser Glu Met Val Ala Leu Trp Gln Lys 325 330 335
- Gln Glu Ser Val Pro Ser Glu Asp Ala Leu Gly Lys Trp Trp Lys Thr 340 345 350
- Ile Glu Glu Trp Arg Ser Arg Asp Cys Leu Trp Phe Asp Asn Gly Ser
 355 360 365
- Glu Ile Ile Lys Pro Gln Tyr Val Ile Gln Lys Leu Ala Glu Ile Thr 370 375 380
- Gly Asn Ser Ala Ile Ile Thr Ser Asp Val Gly Gln His Gln Met Phe

385 390 395 400

Ala Ala Gln Tyr Tyr Pro Phe Glu Arg Pro Arg Gln Trp Leu Asn Ser 405 410 415

Gly Gly Leu Gly Thr Met Gly Val Gly Leu Pro Tyr Ala Ile Gly Ala 420 425 430

Lys Leu Ala Ala Pro Asp Gln Asp Val Phe Cys Ile Thr Gly Asp Gly 435 440 445

Ser Ile Gln Met Asn Ile Gln Glu Leu Ser Thr Cys Phe Gln Tyr Arg 450 455 460

Ile Pro Val Asn Val Ile Thr Leu Asn Asn Gly Tyr Leu Gly Met Val 465 470 475 480

Arg Gln Trp Gln Glu Ile Tyr Tyr Gly Gly Arg Glu Ser Glu Thr Tyr 485 490 495

Phe Asp Ser Leu Pro Asp Phe Val Lys Leu Ala Glu Ala Tyr Gly His
500 505 510

Ile Gly Ile Arg Val Asp Lys Lys Ser Asp Val Glu Gly Ala Leu Leu 515 520 525

Glu Ala Leu Asn Gln Lys Asp Arg Leu Val Phe Ile Asp Phe Leu Thr 530 535 540

Asp Gln Lys Gln Asn Val Met Pro Met Val Gly Asn Gly Lys Gly Leu 545 550 555 560

Asp Glu Met Val Leu Pro Pro His Met Arg Ala Asp Gly Lys Ala 565 570 575

<210> 31

<211> 651

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(651)

<400> 31

atg ttt tcc gta ccg cgt tcc ttt ttg ccg ggc gtt ttc gta ctt gcc 48

Met 1	Phe	Ser	Val	Pro 5	Arg	Ser	Phe	Leu	Pro 10	Gly	Val	Phe	Val	Leu 15	Ala	
		_	_	_	aaa Lys					_						96
		_			gcg Ala											144
_	_		_	_	atg Met	_	_	_	_				_		-	192
_		-		_	ggc Gly 70	-				_	_	-	_			240
_	_			_	tct Ser				_		-		_	-	-	288
		_		_	acg Thr		_	_	_	_	_	_	_			336
				-	aaa Lys					-		_	_		-	384
_	_		-		atc Ile		_		-		_			_	_	432
					gca Ala 150											480
					gtt Val								_	-	-	528
					gac Asp											576
aac	ggt	gag	gtt	gcc	att	ttc	tcg	cct	tac	gga	agc	gag	ccg	gaa	acg	624

Asn Gly Glu Val Ala Ile Phe Ser Pro Tyr Gly Ser Glu Pro Glu Thr
195 200 205

att gct gcc gat gta agg acc ctg ctc
Ile Ala Ala Asp Val Arg Thr Leu Leu
210 215

651

<210> 32

<211> 217

<212> PRT

<213> Neisseria meningitidis

<400> 32

Met Phe Ser Val Pro Arg Ser Phe Leu Pro Gly Val Phe Val Leu Ala
1 5 10 15

Ala Leu Ala Ala Cys Lys Pro Gln Asp Asn Ser Ala Ala Gln Val Ala
20 25 30

Ser Ser Ser Ala Ser Ala Ser Ala Ala Glu Asn Ala Ala Lys Pro Gln 35 40 45

Thr Arg Gly Thr Asp Met Arg Lys Glu Asp Ile Gly Gly Asp Phe Thr 50 55 60

Leu Thr Asp Gly Glu Gly Lys Pro Phe Asn Leu Ser Asp Leu Lys Gly 65 70 75 80

Lys Val Val Ile Leu Ser Phe Gly Phe Thr His Cys Pro Asp Val Cys
85 90 95

Pro Thr Glu Leu Leu Thr Tyr Ser Asp Thr Leu Lys Gln Leu Gly Gly
100 105 110

Gln Ala Lys Asp Val Lys Val Val Phe Val Ser Ile Asp Pro Glu Arg 115 120 125

Asp Thr Pro Glu Ile Ile Gly Lys Tyr Ala Lys Gln Phe Asn Pro Asp 130 135 140

Phe Ile Gly Leu Thr Ala Thr Gly Asp Gln Asn Leu Pro Val Ile Lys
145 150 155 160

Gln Gln Tyr Arg Val Val Ser Ala Lys Val Asn Gln Lys Asp Asp Ser 165 170 175

Glu Asn Tyr Leu Val Asp His Ser Ser Gly Ala Tyr Leu Ile Asp Lys

180 185 190

Asn Gly Glu Val Ala Ile Phe Ser Pro Tyr Gly Ser Glu Pro Glu Thr 195 200 205

Ile Ala Ala Asp Val Arg Thr Leu Leu 210 215

<210> 33

<211> 330

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(330)

<400> 33

ttg ccg ctg ctt tgt tgt ctt tgg ttt tgg cag cct gcg gcg gtg aaa 48
Leu Pro Leu Cys Cys Leu Trp Phe Trp Gln Pro Ala Ala Val Lys
1 5 10 15

aag ccg ctg aag ctc ccg ctg ctg aag cac ctg ccg ccg aag ctc ccg 96
Lys Pro Leu Lys Leu Pro Leu Lys His Leu Pro Pro Lys Leu Pro
20 25 30

cta ctg aag cac ctg ccg ccg aag ctc ccg ctg ctg aag cac ctg ccg 144
Leu Leu Lys His Leu Pro Pro Lys Leu Pro Leu Leu Lys His Leu Pro
35 40 45

ccg aag ctc ctg cta ctg aag cac ctg ccg ccg aag ctc ccg ctg ctg 192
Pro Lys Leu Leu Leu Lys His Leu Pro Pro Lys Leu Pro Leu Leu
50 55 60

aag ctg ccg cta ccg aag cac ctg ccg ctg aag ctg ccg cta ccg aag 240 Lys Leu Pro Leu Pro Lys Leu Pro Leu Pro Lys 65 70 75 80

cac ctg ccg ctg aag ctc ctg ctg ccg aag ctg caa aat aag cat ttt 288
His Leu Pro Leu Lys Leu Leu Pro Lys Leu Gln Asn Lys His Phe
85 90 95

ccg ctt gca aaa aag cag gat acg ttc agt atc ctg ctt ttt

Pro Leu Ala Lys Lys Gln Asp Thr Phe Ser Ile Leu Leu Phe

100 105 110

<210> 34

<211> 110

<212> PRT

<213> Neisseria meningitidis

<400> 34

Leu Pro Leu Leu Cys Cys Leu Trp Phe Trp Gln Pro Ala Ala Val Lys

1 5 10 15

Lys Pro Leu Lys Leu Pro Leu Lys His Leu Pro Pro Lys Leu Pro
20 25 30

Leu Leu Lys His Leu Pro Pro Lys Leu Pro Leu Leu Lys His Leu Pro 35 40 45

Pro Lys Leu Leu Leu Lys His Leu Pro Pro Lys Leu Pro Leu Leu 50 55 60

Lys Leu Pro Leu Pro Lys His Leu Pro Leu Lys Leu Pro Leu Pro Lys 65 70 75 80

His Leu Pro Leu Lys Leu Leu Pro Lys Leu Gln Asn Lys His Phe 85 90 95

Pro Leu Ala Lys Lys Gln Asp Thr Phe Ser Ile Leu Leu Phe
100 105 110

<210> 35

<211> 2118

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(2118)

<400> 35

atg ttc gac aaa cac gtt aag acc ttc caa tac ggt aat cag acc gtt 48 Met Phe Asp Lys His Val Lys Thr Phe Gln Tyr Gly Asn Gln Thr Val 1 5 10 15

act ttg gaa acc ggc gaa att gcc cgc caa gcc gcc gct gcc gtt aaa 96
Thr Leu Glu Thr Gly Glu Ile Ala Arg Gln Ala Ala Ala Ala Val Lys
20 25 30

_	tct Ser	_		_			-		_	•	_					144
	gtg Val 50		_			_				_		_	_		_	192
_	cgc Arg			_	-										_	240
-	ggc			_	-		_		_		-	_	_		_	288
	ccg Pro															336
	gta Val		_	_			_	_		_		_		_		384
	gca Ala 130															432
	gcc Ala				_		_									480
	gtt Val															528
_	gtg Val	_	-					_		_	-		-		-	576
	aaa Lys															624
	gat Asp 210														_	672

_	_		_	-			_			-		-		aat Asn		720
_	_	_			-	_			_		-			aaa Lys 255	-	768
				-					-		_		_	gac Asp	-	816
-		_		-		_	_	-				-		gac Asp	_	864
_	_	-		_								_	_	gcc Ala	_	912
-	_	_	_			_	_			_	_		_	ggc Gly	-	960
_				_	_	_	_							ttg Leu 335	_	1008
-					-	_			-		_			gcc Ala		1056
										-				gac Asp		1104
_			-			-	_			_				ttt Phe		1152
														cgc Arg		1200
		-		-	_		_			_	_	_	_	gta Val 415	_	1248

_	aaa Lys														1296
	gaa Glu														1344
_	agc Ser 450	_	_		_				_		_		_	_	 1392
	gcg Ala	_													1440
_	att Ile	_	55	_	-	_		_		_	_	-			 1488
_	ggt Gly	_		_		_			_	_		_			 1536
	ggc						_			_	_		_	-	1584
-	gcg Ala 530	-	_			_	-	_	_		_	_	-		1632
	caa Gln														1680
	caa Gln	_				_									1728
_	gcg Ala			_	_			_							1776
	acg Thr				-	_				_	_		-		 1824

aaa aaa cgc atc gag cag att act gcc gaa gtg gaa gtg ggc aaa gtg Lys Lys Arg Ile Glu Gln Ile Thr Ala Glu Val Glu Val Gly Lys Val 610 615 620	1872
tac gaa ggc act gtg gtg aaa atc ctc gac aac aat gtc ggc gcg att Tyr Glu Gly Thr Val Val Lys Ile Leu Asp Asn Asn Val Gly Ala Ile 625 630 635 640	1920
gtc agt gtg atg ccg ggc aaa gac ggt ttg gta cac atc agc caa atc Val Ser Val Met Pro Gly Lys Asp Gly Leu Val His Ile Ser Gln Ile 645 650 655	1968
gcc cac gag cgc gta cgc aat gtc ggc gac tac ctg caa gtc ggt cag Ala His Glu Arg Val Arg Asn Val Gly Asp Tyr Leu Gln Val Gly Gln 660 665 670	2016
gtg gtg aac gtg aaa gca ttg gaa gtg gac gac aga ggc cgt gtc cgt Val Val Asn Val Lys Ala Leu Glu Val Asp Asp Arg Gly Arg Val Arg 675 680 685	2064
ctg tcc atc aaa gcc ctg ctg gac gcg cct gcc cgt gag gaa aat gcc Leu Ser Ile Lys Ala Leu Leu Asp Ala Pro Ala Arg Glu Glu Asn Ala 690 695 700	2112
gcc gag Ala Glu 705	2118
<210> 36 <211> 706 <212> PRT <213> Neisseria meningitidis	
<400> 36	
Met Phe Asp Lys His Val Lys Thr Phe Gln Tyr Gly Asn Gln Thr Val 1 5 10 15	
Thr Leu Glu Thr Gly Glu Ile Ala Arg Gln Ala Ala Ala Ala Val Lys 20 25 30	
Val Ser Met Gly Asp Thr Val Val Leu Val Ala Val Thr Thr Asn Lys 35 40 45	
Cly Wal Two Cly Cly Cly Aca Dho Dho Dao Toy Mhy Wal Aca Twy Toy	
Glu Val Lys Glu Gly Gln Asp Phe Phe Pro Leu Thr Val Asp Tyr Leu 50 55 60	

VO 01/85772	PCT/GB01/02003

Glu Gly Lys Gln Ser Glu Lys Glu Ile Leu Thr Ser Arg Leu Ile Asp Arg Pro Ile Arg Pro Leu Phe Pro Glu Gly Phe Tyr His Asp Ile Gln Ile Val Ala Met Val Val Ser Val Asp Pro Glu Ile Asp Ser Asp Ile Pro Ala Met Leu Gly Ala Ser Ala Ala Leu Val Leu Ser Gly Val Pro Phe Ala Gly Pro Ile Gly Ala Ala Arg Val Gly Tyr Ile Asn Gly Val 150 155 Tyr Val Leu Asn Pro Thr Lys Ala Glu Leu Ala Lys Ser Gln Leu Asp 165 170 Leu Val Val Ala Gly Thr Ser Lys Ala Val Leu Met Val Glu Ser Glu Ala Lys Ile Leu Pro Glu Asp Val Met Leu Gly Ala Val Val Tyr Gly His Asp Gln Met Gln Val Ala Ile Asn Ala Ile Asn Glu Phe Ala Asp Glu Val Asn Pro Glu Leu Trp Asp Trp Lys Ala Pro Glu Thr Asn Glu Glu Leu Val Ala Lys Val Arg Gly Ile Ala Gly Glu Thr Ile Lys Glu Ala Phe Lys Ile Arg Gln Lys Gln Ala Arg Ser Ala Lys Leu Asp Glu Ala Trp Ser Ala Val Lys Glu Ala Leu Ile Thr Glu Glu Thr Asp Thr Leu Ala Ala Asn Glu Ile Lys Gly Ile Phe Lys His Leu Glu Ala Asp

Leu Ala Ala Asn Glu Ile Lys Gly Ile Phe Lys His Leu Glu Ala Asp 290 295 300

Val Val Arg Ser Gln Ile Leu Asp Gly Gln Pro Arg Ile Asp Gly Arg 305 310 315 320

Asp Thr Arg Thr Val Arg Pro Leu Asn Ile Gln Thr Gly Val Leu Pro

325 330 335

Arg Thr His Gly Ser Ala Leu Phe Thr Arg Gly Glu Thr Gln Ala Leu 340 345 350

Ala Val Ala Thr Leu Gly Thr Ser Arg Asp Glu Gln Ile Ile Asp Ala 355 360 365

Leu Ser Gly Glu Tyr Thr Asp Arg Phe Met Leu His Tyr Asn Phe Pro 370 375 380

Pro Tyr Ser Thr Gly Glu Val Gly Arg Met Gly Ala Pro Lys Arg Arg 385 390 395 400

Glu Ile Gly His Gly Arg Leu Ala Lys Arg Ala Leu Leu Ala Val Leu
405 410 415

Pro Lys Pro Glu Asp Phe Ser Tyr Thr Met Arg Val Val Ser Glu Ile 420 425 430

Thr Glu Ser Asn Gly Ser Ser Ser Met Ala Ser Val Cys Gly Gly Cys
435 440 445

Leu Ser Leu Leu Ser Ala Gly Val Pro Leu Lys Ala His Val Ala Gly
450 455 460

Ile Ala Met Gly Leu Ile Leu Glu Gly Asn Lys Phe Ala Val Leu Thr 465 470 475 480

Asp Ile Leu Gly Asp Glu Asp His Leu Gly Asp Met Asp Phe Lys Val 485 490 495

Ala Gly Thr Thr Glu Gly Val Thr Ala Leu Gln Met Asp Ile Lys Ile 500 505 510

Gln Gly Ile Thr Lys Glu Ile Met Gln Ile Ala Leu Ala Gln Ala Lys 515 520 525

Glu Ala Arg Leu His Ile Leu Asp Gln Met Lys Ala Ala Val Ala Gly
530 540

Pro Gln Glu Leu Ser Ala His Ala Pro Arg Leu Phe Thr Met Lys Ile 545 550 555 560

Asn Gln Asp Lys Ile Arg Glu Val Ile Gly Lys Gly Gly Glu Thr Ile 565 570 575

Arg Ala Ile Thr Ala Glu Thr Gly Thr Glu Ile Asn Ile Ala Glu Asp

580 585 590

Gly Thr Ile Thr Ile Ala Ala Thr Thr Gln Glu Ala Gly Asp Ala Ala
595 600 605

Lys Lys Arg Ile Glu Gln Ile Thr Ala Glu Val Glu Val Gly Lys Val 610 620

Tyr Glu Gly Thr Val Val Lys Ile Leu Asp Asn Asn Val Gly Ala Ile 625 630 635 640

Val Ser Val Met Pro Gly Lys Asp Gly Leu Val His Ile Ser Gln Ile 645 650 655

Ala His Glu Arg Val Arg Asn Val Gly Asp Tyr Leu Gln Val Gly Gln 660 665 670

Val Val Asn Val Lys Ala Leu Glu Val Asp Asp Arg Gly Arg Val Arg 675 680 685

Leu Ser Ile Lys Ala Leu Leu Asp Ala Pro Ala Arg Glu Glu Asn Ala 690 695 700

Ala Glu 705

<210> 37

<211> 3972

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(3972)

<400> 37

gtg agc cga att atg tct gtc gtt ttg ccc ttg cgc ggc gtt acc gcc 48
Val Ser Arg Ile Met Ser Val Val Leu Pro Leu Arg Gly Val Thr Ala

1 5 10 15

ctt tcc gat ttc cgt gtt gaa aaa ctc ttg caa aaa gcc gcc gca ctc 96 Leu Ser Asp Phe Arg Val Glu Lys Leu Gln Lys Ala Ala Ala Leu 20 25 30

ggt ctg ccc gaa gtc aaa tta agc agc gaa ttt tgg tat ttc gtc ggc 144 Gly Leu Pro Glu Val Lys Leu Ser Ser Glu Phe Trp Tyr Phe Val Gly

35 40 45

_	-			ctt Leu	-	_			-	_		_		_	-	192
Leu	gcg			agc Ser	Val	gaa		_		Lys	gcg	_			Leu	240
65 63+	++~	+++	++~	gtc	70	999	a~t	++~	aat	75	~++	+ ~ ~	998	+~~	80 82t	288
			_	Val 85	_		~	~		_		_	_		_	200
	_			aat Asn					_		_	-			_	336
_			_	ggc	_				_	_					_	384
_	_		-	caa Gln			_	_	_		-	_	_		-	432
	-	_		gat Asp		_	_	-								480
				ttt Phe 165					-	-						528
_	_	_		gcc Ala			_			_	_			-	_	576
_		-		ctg Leu	-	-			_	-	-	_	-		_	624
	_			ctg Leu	_	-			_	-		_	_		-	672
_				ttc Phe		_	-						-		_	720

WO 01/85772	PCT/GB01/02003

225	230	235	240
	e Gly Met Ile Arg A	gac acg cac aac gcg of Asp Thr His Asn Ala :	
	_	aac tca tcc gtg atc Asn Ser Ser Val Ile 270	
	_	gcg gca gaa aac caa Ala Ala Glu Asn Gln 285	~ ~
	-	atc atg aaa gtg gaa a Lle Met Lys Val Glu ' 300	-
		gcg ggc gcg gca acg Ala Gly Ala Ala Thr 315	
	g Asp Glu Gly Ala T	acg ggc aaa ggt tcg o Thr Gly Lys Gly Ser i	
		ccc aac ctc aac atc o Ger Asn Leu Asn Ile : 350	
		ggc aag ccg gaa cat a Gly Lys Pro Glu His : 365	
		ecc atc ggc ggc gcg g Pro Ile Gly Gly Ala 2 380	
	-	etg ggc tac ttc cgc a Geu Gly Tyr Phe Arg ! 395	
	Gly Gln Val Arg G	ggc tac cac aaa ccg a Gly Tyr His Lys Pro :	•
		gcg cag cag acg cat a	_

420 425 430

gaa atc ccc gaa ggc gcg ttg ctg atc caa ctg ggc ggc ccg ggt atg 13 Glu Ile Pro Glu Gly Ala Leu Leu Ile Gln Leu Gly Gly Pro Gly Met 435 440 445	14
100	
ctt atc ggc ttg ggc ggc gcg gct tct tcg atg gat acc ggc aca 13	€2
Leu Ile Gly Leu Gly Gly Gly Ala Ala Ser Ser Met Asp Thr Gly Thr	
450 455 460	
aac gac gcg tct tta gac ttc aac tcc gta caa cgc ggc aac ccc gaa 14	10
Asn Asp Ala Ser Leu Asp Phe Asn Ser Val Gln Arg Gly Asn Pro Glu	
465 470 475 480	
	2.0
ate gaa ege ege geg eag gaa gtg ate gae ege tge tgg eag ete gge 14	38
Ile Glu Arg Arg Ala Gln Glu Val Ile Asp Arg Cys Trp Gln Leu Gly 485 490 495	
400 490 490	
qac aaa aac ccg att atc tcc atc cac gac gtt ggc gcg ggc ggc ttg 15	36
Asp Lys Asn Pro Ile Ile Ser Ile His Asp Val Gly Ala Gly Gly Leu	_
500 505 510	
tcc aac gcc ttc ccc gaa ctc gtc aac gat gcc gga cgc ggc gcg gta 15	34
Ser Asn Ala Phe Pro Glu Leu Val Asn Asp Ala Gly Arg Gly Ala Val	
515 520 525	
ttc aag ctg cgc gaa gtg ccg ctg gaa gaa cac ggt ctc aac ccg ctg 16	32
Phe Lys Leu Arg Glu Val Pro Leu Glu Glu His Gly Leu Asn Pro Leu	
530 535 540	
caa atc tgg tgc aac gaa tcg caa gag cgt tat gta ttg tcg att ttg 16	2 ∩
Gln Ile Trp Cys Asn Glu Ser Gln Glu Arg Tyr Val Leu Ser Ile Leu	, 0
545 550 555 560	
gaa aaa gat ttg gac atc ttc cgc tcc atc tgc gaa cgt gaa cgc tgc 17	28
Glu Lys Asp Leu Asp Ile Phe Arg Ser Ile Cys Glu Arg Glu Arg Cys	
565 570 575	
ccg ttt gcg gta gtc ggt acg gcg acc gac ggc cat ttg aaa gta 17	76
Pro Phe Ala Val Val Gly Thr Ala Thr Asp Asp Gly His Leu Lys Val	
580 585 590	
	2.4
cgc gac gat ttg ttc tcc aac aac cct gtc gat ttg ccg ttg aac gtc 18	<u> </u>
Arg Asp Asp Leu Phe Ser Asn Asn Pro Val Asp Leu Pro Leu Asn Val 595 600 605	
ttq ctc qqc aaa ccq ccc aaa acc acq cqt acc gac aaa acg gtt gcg 18	72
Leu Leu Gly Lys Pro Pro Lys Thr Thr Arg Thr Asp Lys Thr Val Ala	

610 615 620

ccg	tcc	aaa	aaa	ccg	ttt	cac	gcg	ggc	gat	atc	gac	att	act	gaa	gcc	1920
Pro	Ser	Lys	Lys	Pro	Phe	His	Ala	Gly	Asp	Ile	Asp	Ile	Thr	Glu	Ala	
625					630					635					640	
acc	tac	cac	att	cta	cac	cta	cct	acc	ata	acc	gcc	aaa	aac	ttc	cta	1968
									_	_	Ala				_	
1114	- y -	1119	Val	645	mrg	шец	110	, in a	650	ALG	лта	СУС	ADII	655	шси	
				043					030					033		
~ + +		-+-		~~~			ب <u>ہ</u> مدید									0016
				_	_	_	_		55	_	acc		_	•		2016
TTE	'l'nr	тте	_	Asp	Arg	Ser	Va⊥	_	GTA	Met	Thr	His	_	Asp	GIn	
			660					665					670			
atg	gtc	ggc	aaa	tac	caa	acc	ccc	gta	gcc	gac	tgc	gcc	gtt	acc	atg	2064
Met	Val	Gly	Lys	Tyr	Gln	Thr	Pro	Val	Ala	Asp	Cys	Ala	Val	Thr	Met	
		675					680					685				
atg	ggc	ttc	aac	act	tat	cgc	ggc	gaa	gcg	atg	agc	atg	ggc	gaa	aaa	2112
Met	Gly	Phe	Asn	Thr	Tyr	Arg	Gly	Glu	Ala	Met	Ser	Met	Gly	Glu	Lys	
	690					695					700		_		_	
cca	acc	atc	acc	ata	ttt	gac	aca	aat.	act	t.ca	ggc	aga	ato	tac	atc	2160
	_	_	_		_						Gly			_	_	2100
705		vas	2111.01	пси	710	лор	1114	110	ALU	715	ОТУ	ALG	IIC C	Cys	720	
703					710					11.5					720	
~~~	~~~	~~~	n + a											4		0000
											atc					2208
GТĀ	GLU	Ала	тте		Asn	TTE	Ala	Ала		Asn	Ile	СТА	Asp		GТĀ	
				725					730					735		
					_			-	-		tgc			_		2256
Asn	Ile	Lys	Leu	Ser	Ala	Asn	Trp	Met	Ala	Ala	Cys	Gly	Asn	Glu	Gly	
			740					745					750			
gaa	gac	gaa	aaa	ctc	tac	cgc	acc	gtc	gaa	gcg	gtt	tcc	aaa	gcc	tgt	2304
Glu	Asp	Glu	Lys	Leu	Tyr	Arg	Thr	Val	Glu	Ala	Val	Ser	Lys	Ala	Cys	
		755					760					765				
caq	gca	ttg	gat	ttq	agc	att	acc	gtg	aac	aaa	gac	agc	ctq	tca	atq	2352
											Asp			-	_	
	770		1-			775			1	-1-	780					
	. , 0					,,,					,00					
222	200	ata	+ ~~	Cac	n a n	ממם	us s	u a u	222	222	tcc	at-	~++	taa	CCC	2400
				_	-		-					-	-	_	-	2400
	TIIT	νа⊥	ттЪ	GTII	_	GT À	GIU	GT II	пЛя	_	Ser	val	val	ser		
785					790					795					800	
3 1		,	, ,	,	,											
									-	_	caa	_	_	-		2448
Leu	Ser	Leu	Ile	Ile	Ser	Ala	Phe	Ala	Pro	Val	Gln	Asp	Val	Arg	Lys	

805 810 815

					-									ctg		2496
Thr	Val	Thr		Glu	Leu	Lys	Asn		Glu	Asp	Ser	Val		Leu	Phe	
			820					825					830			
atc	gat	tta	aac	ttc	aac	aaa	aca	cat	atσ	aac	aac	tca	aca	ttt	aat	2544
-	-	_	-					-	-	~ -		_		Phe		
	-	835	_		_	_	840	_		_	_	845			_	
cag	gtg	tac	aac	aat	atg	agc	ggc	gac	gcg	ccc	gat	ttg	gac	gat	aca	2592
Gln		Tyr	Asn	Asn	Met		Gly	Asp	Ala	Pro	_	Leu	Asp	Asp	Thr	
	850					855					860					
agt	cat	cta	aaa	aca	ttt	tac	aac	ata	att	caơ	cao	ctt	atc	qcc	σaa	2640
_	_	_								-	-		-	Ala	_	
865	_		_		870	_				875					880	
							_	_	_	_			_	ttt	_	2688
Asp	Lys	Leu	Leu		Tyr	His	Asp	Arg		Asp	Gly	Gly	Leu	Phe	Ala	
				885					890					895		
gtt	tta	gta	qaa	atq	aca	ttt	qca	aaa	caa	tac	aac	tta	gat	ata	gat	2736
_	_		-	-	-		_			_		_	-	Ile	-	
			900					905					910			
tta	aat	tta	ttg	ctt	gca	caa	aca	ttt	att	acc	aac	cat	acc	gct	ctg	2784
Leu	Asn		Leu	Leu	Ala	Gln		Phe	Ile	Thr	Asn		Thr	Ala	Leu	
		915					920					925		*		
tct	caa	tca	tta	caa	act	gaa	gag	qta	aaa	aca	ttg	act	qaa	tgg	caa	2832
			_			_		_			_	_	-	Trp		
	930					935					940					
_			_	_					_		_		_	gtt -		2880
	Thr	IIe	Ala	Arg		Leu	Phe	Asn	GLu		Leu	G⊥у	Ala	Val		
945					950					955					960	
caa	gtt	aga	aaa	caa	gat	gtt	gcc	gat	att	atc	aat	tta	ttc	tat	caa	2928
Gln	Val	Arg	Lys	Gln	Asp	Val	Ala	Asp	Ile	Ile	Asn	Leu	Phe	Tyr	Gln	
				965					970					975		
									*							
														gat		2976
Gln	Gln	Leu		His	Asn	Val	Phe		Ile	GLY	Thr	Leu		Asp	Glu	
			980					985					990			
aac	acg	tta	atc	atc	cgc	gac	ggg	caa	acg	cac	ctt	att	tct	gac	aac	3024
Asn	Thr	Leu	Ile	Ile	Arg	Asp	Gly	Gln	Thr	His	Leu	Ile	ser	Asp	Asn	

995 1000 1005

cta	atc	aaa	ctg	caa	caa	acc	tgg	caa	gaa	acc	agc	cat	caa	atc	caa	3072
Leu	Ile	Lys	Leu	Gln	Gln	Thr	Trp	Gln	Glu	Thr	Ser	His	Gln	Ile	Gln	
5	1010				5	1015				-	L020					
cgc	ctg	cgc	gac	aac	cct	gcc	tgc	gcc	gac	agc	gag	ttt	gcc	ctg	att	3120
Arg	Leu	Arg	Asp	Asn	Pro	Ala	Cys	Ala	Asp	Ser	Glu	Phe	Ala	Leu	Ile	
1025	5			-	1030					1035				-	1040	
ggc	gac	aac	gga	cgc	agc	gca	ttg	ttt	gcc	aac	ctg	aaa	ttc	gac	gtg	3168
Gly	Asp	Asn	Gly	Arg	Ser	Ala	Leu	Phe	Ala	Asn	Leu	Lys	Phe	Asp	Val	
			-	1045				1	L050				-	1055		
aac	gaa	gac	atc	gcc	gcg	ccg	ttt	atc	aac	agc	ggc	gcg	aaa	ccc	aaa	3216
Asn	Glu	Asp	Ile	Ala	Ala	Pro	Phe	Ile	Asn	Ser	Gly	Ala	Lys	Pro	Lys	
			1060					1065					1070		-	
atc	gcc	atc	ctg	cgc	gaa	cag	ggc	gta	aac	ggg	caa	atc	gaa	atg	gcc	3264
	_		•	-	-	_		Val					-	_	-	
		1075					1080			-		1085				
acc	acc	ttc	acc	cat	acc	aat	ttc	gat	acc	tac	gac	ata	cat	atq	tcc	3312
_	_			_	-			Asp	_		-			_		
	L090			,		1095		-		-	1100					
					_											
σac	cta	ato	σca	aac	cac	atc	cac	ctt	acc	σac	ttc	aaa	atq	cta	aca	3360
_	_	_	-		-	_		Leu	-	_			_	_		
1105				_	1110					1115		-			1120	
aca	tac	aac	aac	ttc	agc	tac	aac	gac	qta	ctc	aac	aca	aac	aaa	aac	3408
	_							Asp								
	-4	_	_	1125			4	_	L130		-		_	1135	-	
tgg	aca	aaa	tcc	atc	ctq	ttc	cac	ccc	gcc	tta	cqc	gac	caq	ttc	qcc	3456
					_			Pro	_		_	_	_		_	
		- :	1140					1145				-	1150			
qcc	ttc	ttc	acc	gac	ccq	aac	acq	ctq	aca	tta	aac	ata	tac	aac	aac	3504
-				_	_		_	Leu		_			_			
		1155		*		-	1160					1165	-		-	
tqc	caq	atq	qtc	aqc	aac	ctc	qcc	gaa	atc	atc	ccc	ggc	acq	qca	ggc	3552
_	_	_	-	_			_	Glu					_	-		
_	L170					1175					1180	-			-4	
taa	cca	aaq	ttc	aaσ	cqc	aac	cta	agc	gaa	caq	ttc	gaa	gca	cqc	ctq	3600
	_	_		_	_		_	Ser	-	_		_	-	_	_	
				4			_		-	_	-		-			

age atg gtt cac gtc ccc aaa tca gcc tcc ctg att ctg aac gaa atg Ser Met Val His Val Pro Lys Ser Ala Ser Leu Ile Leu Asn Glu Met caa gge tee age etg eee gte gte gte age eae gge gaa gge ege gee Gln Gly Ser Ser Leu Pro Val Val Val Ser His Gly Glu Gly Arg Ala gac ttc gcg ctt cac ggc ggc aac att tct gcc gat ttg ggc att gcg Asp Phe Ala Leu His Gly Gly Asn Ile Ser Ala Asp Leu Gly Ile Ala ttg caa tat gtg gac gga caa aac caa att acc caa acc tac ccg ctc Leu Gln Tyr Val Asp Gly Gln Asn Gln Ile Thr Gln Thr Tyr Pro Leu aac ccc aac ggc tcg ccg caa ggc atc gcc ggc gtg acc aac gcc gac Asn Pro Asn Gly Ser Pro Gln Gly Ile Ala Gly Val Thr Asn Ala Asp ggc cgc gtt acc atc atg atg ccg cat cct gaa cgt gta tac cgc gcc Gly Arg Val Thr Ile Met Met Pro His Pro Glu Arg Val Tyr Arg Ala gca caa atg agc tgg aaa ccg gaa gac tgg acg gaa ttg tcc qgc tqg Ala Gln Met Ser Trp Lys Pro Glu Asp Trp Thr Glu Leu Ser Gly Trp tac ege etc tte gee gge gea egt aaa gee ttg gge Tyr Arg Leu Phe Ala Gly Ala Arg Lys Ala Leu Gly <210> 38 <211> 1324 <212> PRT <213> Neisseria meningitidis <400> 38 Val Ser Arg Ile Met Ser Val Val Leu Pro Leu Arg Gly Val Thr Ala Leu Ser Asp Phe Arg Val Glu Lys Leu Leu Gln Lys Ala Ala Ala Leu 

Gly Leu Pro Glu Val Lys Leu Ser Ser Glu Phe Trp Tyr Phe Val Gly

i.

WO 01/85772

35

Ser Glu Lys Ala Leu Asp Ala Ala Thr Val Glu Lys Leu Gln Ala Leu 50 55 60

40

PCT/GB01/02003

45

Leu Ala Ala Gln Ser Val Glu Gln Thr Pro Lys Ala Arg Glu Gly Leu 65 70 75 80

His Leu Phe Leu Val Thr Pro Arg Leu Gly Thr Ile Ser Pro Trp Ala 85 90 95

Ser Lys Ala Thr Asn Ile Ala Glu Asn Cys Gly Leu Ala Gly Ile Glu 100 105 110

Arg Ile Glu Arg Gly Met Ala Val Trp Leu Glu Gly Ala Leu Thr Asp 115 120 125

Glu Gln Gln Gln Trp Ala Ala Leu Leu His Asp Arg Met Thr Glu 130 135 140

Ser Val Leu Pro Asp Phe Gln Thr Ala Ser Lys Leu Phe His His Leu 145 150 155 160

Glu Ser Glu Thr Phe Ser Thr Val Asp Val Leu Gly Gly Gly Lys Glu
165 170 175

Ala Leu Val Lys Ala Asn Thr Glu Met Gly Leu Ala Leu Ser Ala Asp 180 185 190

Glu Ile Asp Tyr Leu Val Glu Asn Tyr Gln Ala Leu Gln Arg Asn Pro 195 200 205

Ser Asp Val Glu Leu Met Met Phe Ala Gln Ala Asn Ser Glu His Cys 210 215 220

Arg His Lys Ile Phe Asn Ala Asp Phe Ile Leu Asn Gly Glu Lys Gln 225 230 235 240

Pro Lys Ser Leu Phe Gly Met Ile Arg Asp Thr His Asn Ala His Pro 245 250 255

Glu Gly Thr Val Val Ala Tyr Lys Asp Asn Ser Ser Val Ile Glu Gly
260 265 270

Ala Lys Val Glu Arg Phe Tyr Pro Asn Ala Ala Glu Asn Gln Gly Tyr
275 280 285

Arg Phe His Glu Glu Asp Thr His Ile Ile Met Lys Val Glu Thr His

WO 01/85772	PCT/GB01/02003

290 295 300

Asn His Pro Thr Ala Ile Ala Pro Phe Ala Gly Ala Ala Thr Gly Ala 305 310 315 320

- Gly Gly Glu Ile Arg Asp Glu Gly Ala Thr Gly Lys Gly Ser Arg Pro 325 330 335
- Lys Ala Gly Leu Thr Gly Phe Thr Val Ser Asn Leu Asn Ile Pro Gly 340 345 350
- Leu Lys Gln Pro Trp Glu Gln Asp Tyr Gly Lys Pro Glu His Ile Ser 355 360 365
- Ser Pro Leu Asp Ile Met Ile Glu Gly Pro Ile Gly Gly Ala Ala Phe 370 375 380
- Asn Asn Glu Phe Gly Arg Pro Asn Leu Leu Gly Tyr Phe Arg Thr Phe 385 390 395 400
- Glu Glu Lys Phe Asp Gly Gln Val Arg Gly Tyr His Lys Pro Ile Met
  405 410 415
- Ile Ala Gly Gly Leu Gly Ser Ile Gln Ala Gln Gln Thr His Lys Asp
  420 425 430
- Glu Ile Pro Glu Gly Ala Leu Leu Ile Gln Leu Gly Gly Pro Gly Met
  435 440 445
- Leu Ile Gly Leu Gly Gly Gly Ala Ala Ser Ser Met Asp Thr Gly Thr 450 455 460
- Asn Asp Ala Ser Leu Asp Phe Asn Ser Val Gln Arg Gly Asn Pro Glu 465 470 475 480
- Ile Glu Arg Arg Ala Gln Glu Val Ile Asp Arg Cys Trp Gln Leu Gly
  485 490 495
- Asp Lys Asn Pro Ile Ile Ser Ile His Asp Val Gly Ala Gly Gly Leu 500 505 510
- Ser Asn Ala Phe Pro Glu Leu Val Asn Asp Ala Gly Arg Gly Ala Val 515 520 525
- Phe Lys Leu Arg Glu Val Pro Leu Glu Glu His Gly Leu Asn Pro Leu 530 535 540
- Gln Ile Trp Cys Asn Glu Ser Gln Glu Arg Tyr Val Leu Ser Ile Leu

WO 01/85772	PCT/GB01/02003

545					550					555					560
Glu	Lys	Asp	Leu	Asp 565	Ile	Phe	Arg	Ser	Ile 570	Cys	Glu	Arg	Glu	Arg 575	Cys
Pro	Phe	Ala	Val 580	Val	Gly	Thr	Ala	Thr 585	Asp	Asp	Gly	His	Leu 590	Lys	Val
Arg	Asp	Asp 595	Leu	Phe	Ser	Asn	Asn 600	Pro	Val	Asp	Leu	Pro 605	Leu	Asn	Val
Leu	Leu 610	Gly	Lys	Pro	Pro	Lys 615	Thr	Thr	Arg	Thr	Asp 620	Lys	Thr	Val	Ala
Pro 625	Ser	Lys	Lys	Pro	Phe 630	His	Ala	Gly	Asp	Ile 635	Asp	Ile	Thr	Glu	Ala 640
Ala	Туг	Arg	Val	Leu 645	Arg	Leu	Pro	Ala	Val 650	Ala	Ala	Lys	Asn	Phe 655	Leu
Ile	Thr	Ile	Gly 660	Asp	Arg	ser	Val	Gly 665	Gly	Met	Thr	His	Arg 670	Asp	Gln
Met	Val	Gly 675	Lys	Туг	Gln	Thr	Pro 680	Val	Ala	Asp	Суѕ	Ala 685	Val	Thr	Met
Met	Gly 690	Phe	Asn	Thr	Tyr	Arg 695	Gly	Glu	Ala	Met	ser 700	Met	Gly	Glu	Lys
Pro 705	Thr	Val	Ala	Leu	Phe 710	Asp	Ala	Pro	Ala	Ser 715	Gly	Arg	Met	Cys	Val 720
Gly	Glu	Ala	Ile	Thr 725	Asn	Ile	Ala	Ala	Ala 730	Asn	Ile	Gly	Asp	Ile 735	Gly
Asn	Ile	Lys	Leu 740	Ser	Ala	Asn	Trp	Met 745	Ala	Ala	Cys	Gly	Asn 750	Glu	Gly
Glu	Asp	Glu 755	Lys	Leu	Tyr	Arg	Thr 760	Val	Glu	Ala	Val	Ser 765	Lys	Ala	Суя
Gln	Ala 770	Leu	Asp	Leu	Ser	Ile 775	Pro	Val	Gly	Lys	Asp 780	Ser	Leu	Ser	Met
Lys 785	Thr	Val	Trp	Gln	Asp 790	Gly	Glu	Glu	Lys	Lys 795	Ser	Val	Val	Ser	Pro
Leu	Ser	Leu	Ile	IJe	Ser	Ala	Phe	Ala	Pro	٧al	Gln	Asp	٧al	Ara	Tivs

WO 01/85772 PCT/O	<b>FB</b> 01/0 <b>2</b> 003
-------------------	-----------------------------

				805					810					815	
Thr	Val	Thr	Pro 820	Glu	Leu	Lys	Asn	Val 825	Glu	Asp	Ser	Val	Leu 830	Leu	Phe
Val	Asp	Leu 835	Gly	Phe	Gly	Lys	Ala 840	Arg	Met	Gly	Gly	Ser 845	Ala	Phe	Gly
Gln	Val 850	Tyr	Asn	Asn	Met	Ser 855	Gly	Asp	Ala	Pro	Asp 860	Leu	Asp	Asp	Thr
ser 865	Arg	Leu	Lys	Ala	Phe 870	Tyr	Asn	Val	Ile	Gln 875	Gln	Leu	Val	Ala	Glu 880
Asp	Lys	Leu	Leu	Ala 885	Tyr	His	Asp	Arg	Ser 890	Asp	Gly	Gly	Leu	Phe 895	Ala
Val	Leu	Val	Glu 900	Met	Ala	Phe	Ala	Gly 905	Arg	Cys	Gly	Leu	Asp 910	Ile	Asp
Leu	Asn	Leu 915	Leu	Leu	Ala	Gln	Thr 920	Phe	Ile	Thr	Asn	His 925	Thr	Ala	Leu
Ser	Gln 930	Ser	Leu	Arg	Thr	Glu 935	Glu	Val	Lys	Ala	Leu 940	Ala	Glu	Trp	Gln
Glu 945	Thr	Ile	Ala	Arg	Thr 950	Leu	Phe	Asn	Glu	Glu 955	Leu	Gly	Ala	Val	Ile 960
Gln	Val	Arg	Lys	Gln 965	Asp	Val	Ala	Asp	Ile 970	Ile	Asn	Leu	Phe	Tyr 975	Gln
Gln	Gln	Leu	His 980	His	Asn	Val	Phe	Glu 985	Ile	Gly	Thr	Leu	Thr 990	Asp	Glu
Asn	Thr	Leu 995	Ile	Ile	Arg	_	Gly	Gln	Thr	His		Ile 1005	Ser	Asp	Asn
	Ile 1010	Lys	Leu	Gln		Thr L015	Trp	Gln	Glu		Ser 1020	His	Gln	Ile	Gln
Ara	Leu	Ara	Asn	Asn	Pro	Ala	Cvs	Ala	Asn	Ser	Glu	Phe	Ala	Leu	Ile
025	~	J	r		1030		- 1 -		_	1035	~				1040
Gly	Asp	Asn	_	Arg 1045	Ser	Ala	Leu		Ala 1050	Asn	Leu	Lys		Asp 1055	Val

81

Asn Glu Asp Ile Ala Ala Pro Phe Ile Asn Ser Gly Ala Lys Pro Lys

1060 1065 1070

Ile Ala Ile Leu Arg Glu Gln Gly Val Asn Gly Gln Ile Glu Met Ala 1075 1080 1085

Ala Ala Phe Thr Arg Ala Gly Phe Asp Ala Tyr Asp Val His Met Ser 1090 1095 1100

Asp Leu Met Ala Gly Arg Val His Leu Ala Asp Phe Lys Met Leu Ala 105 1110 1115 1120

Ala Cys Gly Gly Phe Ser Tyr Gly Asp Val Leu Gly Ala Gly Lys Gly
1125 1130 1135

Trp Ala Lys Ser Ile Leu Phe His Pro Ala Leu Arg Asp Gln Phe Ala 1140 1145 1150

Ala Phe Phe Thr Asp Pro Asn Thr Leu Thr Leu Gly Val Cys Asn Gly 1155 1160 1165

Cys Gln Met Val Ser Asn Leu Ala Glu Ile Ile Pro Gly Thr Ala Gly 1170 1175 1180

Trp Pro Lys Phe Lys Arg Asn Leu Ser Glu Gln Phe Glu Ala Arg Leu 185 1190 1195 1200

Ser Met Val His Val Pro Lys Ser Ala Ser Leu Ile Leu Asn Glu Met 1205 1210 1215

Gln Gly Ser Ser Leu Pro Val Val Val Ser His Gly Glu Gly Arg Ala 1220 1225 1230

Asp Phe Ala Leu His Gly Gly Asn Ile Ser Ala Asp Leu Gly Ile Ala
1235 1240 1245

Leu Gln Tyr Val Asp Gly Gln Asn Gln Ile Thr Gln Thr Tyr Pro Leu 1250 1255 1260

Asn Pro Asn Gly Ser Pro Gln Gly Ile Ala Gly Val Thr Asn Ala Asp 265 1270 1275 1280

Gly Arg Val Thr Ile Met Met Pro His Pro Glu Arg Val Tyr Arg Ala 1285 1290 1295

Ala Gln Met Ser Trp Lys Pro Glu Asp Trp Thr Glu Leu Ser Gly Trp
1300 1305 1310

Tyr Arg Leu Phe Ala Gly Ala Arg Lys Ala Leu Gly

1315 1320

<210> 39

<211> 471 <212> DNA <213> Neisseria meningitidis <220> <221> CDS <222> (1)..(471) <400> 39 atg tcc cgc aat acc gaa gag ctg caa ggc atc tcg ctt ttg ggt aat Met Ser Arg Asn Thr Glu Glu Leu Gln Gly Ile Ser Leu Leu Gly Asn 5 10 15 1 cag aaa acc cga tat ccg acc ggc tac gcg cct gaa att ctc gaa gca Gln Lys Thr Arg Tyr Pro Thr Gly Tyr Ala Pro Glu Ile Leu Glu Ala 20 25 ttc gac aac aaa cat ccc gac aac gac tat ttc gtc aaa ttc gtc tgc 144 Phe Asp Asn Lys His Pro Asp Asn Asp Tyr Phe Val Lys Phe Val Cys 35 40 45 cca gag ttc acc agc ctc tgc ccc atg acc ggg cag ccc gac ttc gcc 192 Pro Glu Phe Thr Ser Leu Cys Pro Met Thr Gly-Gln Pro Asp Phe Ala 50 55 acc atc tac atc cgc tac att ccg cac atc aaa atg gtg gaa agc aaa 240 Thr Ile Tyr Ile Arg Tyr Ile Pro His Ile Lys Met Val Glu Ser Lys 65 70 tcc ctg aaa ctc tac ctc ttc agc ttc cgc aac cac ggc gat ttt cat 288 Ser Leu Lys Leu Tyr Leu Phe Ser Phe Arg Asn His Gly Asp Phe His 85 90 95 gaa gac tgc gtc aac atc atc atg aaa gac ctc att gcc ctg atg gat 336 Glu Asp Cys Val Asn Ile Ile Met Lys Asp Leu Ile Ala Leu Met Asp 100 105 ccg aaa tac atc gaa gta ttc ggc gag ttc aca ccg cgc ggc ggc atc 384 Pro Lys Tyr Ile Glu Val Phe Gly Glu Phe Thr Pro Arg Gly Gly Ile 115 120 125 gcc att cat cct ttc gcc aat tac ggc aaa gca ggc acc gag ttt gaa 432 Ala Ile His Pro Phe Ala Asn Tyr Gly Lys Ala Gly Thr Glu Phe Glu

130 135 140

gca ttg gcg cgt aaa cgc ctg ttt gag cac gca caa 471 Ala Leu Ala Arg Lys Arg Leu Phe Glu His Asp Ala Gln 145 150 155

<210> 40

<211> 157

<212> PRT

<213> Neisseria meningitidis

<400> 40

Met Ser Arg Asn Thr Glu Glu Leu Gln Gly Ile Ser Leu Leu Gly Asn
1 5 10 15

Gln Lys Thr Arg Tyr Pro Thr Gly Tyr Ala Pro Glu Ile Leu Glu Ala 20 25 30

Phe Asp Asn Lys His Pro Asp Asn Asp Tyr Phe Val Lys Phe Val Cys
35 40 45

Pro Glu Phe Thr Ser Leu Cys Pro Met Thr Gly Gln Pro Asp Phe Ala 50 55 60

Thr Ile Tyr Ile Arg Tyr Ile Pro His Ile Lys Met Val Glu Ser Lys 65 70 75 80

Ser Leu Lys Leu Tyr Leu Phe Ser Phe Arg Asn His Gly Asp Phe His 85 90 95

Glu Asp Cys Val Asn Ile Ile Met Lys Asp Leu Ile Ala Leu Met Asp
100 105 110

Pro Lys Tyr Ile Glu Val Phe Gly Glu Phe Thr Pro Arg Gly Gly Ile 115 120 125

Ala Ile His Pro Phe Ala Asn Tyr Gly Lys Ala Gly Thr Glu Phe Glu 130 135 140

Ala Leu Ala Arg Lys Arg Leu Phe Glu His Asp Ala Gln 145 150 155

<210> 41

<211> 504

<212> DNA

<213> Neisseria meningitidis

<220> <221> CDS <222> (1)..(504) <400> 41 atg ccc cta cta gac agt ttc aaa gtc gat cac acc cgt atg cat gcc Met Pro Leu Leu Asp Ser Phe Lys Val Asp His Thr Arg Met His Ala 1 10 15 ccc gcc gta cgc gtg gcg aaa acc atg acc acg ccc aaa ggc gac acc 96 Pro Ala Val Arg Val Ala Lys Thr Met Thr Pro Lys Gly Asp Thr 20 25 30 att acc gtg ttc gac ctg cgc ttt tgc gtt ccc aat aaa gaa atc ctg 144 Ile Thr Val Phe Asp Leu Arg Phe Cys Val Pro Asn Lys Glu Ile Leu 35 cct gaa aaa ggc ata cac acg ctg gag cat ttg ttc gca ggt ttt atg 192 Pro Glu Lys Gly Ile His Thr Leu Glu His Leu Phe Ala Gly Phe Met 50 55 60 cgc gac cac ttg aac ggc aac ggc gtg gaa atc atc gac att tcc ccg 240 Arg Asp His Leu Asn Gly Asn Gly Val Glu Ile Ile Asp Ile Ser Pro 65 70 75 atg ggc tgc cgc acc ggt ttt tat atg agc ctt atc ggc acg cct tcc Met Gly Cys Arg Thr Gly Phe Tyr Met Ser Leu Ile Gly Thr Pro Ser 85 95 gaa cag cag gtc gcc gat gcg tgg ctg gct tcg atg cag gat gtt ttg 336 Glu Gln Gln Val Ala Asp Ala Trp Leu Ala Ser Met Gln Asp Val Leu 100 105 110 aat gtc aaa gac caa agc aaa atc ccc gag ttg aac gaa tac caa tgc 384 Asn Val Lys Asp Gln Ser Lys Ile Pro Glu Leu Asn Glu Tyr Gln Cys 115 120 ggc act tat caa atg cac tcg ctc gcc gaa gcg cag caa atc gcg caa 432 Gly Thr Tyr Gln Met His Ser Leu Ala Glu Ala Gln Gln Ile Ala Gln 130 135 140 aac gtg ttg gcg cgc aaa gtg gcg gtg aac aaa aat gaa gag ctg acg 480 Asn Val Leu Ala Arg Lys Val Ala Val Asn Lys Asn Glu Glu Leu Thr 145 150 155 160

504

ctg gat gaa ggg ctg ctg aac gcc

Leu Asp Glu Gly Leu Leu Asn Ala
165

<210> 42

<211> 168

<212> PRT

<213> Neisseria meningitidis

<400> 42

Met Pro Leu Leu Asp Ser Phe Lys Val Asp His Thr Arg Met His Ala 1 5 10 15

Pro Ala Val Arg Val Ala Lys Thr Met Thr Thr Pro Lys Gly Asp Thr
20 25 30

Ile Thr Val Phe Asp Leu Arg Phe Cys Val Pro Asn Lys Glu Ile Leu 35 40 45

Pro Glu Lys Gly Ile His Thr Leu Glu His Leu Phe Ala Gly Phe Met 50 55 60

Arg Asp His Leu Asn Gly Asn Gly Val Glu Ile Ile Asp Ile Ser Pro 65 70 75 80

Met Gly Cys Arg Thr Gly Phe Tyr Met Ser Leu Ile Gly Thr Pro Ser 85 90 95

Glu Gln Gln Val Ala Asp Ala Trp Leu Ala Ser Met Gln Asp Val Leu
100 105 110

Asn Val Lys Asp Gln Ser Lys Ile Pro Glu Leu Asn Glu Tyr Gln Cys 115 120 125

Gly Thr Tyr Gln Met His Ser Leu Ala Glu Ala Gln Gln Ile Ala Gln 130 135 140

Asn Val Leu Ala Arg Lys Val Ala Val Asn Lys Asn Glu Glu Leu Thr 145 150 155 160

Leu Asp Glu Gly Leu Leu Asn Ala 165

<210> 43

<211> 813

<212> DNA

<213> Neisseria meningitidis

145

<220> <221> CDS <222> (1)..(813) <400> 43 atg act atg cac gcc ctc ccc cgc tac gcc gtt ttt ggc aac ccc gtc Met Thr Met His Ala Leu Pro Arg Tyr Ala Val Phe Gly Asn Pro Val 1 10 15 gcc cac agc aaa tcg ccg caa att cat caa caa ttt gcc ctt cag gaa 96 Ala His Ser Lys Ser Pro Gln Ile His Gln Gln Phe Ala Leu Gln Glu 20 25 30 ggc gtt gac att gaa tac gaa cgc att tgc gcc gac atc ggc ggt ttc 144 Gly Val Asp Ile Glu Tyr Glu Arg Ile Cys Ala Asp Ile Gly Gly Phe 35 gcg cag gcg gtt tcg aca ttt ttt gaa aca ggc ggt tgc ggg gca aac 192 Ala Gln Ala Val Ser Thr Phe Phe Glu Thr Gly Gly Cys Gly Ala Asn 50 55 60 gtt acc gta ccg ttc aag cag gaa gcg ttt cat ctg gcg gac gag cat Val Thr Val Pro Phe Lys Gln Glu Ala Phe His Leu Ala Asp Glu His 65 70 75 tct gaa cgc gca ttg gct gcc ggc gcg gtc aac acg ctg att ttt ctg 288 Ser Glu Arg Ala Leu Ala Ala Gly Ala Val Asn Thr Leu Ile Phe Leu 85 95 aaa aac gga aaa ctg cgc ggc gac aat acc gac ggt atc ggt ttg gcc 336 Lys Asn Gly Lys Leu Arg Gly Asp Asn Thr Asp Gly Ile Gly Leu Ala 100 105 110 aac gac atc acg cag gtc aaa aac att gcc atc gaa ggc aaa acc atc 384 Asn Asp Ile Thr Gln Val Lys Asn Ile Ala Ile Glu Gly Lys Thr Ile 115 120 432 Leu Leu Gly Ala Gly Gly Ala Val Arg Gly Val Ile Pro Val Leu 130 135 140 aaa gaa cac cgt cct gcc cgt atc gtc att gcc aac cgt acc cgc gcc 480 Lys Glu His Arg Pro Ala Arg Ile Val Ile Ala Asn Arg Thr Arg Ala

aaa gcc gag gaa ttg gcg cag ctt ttc ggc att gaa gcc gtc ccg atg 528

87

155

160

Lys	Ala	Glu	Glu	Leu 165	Ala	Gln	Leu	Phe	Gly 170	Ile	Glu	Ala	Val	Pro 175	Met	
	-			ggc Gly			_						-	_		576
		Asn		cag Gln			Asp					Ile				624
			_	tac Tyr												672
	•		-	cga Arg		_						-			-	720
225	_			ggt	230		_		-	235				_	240	768
				Gly 245					250				_	255	Gly	012
	_		_	atc Ile	-		-		-		-		_			813
<210> 44 <211> 271 <212> PRT <213> Neisseria meningitidis																
<400	)> 4	1		Ala				Tvr	Ala	Val	Phe	Glv	Asn	Pro	Val	
1				5 Ser				_	10					15		

Ala His Ser Lys Ser Pro Gln Ile His Gln Gln Phe Ala Leu Gln Glu 20 25 30

Gly Val Asp Ile Glu Tyr Glu Arg Ile Cys Ala Asp Ile Gly Gly Phe 35 40 45

Ala Gln Ala Val Ser Thr Phe Phe Glu Thr Gly Gly Cys Gly Ala Asn 50 55 60

Val Thr Val Pro Phe Lys Gln Glu Ala Phe His Leu Ala Asp Glu His 65 70 75 80

Ser Glu Arg Ala Leu Ala Ala Gly Ala Val Asn Thr Leu Ile Phe Leu 85 90 95

Lys Asn Gly Lys Leu Arg Gly Asp Asn Thr Asp Gly Ile Gly Leu Ala 100 105 110

Asn Asp Ile Thr Gln Val Lys Asn Ile Ala Ile Glu Gly Lys Thr Ile 115 120 125

Leu Leu Gly Ala Gly Gly Ala Val Arg Gly Val Ile Pro Val Leu 130 135 140

Lys Ala Glu Glu Leu Ala Gln Leu Phe Gly Ile Glu Ala Val Pro Met 165 170 175

Ala Asp Val Asn Gly Gly Phe Asp Ile Ile Ile Asn Gly Thr Ser Gly
180 185 190

Gly Leu Asn Gly Gln Ile Pro Asp Ile Pro Pro Asp Ile Phe Gln Asn 195 200 205

Cys Ala Leu Ala Tyr Asp Met Val Tyr Gly Cys Ala Ala Lys Pro Phe 210 215 220

Leu Asp Phe Ala Arg Gln Ser Gly Ala Lys Lys Thr Ala Asp Gly Leu 225 230 235 240

Gly Met Leu Val Gly Gln Ala Ala Ala Ser Tyr Ala Leu Trp Arg Gly
245 250 255

Phe Thr Pro Asp Ile Arg Pro Val Ile Glu Tyr Met Lys Ala Leu 260 265 270

<210> 45

<211> 546

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(546)

<400> 45

ttg ctt tct cat ttg gat atg aaa ttc gtc agc gac ctt ttg tct gtc Leu Leu Ser His Leu Asp Met Lys Phe Val Ser Asp Leu Leu Ser Val 15 1 atc ttg ttt ttt gct act tat acc gtt acc aaa aat atg att gcc gct 96 Ile Leu Phe Phe Ala Thr Tyr Thr Val Thr Lys Asn Met Ile Ala Ala 25 20 acg gcg gtt gcc ttg gtt gcc ggt gtg gtt cag gcg gct ttt ctg tat 144 Thr Ala Val Ala Leu Val Ala Gly Val Val Gln Ala Ala Phe Leu Tyr 192 tgg aaa tat aaa aag ctg gat acg atg cag tgg gtc gga ctg gtg ctg Trp Lys Tyr Lys Lys Leu Asp Thr Met Gln Trp Val Gly Leu Val Leu 50 55 60 att gtc gta ttc ggc ggc gca acc att gtt ttg ggc gac agc cgc ttc 240 Ile Val Val Phe Gly Gly Ala Thr Ile Val Leu Gly Asp Ser Arg Phe 75 70 att atg tgg aag ccg agc gtt ttg ttt tgg ctg ggc gcg ctg ttc ctg 288 Ile Met Trp Lys Pro Ser Val Leu Phe Trp Leu Gly Ala Leu Phe Leu 85 90 tgg ggc agc cac ctc gcc ggt aaa aac ggc ttg aag gcg agt atc ggc 336 Trp Gly Ser His Leu Ala Gly Lys Asn Gly Leu Lys Ala Ser Ile Gly 100 105 110 agg gag att cag ctt ccg gat gcc gta tgg gcg aaa ttg acg tat atg 384 Arg Glu Ile Gln Leu Pro Asp Ala Val Trp Ala Lys Leu Thr Tyr Met 115 120 125 tgg gtc ggt ttc ctg att ttt atg ggt atc gcc aac tgg ttt gtg ttt 432 Trp Val Gly Phe Leu Ile Phe Met Gly Ile Ala Asn Trp Phe Val Phe 130 135 acc egg tte gag teg caa tgg gte aac tat aaa atg tte gge teg act Thr Arg Phe Glu Ser Gln Trp Val Asn Tyr Lys Met Phe Gly Ser Thr 155 160 145 150 gca ctg atg ctt gtt ttc ttt att att cag ggt att tat ctg agt acc 528 Ala Leu Met Leu Val Phe Phe Ile Ile Gln Gly Ile Tyr Leu Ser Thr 170 175 165 tgt ctg aaa aag gag gat 546 Cys Leu Lys Lys Glu Asp

90

<210> 46

<211> 182

<212> PRT

<213> Neisseria meningitidis

<400> 46

Leu Leu Ser His Leu Asp Met Lys Phe Val Ser Asp Leu Leu Ser Val

1 5 10 15

Ile Leu Phe Phe Ala Thr Tyr Thr Val Thr Lys Asn Met Ile Ala Ala
20 25 30

Thr Ala Val Ala Leu Val Ala Gly Val Val Gln Ala Ala Phe Leu Tyr 35 40 45

Trp Lys Tyr Lys Leu Asp Thr Met Gln Trp Val Gly Leu Val Leu 50 55 60

Ile Val Val Phe Gly Gly Ala Thr Ile Val Leu Gly Asp Ser Arg Phe 65 70 75 80

Ile Met Trp Lys Pro Ser Val Leu Phe Trp Leu Gly Ala Leu Phe Leu 85 90 95

Trp Gly Ser His Leu Ala Gly Lys Asn Gly Leu Lys Ala Ser Ile Gly
100 105 110

Arg Glu Ile Gln Leu Pro Asp Ala Val Trp Ala Lys Leu Thr Tyr Met 115 120 125

Trp Val Gly Phe Leu Ile Phe Met Gly Ile Ala Asn Trp Phe Val Phe 130 135 140

Thr Arg Phe Glu Ser Gln Trp Val Asn Tyr Lys Met Phe Gly Ser Thr 145 150 155 160

Ala Leu Met Leu Val Phe Phe Ile Ile Gln Gly Ile Tyr Leu Ser Thr 165 170 175

Cys Leu Lys Lys Glu Asp 180

<210> 47 <211> 585

<212> DNA <213> Neisseria meningitidis <220> <221> CDS <222> (1)..(585) <400> 47 ttg aat att aaa ctg aaa acc ttg tta ttg ccc ttc gcc acg ctg gca 48 Leu Asn Ile Lys Leu Lys Thr Leu Leu Pro Phe Ala Thr Leu Ala 5 1 10 15 ttg tgc acc aat gct ttt gcc gcc ccg ccc agc gac gcg tcg ttg gcg 96 Leu Cys Thr Asn Ala Phe Ala Ala Pro Pro Ser Asp Ala Ser Leu Ala cgt tgg ctg gat acg cag aat ttt gac cgg gat ata gaa aaa aat atg 144 Arg Trp Leu Asp Thr Gln Asn Phe Asp Arg Asp Ile Glu Lys Asn Met 35 40 45 att gag ggc ttt aat gcc gga ttt aaa ccg tat gcg gac aaa gcc ctt 192 Ile Glu Gly Phe Asn Ala Gly Phe Lys Pro Tyr Ala Asp Lys Ala Leu 50 55 60 gcc gaa atg ccg gaa gcg aaa aaa gat cag gcg gca gaa gcc ttt aac 240 Ala Glu Met Pro Glu Ala Lys Lys Asp Gln Ala Ala Glu Ala Phe Asn 65 70 75 cgt tat cgt gag aat gtt ttg aaa gat ttg att acg ccc gaa gtg aaa 288 Arg Tyr Arg Glu Asn Val Leu Lys Asp Leu Ile Thr Pro Glu Val Lys 85 90 95 cag gct gtc cgc aat act tta ttg aag aat gcc cgt gag ata tac acg 336 Gln Ala Val Arg Asn Thr Leu Leu Lys Asn Ala Arg Glu Ile Tyr Thr 100 105 caa gaa gaa att gac ggc atg att gcc ttt tac ggt tcg cct gtc ggt 384 Gln Glu Glu Ile Asp Gly Met Ile Ala Phe Tyr Gly Ser Pro Val Gly 115 120 125 cag tcc gtc gtt gcc aaa aat ccg cgc tta atc aag aaa tcg atg agt 432 Gln Ser Val Val Ala Lys Asn Pro Arg Leu Ile Lys Lys Ser Met Ser 130 135 140 gaa ata gcg gta tct tgg act gca ttg tca ggg aaa atc gcg caa cat 480

150

145

Glu Ile Ala Val Ser Trp Thr Ala Leu Ser Gly Lys Ile Ala Gln His

cat ctg ccc gag ttt acg gaa gag ttg cgg cgc atc atc tgc ggc ggt 528 His Leu Pro Glu Phe Thr Glu Glu Leu Arg Arg Ile Ile Cys Gly Gly 170 aaa aat ccc gat gcg ggc tgt aaa caa gcc gga cag gtt ggg aaa agg 576 Lys Asn Pro Asp Ala Gly Cys Lys Gln Ala Gly Gln Val Gly Lys Arg 180 185 cat cag aaa 585 His Gln Lys 195 <210> 48 <211> 195 <212> PRT <213> Neisseria meningitidis <400> 48 Leu Asn Ile Lys Leu Lys Thr Leu Leu Pro Phe Ala Thr Leu Ala 5 10 Leu Cys Thr Asn Ala Phe Ala Ala Pro Pro Ser Asp Ala Ser Leu Ala 25 . 20 Arg Trp Leu Asp Thr Gln Asn Phe Asp Arg Asp Ile Glu Lys Asn Met 35 40 Ile Glu Gly Phe Asn Ala Gly Phe Lys Pro Tyr Ala Asp Lys Ala Leu 50 55 60 Ala Glu Met Pro Glu Ala Lys Lys Asp Gln Ala Ala Glu Ala Phe Asn 65 70 75 Arg Tyr Arg Glu Asn Val Leu Lys Asp Leu Ile Thr Pro Glu Val Lys 85 90 95 Gln Ala Val Arg Asn Thr Leu Leu Lys Asn Ala Arg Glu Ile Tyr Thr 100 110 Gln Glu Glu Ile Asp Gly Met Ile Ala Phe Tyr Gly Ser Pro Val Gly 115 120 Gln Ser Val Val Ala Lys Asn Pro Arg Leu Ile Lys Lys Ser Met Ser 130 135 Glu Ile Ala Val Ser Trp Thr Ala Leu Ser Gly Lys Ile Ala Gln His 145 150 155 160

His Leu Pro Glu Phe Thr Glu Glu Leu Arg Arg Ile Ile Cys Gly Gly 165 170 175

Lys Asn Pro Asp Ala Gly Cys Lys Gln Ala Gly Gln Val Gly Lys Arg 180 185 190

His Gln Lys 195

<210> 49

<211> 462

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(462)

<400> 49

ttg ctt tgc ccg gaa aaa atg tcg ggg atg gcg gga cag tat ccg tac 48
Leu Leu Cys Pro Glu Lys Met Ser Gly Met Ala Gly Gln Tyr Pro Tyr

1 5 10 15

ggc gtc cgg tcg ggt ttg cgg agg aac ggc ttg aaa ctt tgg gat att 96
Gly Val Arg Ser Gly Leu Arg Arg Asn Gly Leu Lys Leu Trp Asp Ile
20 25 30

cat ttt aga atg acc cgt ttt atc gtc gca aga tgc ggt tta ttg ttt  $\,$  144 His Phe Arg Met Thr Arg Phe Ile Val Ala Arg Cys Gly Leu Leu Phe  $\,$  35  $\,$  40  $\,$  45

gca acc ctt aaa gga aaa acc atg aag aaa atg ttc gtg ctg ttc tgt 192
Ala Thr Leu Lys Gly Lys Thr Met Lys Lys Met Phe Val Leu Phe Cys
50 55 60

gct tcg cag cag gag ctg gag gcg ctg ccg ggc ata ggc cct gcg aag 288
Ala Ser Gln Gln Leu Glu Ala Leu Pro Gly Ile Gly Pro Ala Lys
85 90 95

gcg aag gcc att gcg gaa tac cgt gcg caa aac ggt gcg ttc aag tct 336 Ala Lys Ala Ile Ala Glu Tyr Arg Ala Gln Asn Gly Ala Phe Lys Ser

100 105 110

gta gac gat ttg acc aag gta aag ggc atc ggc cct gcg gtg ctg gcg 384
Val Asp Asp Leu Thr Lys Val Lys Gly Ile Gly Pro Ala Val Leu Ala
115 120 125

aag ctg aag gat cag gct tct gtc ggt gcg ccc gca cca aaa ggc cca 432 Lys Leu Lys Asp Gln Ala Ser Val Gly Ala Pro Ala Pro Lys Gly Pro 130 135 140

gct aaa cca gtg ctg ccc gcg gat aaa aaa 462 Ala Lys Pro Val Leu Pro Ala Asp Lys Lys 145 150

<210> 50

<211> 154

<212> PRT

<213> Neisseria meningitidis

<400> 50

Leu Leu Cys Pro Glu Lys Met Ser Gly Met Ala Gly Gln Tyr Pro Tyr 1 5 10 15

Gly Val Arg Ser Gly Leu Arg Arg Asn Gly Leu Lys Leu Trp Asp Ile
20 25 30

His Phe Arg Met Thr Arg Phe Ile Val Ala Arg Cys Gly Leu Leu Phe 35 40 45

Ala Thr Leu Lys Gly Lys Thr Met Lys Lys Met Phe Val Leu Phe Cys 50 55 60

Met Leu Phe Ser Cys Ala Phe Ser Leu Ala Ala Val Asn Ile Asn Ala 65 70 75 80

Ala Ser Gln Gln Glu Leu Glu Ala Leu Pro Gly Ile Gly Pro Ala Lys 85 90 95

Ala Lys Ala Ile Ala Glu Tyr Arg Ala Gln Asn Gly Ala Phe Lys Ser 100 105 110

Val Asp Asp Leu Thr Lys Val Lys Gly Ile Gly Pro Ala Val Leu Ala 115 120 125

Lys Leu Lys Asp Gln Ala Ser Val Gly Ala Pro Ala Pro Lys Gly Pro 130 135 140

Ala Lys Pro Val Leu Pro Ala Asp Lys Lys 145 150

	)> 51 L> 96															
	2> D1				د د ا	. 4 . 4										
<z1;< td=""><td>3&gt; NE</td><td>eisse</td><td>eria</td><td>meni</td><td>Lngi</td><td>clals</td><td>5</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></z1;<>	3> NE	eisse	eria	meni	Lngi	clals	5									
<220	)>															
	L> CI															
<222	2> (1	L)	(969)	)												
<400	)> 53	L														
atg	tcc	gcc	aag	ttc	caa	caa	gaa	acc	ctc	aaa	tcc	cgt	ttc	gcg	caa	48
Met	Ser	Ala	Lys	Phe	Gln	Gln	Glu	Thr	Leu	Lys	Ser	Arg	Phe	Ala	Gln	
1				5		-			10					15		
gcc	aaa	gtc	ctg	gtt	gtc	ggc	gac	gtg	atg	ctc	gac	cgc	tat	tgg	ttc	96
Ala	Lys	Val	Leu	Val	Val	Gly	Asp	Val	Met	Leu	Asp	Arg	Tyr	Trp	Phe	
			20					25					30			
				cgt							_	_	_	-		144
Gly	Asp		Ser	Arg	Ile	Ser		Glu	Ala	Pro	Val		Val	Ala	Lys	
		35					40					45				
_ 3																100
				gac		_	_	-	-	-	-				=	192
тте	50	Arg	тте	Asp	GIII	_	Ala	стλ	GΤΆ	Ата		Asn	vaı	Ala	Arg	
	50					55					60					
220	atc	act	tca	ctg	aac	aac	222	at a	aaa	cta	++~	taa	at a	200	aat	240
			_	Leu	_			_		_	_	_	_			240
65		1114	201		70	O _T	טעב	van	OL y	75	Lea	201	van		80	
					, -					. 0						
aac	gac	gaa	gcc	gcc	gac	gcg	ctc	gac	gcg	ctg	atg	gtg	cag	gac	ggc	288
Asn	Asp	Glu	Ala	Ala	Asp	Ala	Leu	Asp	Ala	Leu	Met	Val	Gln	Asp	Gly	
				85					90					95		
gtc	gcc	tcc	tat	ctg	atg	cgc	gac	aaa	caa	atc	gcc	acc	acc	gtc	aaa	336
Val	Ala	Ser	Tyr	Leu	Met	Arg	Asp	Lys	Gln	Ile	Ala	Thr	Thr	Val	Lys	
			100					105					110			
ctg	cgc	gtc	gtc	gcc	cgc	aac	cag	cag	ctt	atc	cgc	ctt	gat	ttt	gaa	384
Leu	Arg	Val	Val	Ala	Arg	Asn	Gln	Gln	Leu	Ile	Arg	Leu	Asp	Phe	Glu	
		115					120					125				
						-										
gaa	cat	ccc	aac	cgc	gaa	gtg	ttg	gaa	caa	atc	aag	cgg	aaa	tac	cgc	432

Glu	His 130	Pro	Asn	Arg	Glu	Val 135	Leu	Glu	Gln	Ile	Lys 140	Arg	Lys	Tyr	Arg	
_		_		gaa Glu		_	_					-				480
				cac His 165												528
~ 5			_	tta Leu		_				_	-		-			576
_		_		ctg Leu					_	_	_	_		•		624
_		_		aaa Lys		_		-	_		_		_			672
_	_	_		ctc Leu	-	_		_			-		_	_	_	720
_		_		ttg Leu 245		_	_		_				_			768
_	_		_	gtt Val		_	_					-		-		816
				ttg Leu												864
				aat Asn												912
_		_	_	tcg Ser		-		_								960
tca	aca	atg														969

Ser Thr Met

<210> 52

<211> 323

<212> PRT

<213> Neisseria meningitidis

<400> 52

Met Ser Ala Lys Phe Gln Gln Glu Thr Leu Lys Ser Arg Phe Ala Gln
1 5 10 15

Ala Lys Val Leu Val Val Gly Asp Val Met Leu Asp Arg Tyr Trp Phe 20 25 30

Gly Asp Val Ser Arg Ile Ser Pro Glu Ala Pro Val Pro Val Ala Lys 35 40 45

Ile Gly Arg Ile Asp Gln Arg Ala Gly Gly Ala Ala Asn Val Ala Arg
50 55 60

Asn Ile Ala Ser Leu Gly Gly Lys Val Gly Leu Leu Ser Val Thr Gly 65 70 75 80

Asn Asp Glu Ala Ala Asp Ala Leu Asp Ala Leu Met Val Gln Asp Gly
85 90 95

Val Ala Ser Tyr Leu Met Arg Asp Lys Gln Ile Ala Thr Thr Val Lys
100 105 110

Leu Arg Val Val Ala Arg Asn Gln Gln Leu Ile Arg Leu Asp Phe Glu 115 120 125

Glu His Pro Asn Arg Glu Val Leu Glu Gln Ile Lys Arg Lys Tyr Arg 130 135 140

Glu Ile Leu Pro Glu Tyr Asp Ala Ile Ile Phe Ser Asp Tyr Gly Lys 145 150 155 160

Gly Gly Leu Ser His Ile Ser Asp Met Ile Asp Trp Ala Lys His Glu 165 170 175

Gly Lys Thr Val Leu Ile Asp Pro Lys Gly Asp Asp Tyr Glu Lys Tyr 180 185 190

Ala Gly Ala Thr Leu Ile Thr Pro Asn Arg Ala Glu Leu Lys Glu Val 195 200 205

Val Gly Ser Trp Lys Asn Glu Asn Asp Leu Thr Glu Lys Ala Gln Asn Leu Arg Arg His Leu Asp Leu Thr Ala Ile Leu Leu Thr Arg Ser Glu Glu Gly Met Thr Leu Phe Ser Glu Gly Glu Pro Ile Tyr Gln Pro Thr Arg Ala Gln Glu Val Tyr Asp Val Ser Gly Ala Gly Asp Thr Val Ile Ala Gly Met Gly Leu Gly Leu Ala Ala Gly Cys Thr Met Pro Glu Ala Met Tyr Leu Ala Asn Thr Ala Ala Gly Val Val Ala Lys Leu Gly Thr Ala Val Cys Ser Phe Ala Glu Leu Thr Lys Ala Leu Ser Gly Gln Ser Thr Met <210> 53 <211> 864 <212> DNA <213> Neisseria meningitidis <220> <221> CDS <222> (1)..(864) <400> 53 atg aaa gca aaa atc ctg act tcc gtt gca ctg ctt gcc tgt tcc ggc Met Lys Ala Lys Ile Leu Thr Ser Val Ala Leu Leu Ala Cys Ser Gly age ctg ttt gcc caa acg ctg gca acc gtc aac ggt cag aaa atc gac Ser Leu Phe Ala Gln Thr Leu Ala Thr Val Asn Gly Gln Lys Ile Asp agt tee gte att gat geg cag gtt gee gea tte egt geg gaa aac age Ser Ser Val Ile Asp Ala Gln Val Ala Ala Phe Arg Ala Glu Asn Ser

-	gcc Ala 50	_	-	_	_		-	-		-	-			_	192
	gtc Val				-					-	_			_	240
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	tcg Ser	_							_	_	_	_	- T		288
	aag Lys	_			_	_		_				-		-	336
	gta Val				_				-		_			_	384
	acc Thr 130		_			_	_								432
	agc Ser						_								480
_	acc Thr	_	_	_	_		_			 _	-	-	_	-	528
	aaa Lys				-	_	_	_						-	576
_	acc Thr		_				_	_			_	_		-	624
	gaa Glu 210			_		-									672
	ggc	_		_	_	_	_	_			-				720

Arg Ala Val Gly Ala Leu Leu Gly Lys Ala Asn Ile Lys Pro Ala Lys

275

280

285

<210> 54

<211> 288

<212> PRT

<213> Neisseria meningitidis

<400> 54

Met Lys Ala Lys Ile Leu Thr Ser Val Ala Leu Leu Ala Cys Ser Gly
1 5 10 15

Ser Leu Phe Ala Gln Thr Leu Ala Thr Val Asn Gly Gln Lys Ile Asp
20 25 30

Ser Ser Val Ile Asp Ala Gln Val Ala Ala Phe Arg Ala Glu Asn Ser 35 40 45

Arg Ala Glu Asp Thr Pro Gln Leu Arg Gln Ser Leu Leu Glu Asn Glu 50 55 60

Val Val Asn Thr Val Val Ala Gln Glu Val Lys Arg Leu Lys Leu Asp 65 70 75 80

Arg Ser Ala Glu Phe Lys Asn Ala Leu Ala Lys Leu Arg Ala Glu Ala 85 90 95

Lys Lys Ser Gly Asp Asp Lys Lys Pro Ser Phe Lys Thr Val Trp Gln
100 105 110

Ala Val Lys Tyr Gly Leu Asn Gly Glu Ala Tyr Ala Leu His Ile Ala 115 120 125

Lys Thr Gln Pro Val Ser Glu Gln Glu Val Lys Ala Ala Tyr Asp Asn 130 135 140

Leu Thr Asp Lys Glu Glu Asn Ala Lys Lys Ala Val Ala Asp Leu Lys
165 170 175

Ala Lys Lys Gly Phe Asp Ala Val Leu Lys Gln Tyr Ser Leu Asn Asp 180 185 190

Arg Thr Lys Gln Thr Gly Ala Pro Val Gly Tyr Val Pro Leu Lys Asp 195 200 205

Leu Glu Gln Gly Val Pro Pro Leu Tyr Gln Ala Ile Lys Asp Leu Lys 210 215 220

Lys Gly Glu Phe Thr Ala Thr Pro Leu Lys Asn Gly Asp Phe Tyr Gly 225 230 235 240

Val Tyr Tyr Val Asn Asp Ser Arg Glu Val Lys Val Pro Ser Phe Asp 245 250 255

Glu Met Lys Gly Gln Ile Ala Gly Asn Leu Gln Ala Glu Arg Ile Asp 260 265 270

Arg Ala Val Gly Ala Leu Leu Gly Lys Ala Asn Ile Lys Pro Ala Lys 275 280 285

<210> 55

<211> 1257

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(1257)

<400> 55

atg aaa cag acc gtc ctc aaa aat aac ctg caa aac ctg ctt gaa agc 48
Met Lys Gln Thr Val Leu Lys Asn Asn Leu Gln Asn Leu Glu Ser
1 5 10 15

gca gaa aat atc ctg ctg ctt caa ggc cct gtc ggc gat ttt ttt ctg 96
Ala Glu Asn Ile Leu Leu Gln Gly Pro Val Gly Asp Phe Phe Leu
20 25 30

cgc ctt gcc gac tgg ctg act gca aac ggc aaa acc gta cat aaa ttc 144
Arg Leu Ala Asp Trp Leu Thr Ala Asn Gly Lys Thr Val His Lys Phe
35 40 45

			gca Ala	-	•	_				_						192
		~	ttt Phe		_			_						_	_	240
_			act Thr					_	_	_	_	_			-	288
	_		tat Tyr 100		-		_		_		-		-			336
-	_		tgg Trp			_	-				_					384
		_	aaa Lys	-		-		_			_	~	_	_	_	432
-	_		ttt Phe						_				_			480
			acg Thr													528
-		-	tac Tyr 180				-		_			-				576
_			cac His		_	-			-							624
			tcc Ser					_								672
			aaa Lys													720

_		-	_	gta Val 245			-	_		_	-	_		_	_	768
		_	_	cgc Arg	_		_			_	_	_			-	816
				gcc Ala	_								-		-	864
-	_			atc Ile	-			_	-			-				912
~			_	ctc Leu			_				-		_	•		960
_		_		ctg Leu 325	_										_	1008
	_		_	tcc Ser						_			_	_		1056
	_	_		tat Tyr	-						-				_	1104
-	_			aat Asn		_		_		_			_			1152
				tac Tyr				-								1200
				ttt Phe 405												1248
	aca Thr															1257

<210> 56

<211> 419

<212> PRT

<213> Neisseria meningitidis

<400> 56

Met Lys Gln Thr Val Leu Lys Asn Asn Leu Gln Asn Leu Leu Glu Ser 1 5 10 15

Ala Glu Asn Ile Leu Leu Gln Gly Pro Val Gly Asp Phe Phe Leu
20 25 30

Arg Leu Ala Asp Trp Leu Thr Ala Asn Gly Lys Thr Val His Lys Phe
35 40 45

Asn Phe Asn Ala Gly Asp Asp Tyr Phe Tyr Pro Pro Thr Gln Ala His 50 55 60

Thr Val Val Phe Asn Asp Asn Tyr Asp Ala Phe Pro Glu Phe Leu Gln 65 70 75 80

Glu Tyr Ile Thr Gln His His Ile Gln Ala Val Val Cys Phe Gly Asp 85 90 95

Thr Arg Pro Tyr His Val Ile Ala Lys Arg Ile Ala Asn Glu Asn Gln
100 105 110

Ala Ser Phe Trp Ala Phe Glu Glu Gly Tyr Phe Arg Pro Tyr Tyr Ile 115 120 125

Thr Leu Glu Lys Asp Gly Val Asn Ala Phe Ser Pro Leu Pro Arg Arg 130 135 140

Ala Asp Phe Phe Leu Glu Gln Phe Pro Lys Leu Ala Gln Gln Glu Tyr 145 150 155 160

Lys Ala Pro Thr Pro Val His Gly Gly Phe Thr Pro Met Ala Lys Asn 165 170 175

Ala Ile Arg Tyr Tyr Ile Glu Leu Phe Arg Asn Leu Arg Lys Tyr Pro 180 185 190

Asp Tyr Ile His His Arg Ala Pro Asn Ala Gly His Tyr Leu Lys Pro 195 200 205

Trp Ser Leu Ser Ile Leu Lys Arg Leu Asn Tyr Tyr Ile Glu Asp Ile 210 215 220

Gln Ile Ala Lys Arg Val Glu Ala Gly Lys Tyr Gly Lys Phe Phe Ile 225 230 235 240

Val Pro Leu Gln Val Phe Asn Asp Ser Gln Val Arg Ile His Cys Asp
245 250 255

Phe Pro Ser Val Arg Ser Phe Leu Leu His Val Leu Ser Ser Phe Ala 260 265 270

Glu His Ala Pro Ala Asp Thr Asn Ile Ile Ile Lys His His Pro Met 275 280 285

Asp Arg Gly Phe Ile Asp Tyr Trp Arg Asp Ile Lys Arg Phe Ile Lys 290 295 300

Glu His Pro Glu Leu Lys Gly Arg Val Ile Tyr Val His Asp Val Pro 305 310 315 320

Leu Pro Val Phe Leu Arg His Gly Leu Gly Met Val Thr Ile Asn Ser 325 330 335

Thr Ser Gly Leu Ser Gly Leu Ile His Asn Met Pro Val Lys Val Leu 340 345 350

Gly Arg Ala Tyr Tyr Asp Ile Pro Gly Ile Thr Asp Gln Asn Thr Leu 355 360 365

Ala Glu Phe Trp Asn His Pro Thr Pro Pro Asp Lys Glu Leu Phe His 370 375 380

Ala Tyr Arg Met Tyr His Leu Asn Val Thr Gln Ile Asn Gly Asn Phe 385 390 395 400

Tyr Ser Gln Val Phe Phe Pro Asn Lys Asn Thr Ser Asp Ser Ser Thr 405 410 415

Pro Thr Thr

<210> 57

<211> 1407

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(1407)

<400> 57

atg acc tcc aca ttc ccc cgc cgc ctc gcc cgc aaa atc cgc caa acc 48

Met Thr Ser Thr Phe Pro Arg Arg Leu Ala Arg Lys Ile Arg Gln Thr

1 5 10 15

cgc cgc ctg tcg cgc aaa agc atc gcc ttt ctg ttc ctt ttg gca ggt 96
Arg Arg Leu Ser Arg Lys Ser Ile Ala Phe Leu Phe Leu Leu Ala Gly
20 25 30

tcg gca ctc gtc gcc ctg acc gcg ctg ttt ttt gcc cat ctt gcc gat 144 Ser Ala Leu Val Ala Leu Thr Ala Leu Phe Phe Ala His Leu Ala Asp 35 40 45

ttt gcg ctg gaa ctg aac gcc aaa ctg gtt caa caa tac ccg tgg ttc 192
Phe Ala Leu Glu Leu Asn Ala Lys Leu Val Gln Gln Tyr Pro Trp Phe
50 55 60

gcg tgg gtc gcg ctt cct ttg ggt tta ccg ctt att gcg tgg ctc aca 240
Ala Trp Val Ala Leu Pro Leu Gly Leu Pro Leu Ile Ala Trp Leu Thr
65 70 75 80

cgc aaa ttc gcc ccc ttc acc gcc ggc agc ggc atc ccg cag gtc atc 288
Arg Lys Phe Ala Pro Phe Thr Ala Gly Ser Gly Ile Pro Gln Val Ile
85 90 95

gcc tca ctg tcg ctg ccc tac ggc gca cag aaa acg cgg ctg atc cgc 336
Ala Ser Leu Ser Leu Pro Tyr Gly Ala Gln Lys Thr Arg Leu Ile Arg
100 105 110

ctc ggg cag acg ctg ctg aag att ccg cta acc ttt ttg ggt atg ctg 384 Leu Gly Gln Thr Leu Leu Lys Ile Pro Leu Thr Phe Leu Gly Met Leu 115 120 125

ttc ggc gcg tcc atc gga cgc gaa ggt ccg tcc gtg cag gtc ggc gcg 432 Phe Gly Ala Ser Ile Gly Arg Glu Gly Pro Ser Val Gln Val Gly Ala 130 135 140

gca gtg atg ggc gcg tgg ggc gcg tgg tgc aag aaa cac ggc ttg gca 480
Ala Val Met Gly Ala Trp Gly Ala Trp Cys Lys Lys His Gly Leu Ala
145 150 155 160

ttc aaa ggg atg cag gaa aac gat ttg atg gcg gcg gcg gcg gcg ggc 528
Phe Lys Gly Met Gln Glu Asn Asp Leu Met Ala Ala Gly Ala Ala Gly
165 170 175

	_	_	gcc Ala 180					_	_						_	576
		_	ctc Leu		-			_	_	_						624
	_		gtg Val		_					_	_	_		_		672
		_	tat Tyr								_	_	-			720
	_		gtc Val	_	_			_	_	-						768
			cgt Arg 260												_	816
_		_	ggc Gly			_		-	_	_	_	_			_	864
_		_	ctg Leu		-	_			_							912
			ggc			_	_	_		_	_					960
			ttc Phe				_	_				_		_		1008
			gca Ala 340													1056
			gtt Val						_			_	-		-	1104

cag ggt gca aac atc atc gtc ctc atc tgc atg gcg gca ttt ctg gcg Gln Gly Ala Asn Ile Ile Val Leu Ile Cys Met Ala Ala Phe Leu Ala 370 375 380	
ggc gcg aca caa tcc ccg att act tcc gcc gtc gtc gtc atg gaa atg Gly Ala Thr Gln Ser Pro Ile Thr Ser Ala Val Val Val Met Glu Met 385 390 395 400	
acg ggc gga caa agc ctg ctg ttt tgg atg ctg att gcc tgc att ttc Thr Gly Gly Gln Ser Leu Leu Phe Trp Met Leu Ile Ala Cys Ile Phe 405 410 415	
gcc tcg cag gtt tcg cgc cag ttt tcg ccg cgt ccg ttc tac cac gca Ala Ser Gln Val Ser Arg Gln Phe Ser Pro Arg Pro Phe Tyr His Ala 420 425 430	
tcg gga atg cgc ttc cgc cag cgc gtg ctt caa gaa acc gcc gcc caa Ser Gly Met Arg Phe Arg Gln Arg Val Leu Gln Glu Thr Ala Ala Gln 435 440 445	
acc ggc aat gcg ccc gca aga ccg caa aca gca aac agc aaa acg gga Thr Gly Asn Ala Pro Ala Arg Pro Gln Thr Ala Asn Ser Lys Thr Gly 450 455 460	
atg ccg tct gaa aat Met Pro Ser Glu Asn 465	1407
<210> 58 <211> 469 <212> PRT <213> Neisseria meningitidis	
<400> 58	
Met Thr Ser Thr Phe Pro Arg Arg Leu Ala Arg Lys Ile Arg Gln Thr  1 5 10 15	
Arg Arg Leu Ser Arg Lys Ser Ile Ala Phe Leu Phe Leu Leu Ala Gly 20 25 30	

Ser Ala Leu Val Ala Leu Thr Ala Leu Phe Phe Ala His Leu Ala Asp 35 40 45

Phe Ala Leu Glu Leu Asn Ala Lys Leu Val Gln Gln Tyr Pro Trp Phe 50 55 60

Ala Trp Val Ala Leu Pro Leu Gly Leu Pro Leu Ile Ala Trp Leu Thr

WO 01/85772	PCT/GB01/02003
WU 01/05/72	PC1/GD01/02003

65					70					75					80
Arg	Lys	Phe	Ala	Pro 85	Phe	Thr	Ala	Gly	Ser 90		Ile	Pro	Gln	Val 95	Ile
Ala	Ser	Leu	Ser 100	Leu	Pro	Tyr	Gly	Ala 105	Gln	Lys	Thr	Arg	Leu 110	Ile	Arg
Leu	Gly	Gln 115	Thr	Leu	Leu	Lys	Ile 120	Pro	Leu	Thr	Phe	Leu 125	Gly	Met	Leu
Phe	Gly 130	Ala	Ser	Ile	Gly	Arg 135	Glu	Gly	Pro	Ser	Val 140	Gln	Val	Gly	Ala
Ala 145	Val	Met	Gly	Ala	Trp 150	Gly	Ala	Trp	Cys	Lys 155	Lys	His	Gly	Leu	Ala 160
Phe	Lys	Gly	Met	Gln 165	Glu	Asn	Asp	Leu	Met 170	Ala	Ala	Gly	Ala	Ala 175	Gly
Gly	Leu	Ala	Ala 180	Ala	Phe	Asn	Ala	Pro 185	Leu	Ala	Gly	Val	Ile 190	Phe	Ala
Ile	Glu	Glu 195	Leu	Gly	Arg	Gly	Ile 200	Met	Leu	Arg	Trp	Glu 205	Arg	Gln	Ile
Leu	Leu 210	Gly	Val	Leu	Ala	ser 215	Gly	Phe	Ile	Gln	Val 220	Ala	Ile	Gln	Gly
Asn 225	Asn	Pro	Tyr	Phe	Ser 230	Gly	Phe	Asn	Gly	Gly 235	Val	Leu	Glu	His	Ile 240
Phe	Leu	Trp	Val	Ala 245	Leu	ser	Gly	Leu	Val 250	Cys	Gly	Ala	Ala	Gly 255	Gly
Leu	Phe	Gly	Arg 260	Leu	Leu	Tyr	Arg	Gly 265	Ala	Ala	Ala	Phe	Ala 270	Pro	Arg
Lys	Ile	Arg 275	Gly	Phe	Ile	Arg	Asn 280	Arg	Pro	Leu	Leu	Leu 285	Ala	Ala	Leu
Met	Gly 290	Leu	Leu	Leu	Ala	Leu 295	Leu	Gly	Thr	Phe	Tyr 300	Gln	Gly	Lys	Thr
Tyr 305	Gly	Thr	Gly ′	_	His 310	Glu	Ala	Ala	Gln	Ala 315	Leu	His	Gly	Ile	Туг 320

110

Glu Ala Pro Phe Gly Leu Ala Ala Ala Lys Trp Leu Ala Thr Val Phe

325 330 335

Ser Tyr Trp Ala Gly Val Pro Gly Gly Ile Phe Thr Pro Ser Leu Thr 340 345 350

Ile Gly Ala Val Leu Gly Glu His Ile Ala Ala Ile Ala Asp Ile Ser 355 360 365

Gln Gly Ala Asn Ile Ile Val Leu Ile Cys Met Ala Ala Phe Leu Ala 370 380

Gly Ala Thr Gln Ser Pro Ile Thr Ser Ala Val Val Met Glu Met 385 390 395 400

Thr Gly Gly Gln Ser Leu Leu Phe Trp Met Leu Ile Ala Cys Ile Phe 405 410 415

Ala Ser Gln Val Ser Arg Gln Phe Ser Pro Arg Pro Phe Tyr His Ala 420 425 430

Ser Gly Met Arg Phe Arg Gln Arg Val Leu Gln Glu Thr Ala Ala Gln 435 440 445

Thr Gly Asn Ala Pro Ala Arg Pro Gln Thr Ala Asn Ser Lys Thr Gly
450 455 460

Met Pro Ser Glu Asn 465

<210> 59

<211> 423

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(423)

<400> 59

atg aca caa gaa acc gct ttg ggc gca gca ctg aaa tcc gcc gtc caa 48
Met Thr Gln Glu Thr Ala Leu Gly Ala Ala Leu Lys Ser Ala Val Gln
1 5 10 15

act atg agc aaa aag aaa cag aca gaa atg att gcc gac cac atc tac 96
Thr Met Ser Lys Lys Gln Thr Glu Met Ile Ala Asp His Ile Tyr
20 25 30

			-	gta Val			-			-	_	-				144
_	_	_		att Ile	-	_	_				_	_	_	_		192
_	_	_		gcc Ala			_	_	_	_	_		_		_	240
_		_		ggc Gly 85		-		•	_			-				288
_	_			gaa Glu	-	_	_									336
_	_	-	_	caa Gln	_	_		_		_	-	_		_	-	384
	_	-	_	gaa Glu	_	_	-					_				423
<211 <212	0> 60 l> 14 2> PI 3> Ne	11 RT	eria	menj	ingit	cidis	5									
	)> 60 Thr		Glu	Thr 5	Ala	Leu	Gly	Ala	Ala 10	Leu	Lys	Ser	Ala	Val 15	Gln	
Thr	Met	Ser	Lys 20	Lys	Lys	Gln	Thr	Glu 25	Met	Ile	Ala	Asp	His 30	Ile	Tyr	

Asp Gln Asp Leu Ile Ala Ala Leu Pro Gln Tyr Asp Ala Ala Leu Ile
50 55 60

112

Gly Lys Tyr Asp Val Phe Lys Arg Phe Lys Pro Leu Ala Leu Gly Ile

Ala Arg Val Leu Ala Asn His Cys Arg Arg Pro Arg Tyr Leu Lys Ala 70 75 65 Leu Ala Arg Gly Gly Lys Arg Phe Asp Leu Asn Asn Arg Phe Lys Gly 85 90 Glu Val Thr Pro Glu Glu Gln Ala Ile Ala Gln Asn His Pro Phe Val 100 105 110 Gln Gln Ala Leu Gln Gln Gln Ser Ala Gln Ala Val Ala Glu Thr Pro 115 120 125 Ser Val Glu Ala Glu Ala Glu Ser Ser Thr Thr Glu 130 135 140 <210> 61 <211> 1377 <212> DNA <213> Neisseria meningitidis <220> <221> CDS <222> (1)..(1377) <400> 61 atg ttc gct ttc aaa tcc tta ctc gat atg ccg cgc ggt gag gca ctt Met Phe Ala Phe Lys Ser Leu Leu Asp Met Pro Arg Gly Glu Ala Leu 1 5 15 gcc gtc gtc gtc gct ctg att gcc gcg atg ggc tat acc atc att tca Ala Val Val Ala Leu Ile Ala Ala Met Gly Tyr Thr Ile Ile Ser 20 25 30 ttg gag tgg ctg ccg cat atg tcc att att gcc gcc atc gtc gtg ctg 144 Leu Glu Trp Leu Pro His Met Ser Ile Ile Ala Ala Ile Val Val Leu 35 att ttg tac ggc ttg gcg cgc ggt ttg aaa tac aac gat atg cag cag 192 Ile Leu Tyr Gly Leu Ala Arg Gly Leu Lys Tyr Asn Asp Met Gln Gln 50 ggc atg ata ggc gcg ttg aat cag ggt atg ggc gcg att tac ctg ttt 240 Gly Met Ile Gly Ala Leu Asn Gln Gly Met Gly Ala Ile Tyr Leu Phe 65 70 75

113

ttc ttc atc ggg ctg atg gtc agc gcg ctg atg atg agc ggc gcg att

Phe	Phe	Ile	Gly	Leu 85	Met	Val	Ser	Ala	Leu 90	Met	Met	Ser	Gly	Ala 95	Ile	
_	_	_												tat Tyr		336
			_			_	_		_					atc Ile		384
_	_	_			_	_		_		_	_		_	ggt Gly	-	432
					-	-	_		_	_				att Ile	_	480
_		_			55	_		_		_			_	acg Thr 175	_	528
						-			-	_		_		atc Ile		576
	_	_										-	-	gca Ala	_	624
_	_					-	_	-		_	-	_		agc Ser	_	672
					_							_		tgc Cys		720
_	_		_			_	_	_	_	_	_	_	_	cgc Arg 255	-	768
					_						_			gcc Ala		816
acg	tat	ctg	cac	agc	acg	ccc	gat	ctg	cgt	cag	ctc	ggc	gcg	tgg	ttt	864

Thr	Tyr	Leu 275	His	Ser	Thr	Pro	Asp 280	Leu	Arg	Gln	Leu	Gly 285	Ala	Trp	Phe	
				aaa Lys		_	-									912
			_	gly		_	_	_	_			_	_			960
				atg Met 325	-				-	-						1008
			_	ctg Leu	_	-	_	-	_		_	_		-		1056
_	-			agc Ser	-	-	_		_	_		-			_	1104
				tat Tyr	_	_		_	_	_		_	_			1152
			-	aag Lys			-		_	_		_	_			1200
_	-	-		ggg Gly 405	_	_			_		_	-		-	-	1248
				atc Ile						_	_					1296
				ttt Phe								_		_		1344
				GJ À GGG				_								1377

<210> 62

<211> 459

<212> PRT

<213> Neisseria meningitidis

<400> 62

Met Phe Ala Phe Lys Ser Leu Leu Asp Met Pro Arg Gly Glu Ala Leu 1 5 10 15

Ala Val Val Ala Leu Ile Ala Ala Met Gly Tyr Thr Ile Ile Ser 20 25 30

Leu Glu Trp Leu Pro His Met Ser Ile Ile Ala Ala Ile Val Val Leu 35 40 45

Ile Leu Tyr Gly Leu Ala Arg Gly Leu Lys Tyr Asn Asp Met Gln Gln 50 55 60

Gly Met Ile Gly Ala Leu Asn Gln Gly Met Gly Ala Ile Tyr Leu Phe 65 70 75 80

Phe Phe Ile Gly Leu Met Val Ser Ala Leu Met Met Ser Gly Ala Ile 85 90 95

Pro Thr Leu Met Tyr Tyr Gly Phe Gly Leu Ile Ser Pro Thr Tyr Phe 100 105 110

Tyr Phe Ser Ala Phe Ala Leu Cys Ser Val Ile Gly Val Ser Ile Gly
115 120 125

Ser Ser Leu Thr Thr Cys Ala Thr Val Gly Val Ala Phe Met Gly Met 130 135 140

Ser Gly Ala Phe Phe Gly Asp Lys Met Ser Pro Leu Ser Asp Thr Thr
165 170 175

Gly Ile Ser Ala Ser Ile Val Gly Ile Asp Leu Phe Glu His Ile Lys 180 185 190

Asn Met Met Tyr Thr Thr Ile Pro Ala Trp Leu Ile Ser Ala Ala Leu 195 200 205

Met Leu Trp Leu Leu Pro Ser Val Ala Ala Gln Asp Leu Asn Ser Val 210 215 220

Glu 225	Ser	Phe	Arg	Ser	Gln 230	Leu	Glu	Ala	Thr	Gly 235	Leu	Val	His	Cys	Tyr 240
ser	Leu	Ile	Pro	Phe 245	Ala	Leu	Leu	Val	Val 250	Leu	Ala	Leu	Met	Arg 255	Val
Asn	Ala	Val	Val 260	Ala	Met	Leu	Phe	Thr 265	Val	Ile	Ala	Ala	Val 270	Ala	Val
Thr	Tyr	Leu 275	His	Ser	Thr	Pro	Asp 280	Leu	Arg	Gln	Leu	Gly 285	Ala	Trp	Phe
Tyr	Gly 290	Gly	Tyr	Lys	Leu	Glu 295	Gly	Glu	Ala	Phe	Lys	Asp	Ile	Ala	Lys
Leu 305	Ile	Ser	Arg	Gly	Gly 310	Leu	Glu	Ser	Met	Phe 315	Phe	Thr	Gln	Thr	Ile 320
Val	Ile	Leu	Gly	Met 325	Ser	Leu	Gly	Gly	Leu 330	Leu	Phe	Ala	Leu	Gly 335	Ala
Ile	Pro	Ser	Leu 340	Leu	Asp	Ala	Val	Arg 345	Ser	Phe	Leu	Thr	Asn 350	Ala	Gly
Arg	Ala	Thr 355	Phe	Ser	Val	Ala	Met 360	Thr	Ser	Val	Gly	Val 365	Asn	Phe	Leu
Ile	Gly 370	Glu	Gln	Туг	Leu	Ser 375	Ile	Leu	Leu	Ser	Gly 380	Glu	Thr	Phe	Lys
Pro 385	Val	Tyr	Asp	Lys	Leu 390	Gly	Leu	His	Ser	Arg 395	Asn	Leu	Ser	Arg	Thr 400
Leu	Glu	Asp	Ala	Gly 405	Thr	Val	Ile	Asn	Pro 410	Leu	Val	Pro	Trp	Ser 415	Val
Cys	Gly	Val	Phe 420	Ile	Ser	His	Ala	Leu 425	Gly	Val	Pro	Val	Trp 430	Glu	Туг
Leu	Pro	Tyr 435	Ala	Phe	Phe	Cys	Туr 440	Leu	Ser	Leu	Ala	Leu 445	Thr	Leu	Leu
Phe	Gly 450	Trp	Thr	Gly	Leu	Thr 455	Leu	Ser	Lys	Lys					

117

<210> 63

<211> 1098 <212> DNA <213> Neisseria meningitidis <220> <221> CDS <222> (1)..(1098) <400> 63 atg gca ggc aac act ttc gga caa ctc ttc acc gtt acc acc ttc ggc 48 Met Ala Gly Asn Thr Phe Gly Gln Leu Phe Thr Val Thr Thr Phe Gly 10 gaa age cac gge geg ggt ttg gge tgt ate ate gae gge tge eeg eec Glu Ser His Gly Ala Gly Leu Gly Cys Ile Ile Asp Gly Cys Pro Pro 20 25 30 ggc ttg gaa tta agc gaa gcg gat atc caa ttt gac ctc gac cga cgc 144 Gly Leu Glu Leu Ser Glu Ala Asp Ile Gln Phe Asp Leu Asp Arg Arg 35 40 45 aaa ccc ggc acc agc cgc cac gtt acc caa cgc cgc gaa gcc gac caa 192 Lys Pro Gly Thr Ser Arg His Val Thr Gln Arg Arg Glu Ala Asp Gln 50 55 gtc gaa atc ctc tcc ggc gta ttc gaa ggc aaa acc acc ggc acg ccc 240 Val Glu Ile Leu Ser Gly Val Phe Glu Gly Lys Thr Thr Gly Thr Pro 65 70 75 80 atc gcc ctc tta atc cgc aat acc gac cag cgc agc aaa gac tac ggc 288 Ile Ala Leu Leu Ile Arg Asn Thr Asp Gln Arg Ser Lys Asp Tyr Gly 85 90 95 aac atc gcc acc agc ttc cgc ccc ggc cac gcc gac tat acc tat tgg Asn Ile Ala Thr Ser Phe Arg Pro Gly His Ala Asp Tyr Thr Tyr Trp 100 105 110 cae aaa tac ggc acg cgc gac tac cgg ggc ggc agg agt tcc gcc His Lys Tyr Gly Thr Arg Asp Tyr Arg Gly Gly Arg Ser Ser Ala 115 120 125 cgc gaa acc gcc gcc cgc gtt gcc gcc gga gcc gtt gcc aaa aaa tgg 432 Arg Glu Thr Ala Ala Arg Val Ala Ala Gly Ala Val Ala Lys Lys Trp 130 135 140

118

150

145

ttg aaa gaa aaa ttc ggc acg gaa atc acc gcc tac gtt acc caa gtc

Leu Lys Glu Lys Phe Gly Thr Glu Ile Thr Ala Tyr Val Thr Gln Val

155

480

	_		_		cgg Arg		_		_	-						528
				_	aac Asn		_			-		_	_			576
_	_	_		_	aaa Lys		_	_		_		, ,	_	_		624
	-		_		gtc Val		-				_		_		_	672
					atc Ile 230									_	_	720
			-		ggc	_			_	_	_	_		_		768
_	-			_	gaa Glu			~				_				816
					ggc			_				_			-	864
		_			ccc Pro		-			_		_	_	_	-	912
	_				aac Asn 310			_		-	-		-			960
					ttg Leu											1008
					gac Asp		_	_	_		_					1056

gat gtt cag gtt aat acg ccc gac att acc ctt tca aac aaa 1098 Asp Val Gln Val Asn Thr Pro Asp Ile Thr Leu Ser Asn Lys 355 360 365

<210> 64

<211> 366

<212> PRT

<213> Neisseria meningitidis

<400> 64

Met Ala Gly Asn Thr Phe Gly Gln Leu Phe Thr Val Thr Thr Phe Gly
1 5 10 15

Glu Ser His Gly Ala Gly Leu Gly Cys Ile Ile Asp Gly Cys Pro Pro 20 25 30

Gly Leu Glu Leu Ser Glu Ala Asp Ile Gln Phe Asp Leu Asp Arg Arg 35 40 45

Lys Pro Gly Thr Ser Arg His Val Thr Gln Arg Arg Glu Ala Asp Gln 50 55 60

Val Glu Ile Leu Ser Gly Val Phe Glu Gly Lys Thr Thr Gly Thr Pro 65 70 75 80

Ile Ala Leu Leu Ile Arg Asn Thr Asp Gln Arg Ser Lys Asp Tyr Gly
85 90 95

Asn Ile Ala Thr Ser Phe Arg Pro Gly His Ala Asp Tyr Thr Tyr Trp

100 105 110

His Lys Tyr Gly Thr Arg Asp Tyr Arg Gly Gly Gly Arg Ser Ser Ala 115 120 125

Arg Glu Thr Ala Ala Arg Val Ala Ala Gly Ala Val Ala Lys Lys Trp 130 135 140

Leu Lys Glu Lys Phe Gly Thr Glu Ile Thr Ala Tyr Val Thr Gln Val 145 150 155 160

Gly Glu Lys Glu Ile Arg Phe Glu Gly Cys Glu His Ile Ser Gln Asn 165 170 175

Pro Phe Phe Ala Ala Asn His Ser Gln Ile Ala Glu Leu Glu Asn Tyr 180 185 190

Met Asp Ser Val Arg Lys Ser Leu Asp Ser Val Gly Ala Lys Leu His
195 200 205

Ile Glu Ala Ala Asn Val Pro Val Gly Leu Gly Glu Pro Val Phe Asp 210 215 220

Arg Leu Asp Ala Glu Ile Ala Tyr Ala Met Met Gly Ile Asn Ala Val 225 230 235 240

Lys Gly Val Glu Ile Gly Ala Gly Phe Asp Ser Val Thr Gln Arg Gly
245 250 255

Ser Glu His Gly Asp Glu Leu Thr Pro Gln Gly Phe Leu Ser Asn His 260 265 270

Ser Gly Gly Ile Leu Gly Gly Ile Ser Thr Gly Gln Asp Ile His Val 275 280 285

Asn Ile Ala Ile Lys Pro Thr Ser Ser Ile Ala Thr Pro Arg Arg Ser 290 295 300

Ile Asp Ile Asn Gly Asn Pro Ile Glu Leu Ala Thr His Gly Arg His 305 310 310 315

Asp Pro Cys Val Gly Leu Arg Ala Ala Pro Ile Ala Glu Ala Met Leu 325 330 335

Ala Leu Val Leu Ile Asp His Ala Leu Arg His Arg Ala Gln Asn Ala 340 345 350

Asp Val Gln Val Asn Thr Pro Asp Ile Thr Leu Ser Asn Lys 355 360 365

<210> 65

<211> 461

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(459)

<400> 65

atg caa agc ggt ttt aac gct att ttc agg aat gac acc atg cag gtt 48
Met Gln Ser Gly Phe Asn Ala Ile Phe Arg Asn Asp Thr Met Gln Val

1 5 10 15

	tca Ser				-		_	_		_			~	_	-	96
1111	BCI	пуз	20	116	ASP	GTÅ	Mec	25	rne	val	GTĀ	1111	30	Giu	GTĀ	
	cac															144
Gly	His		Val	Val	Met	Glu		Ser	Ala	Ala	Glu		Ala	Ala	Lys	
		35					40					45				
cgc	ggg	ccc	agc	cct	ttg	gaa	atg	ctg	ctg	ttg	ggc	gtg	gcg	ggc	tgt	192
Arg	Gly	Pro	Ser	Pro	Leu	Glu	Met	Leu	Leu	Leu	Gly	Val	Ala	Gly	Cys	
	50					55					60					
tcg	agc	atc	gat	gtg	gtg	atg	att	gcc	gaa	aaa	cag	cgt	cag	aaa	gtg	240
Ser	Ser	Ile	Asp	Val	Val	Met	Ile	Ala	Glu	Lys	Gln	Arg	Gln	Lys	Val	
65					70					75					80	
act	gac	tgc	cgt	gcg	acg	gtt	acg	gcg	aaa	cgg	gcg	gac	gat	gcg	ccg	288
Thr	Asp	Cys	Arg	Ala	Thr	Val	Thr	Ala	Lys	Arg	Ala	Asp	Asp	Ala	Pro	
				85					90					95		
cgc	gtg	ttt	acc	gaa	atc	cac	atc	cat	ttc	aaa	gta	ttc	ggg	cat	gat	336
Arg	Val	Phe	Thr	Glu	Ile	His	Ile	His	Phe	Lys	Val	Phe	Gly	His	Asp	
			100					105					110			
ttg	aaa	gaa	tcg	gcc	att	gag	cgc	gcc	gtt	cag	atg	tct	gcc	gaa	aaa	384
Leu	Lys	Glu	Ser	Ala	Ile	Glu	Arg	Ala	Val	Gln	Met	Ser	Ala	Glu	Lys	
		115					120					125				
tac	tgt	tcg	gct	tcg	att	atg	ttg	ggc	aaa	gcg	gca	aag	att	acc	cac	432
Tyr	Cys	Ser	Ala	Ser	Ile	Met	Leu	Gly	Lys	Ala	Ala	Lys	Ile	Thr	His	
	130					135					140					
agt	ttt	gaa	att	gcc	ggg	gca	gat	aaa	ta							461
Ser	Phe	Glu	Ile	Ala	Gly	Ala	Asp	Lys								
145					150											
<210	)> 66	5														
<211	> 15	3														
<212	2> PF	₹Ţ														
<213	3> N∈	eisse	eria	meni	ngit	idis	5									
<400	)> 66	5														
Met	Gln	Ser	Gly	Phe	Asn	Ala	Ile	Phe	Arg	Asn	Asp	Thr	Met	Gln	Val	
1				5					10					15		

122

Thr Ser Lys Trp Ile Asp Gly Met Cys Phe Val Gly Thr Thr Glu Gly

20 25 30

Gly His Ser Val Val Met Glu Gly Ser Ala Ala Glu Gly Ala Ala Lys 35 40 45

Arg Gly Pro Ser Pro Leu Glu Met Leu Leu Leu Gly Val Ala Gly Cys
50 55 60

Ser Ser Ile Asp Val Val Met Ile Ala Glu Lys Gln Arg Gln Lys Val 65 70 75 80

Thr Asp Cys Arg Ala Thr Val Thr Ala Lys Arg Ala Asp Asp Ala Pro 85 90 95

Arg Val Phe Thr Glu Ile His Ile His Phe Lys Val Phe Gly His Asp 100 105 110

Leu Lys Glu Ser Ala Ile Glu Arg Ala Val Gln Met Ser Ala Glu Lys 115 120 125

Tyr Cys Ser Ala Ser Ile Met Leu Gly Lys Ala Ala Lys Ile Thr His 130 135 140

Ser Phe Glu Ile Ala Gly Ala Asp Lys 145 150

<210> 67

<211> 1659

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(1659)

<400> 67

atg act gac aac agc cct cct cca aac gga cac gcc caa gca cgc gtc 48

Met Thr Asp Asn Ser Pro Pro Pro Asn Gly His Ala Gln Ala Arg Val

1 5 10 15

cgc aaa aac acc ttc ctc tct gcc gtc tgg ctg gtt ccg ctg atc 96
Arg Lys Asn Asn Thr Phe Leu Ser Ala Val Trp Leu Val Pro Leu Ile
20 25 30

gcg ctg att gcc ggc ggc tgg ctt tgg gtt aag gaa atc cgc aac agg 144 Ala Leu Ile Ala Gly Gly Trp Leu Trp Val Lys Glu Ile Arg Asn Arg

35 40 45

Gly Pro Val Val Thr Leu Leu Met Asp Ser Ala Glu Gly Ile Glu Val Ser Ser Ala Glu Gly Ile Glu Val Ser Ser Ala Glu Gly Ile Glu Val Ser Ser Ala Glu Gly Ile Glu Val Thr Gly Nan Fer Gly Val Ileu Ser Ile Asp Val Gly Arg Val Thr Gly Nan Fer Gly Ileu Arg Ser Ala Glu Val Thr Ala Glu Ser Ileu Arg Gly Val Gly Arg Gly Val Gly Val Gly Val Gly Val Gly Arg Val Gly Gly Gly Gly Gly Gly Gly Val Gly Arg Val Gly Arg Gly Val Gly Arg Val Gly Arg Gly Val Gly Arg Gly Val Gly Arg Gly Val Gly Fro Gly	ggg	cct	gtg	gtt	acg	ctc	ttg	atg	gac	agc	gcg	gaa	ggc	att	gag	gtc	192
aac aat acg gtc atc aaa gta ttg agc atc gat gtc gga cgc gtt acc caa cga atc aat gcg gac gac gac gac gac gac gac gac gac	Gly	Pro	Val	Val	Thr	Leu	Leu	Met	Asp	Ser	Ala	Glu	Gly	Ile	Glu	Val	
Ash Ash Thr Val I le Lys Val Leu Ser I le Asp Val Gly Arg Val Thr 80  cga atc aaa ctg cgc gac gac gac caa aaa ggc gtg gaa gta acc gcc caa 288 Arg I le Lys Leu Arg Asp Asp Asp Gln Lys Gly Val Glu Val Thr Ala Gln 95  ctc aat gcg gac gta tcc ggc ctc atc cgc agc gat acc cag ttt tgg 336 Leu Ash Ala Asp Val Ser Gly Leu I le Arg Ser Asp Thr Gln Phe Trp 100  gtg gtc aag cgc gt atc gac caa agc ggc gta acc ggt ttg ggt acg Val Val Lys Pro Arg I le Asp Gln Ser Gly Val Thr 125  ctg ctt tcg ggt tcg tac atc gac ttt aca ccc ggc aaa agc ggc gta acc ggt try ggt acg Asp Val Val Lys Pro Arg I le Asp Gln Ser Gly Val Thr 125  ctg ctt tcg ggt tcg tac atc gac ttt aca ccc ggc aaa agc gac gac gac lac Asp I le Asp I le Asp I le Asp I le I l		50					55					60					
Coga atc aaa ctg cgc gac gac caa aaa ggc gtg gaa gta acc gcc caa   288	aac	aat	acg	gtc	atc	aaa	gta	ttg	agc	atc	gat	gtc	gga	cgc	gtt	acc	240
cga atc aaa gcg gtg atc arg Ile Lys Leu Arg Asp Asp Sap Gln Lys Gly Val Glu Val Glu Val Thr Ala Gln 95       288         ctc aat gcg gac gta tcc ggc ctc atc cgc agc gat acc aat gcg gac gat acc gac ttt tgg gat acg late lys Pro Arg Ile Asp Gln Ser Gly Val Thr Gly Leu Gly Thr 115       336         gtg gtc aag gac gt tcg tcg tac gac caa agc ggc gt acc ggt ttg ggt acg late late Ser Gly Ser Tyr Ile Ala Phe Thr Pro Gly Lys Ser Asp Glu 130       120         ctg ctt tcg ggt tcg tac acc gcc ttt acc acc ggc aaa agc gac gac gac late late late Ser Gly Ser Tyr Ile Ala Phe Thr Pro Gly Lys Ser Asp Glu 130       140         gca aaa gac ggt ttc caa gtg cag gac aaa agc gac gac gac late lys Asp Val Phe Gln Val Gln Asp Ile Pro Pro Val Thr Ala Ile 145       150         ggc aaa agc ggg ctg cg cac ttg acc gcc ttg aat ttg att ggt aaa acc gcc gc atc late 150       150         ggg caa agg gg caa agc ggc cac acc gcc ttg acc gcc late 150       150         ggg caa agc gg gg ctg cg ccc late Arg Leu Arg		Asn	Thr	Val	Ile	-	Val	Leu	Ser	Ile	-	Val	Gly	Arg	Val		
Arg Ile Lys Leu Arg Asp Asp Gln Lys Gly Val Glu Val Thr Ala Gln 85	65					70					75					80	
S	_			_	_	_	_					_	-		_		288
ctc aat gcg gac gac gac gac gac gac gac gac gac	Arg	Ile	Lys	Leu	_	Asp	Asp	Gln	Lys	_	Val	Glu	Val	Thr		Gln	
Heu   Asn   Ala   Asp   Val   Ser   Gly   Leu   Ile   Arg   Ser   Asp   Thr   Gln   Phe   Trp   110   Ser   Gly   Val   Ile   Gly   Val   Thr   Gly   Leu   Gly   Thr   125   Ser   Asp   Gln   Ser   Gly   Val   Thr   Gly   Leu   Gly   Thr   125   Ser   Gly   Thr   Ile   Asp   Gln   Ser   Gly   Val   Thr   Gly   Leu   Gly   Thr   Ile   Asp   Gln   Ser   Gly   Val   Thr   Gly   Leu   Gly   Thr   Ile   Asp   Gln   Ser   Gly   Ser   Tyr   Ile   Ala   Phe   Thr   Pro   Gly   Lys   Ser   Asp   Glu   Asp   Glu   Asp   Ile   Ino					85					90					95		
Second   S																	336
get get cet tog ggt tog gag tog get get get get get get get get ggt gg	Leu	Asn	Ala		Val	Ser	Gly	Leu		Arg	Ser	Asp	Thr		Phe	Trp	
Val         Val         Lys         Pro         Arg         Ile         Asp         Gln         Ser         Gly         Val         Thr         Gly         Leu         Gly         Thr         Leu         Gly         Thr         Leu         Leu <td></td> <td></td> <td></td> <td>100</td> <td></td> <td></td> <td></td> <td></td> <td>105</td> <td></td> <td></td> <td></td> <td></td> <td>110</td> <td></td> <td></td> <td></td>				100					105					110			
tte tgg ctg cas age ggg ctg ctg ctg ttg sat ttg stat gga att tgg sat sage gac ggg as age ggg cas sage gac ggg sage ggg cas sage ggg sage sage	gtg	gtc	aag	ccg	cgt	atc	gac	caa	agc	ggc	gta	acc	ggt	ttg	ggt	acg	384
Ctg ctt tcg ggt tcg tac late alc gcc ttt aca ccc ggc aaa agc gac gag late late late late late late late late	Val	Val	_	Pro	Arg	Ile	Asp		Ser	Gly	Val	Thr	_	Leu	Glу	Thr	
Leu Leu Ser Gly Ser Tyr Ile Ala Phe Thr Pro Gly Lys Ser Asp Glu 130    gca aaa gac gtg ttc caa gtg cag gac att ccg ccc gtt acc gcc atc 480 Ala Lys Asp Val Phe Gln 150    ggg caa agc ggg ctg cgc ttg aat ttg att ggt aaa aac gac cgc atc 160    ggg caa agc ggg ctg cgc ttg aat ttg att ggt Lys Asp Asp Arg Ile 175    ctc aac gtc aac agc cct gtt ttg tat gaa aac ttt atg gtc ggg caa 576 Leu Asn Val Asn Ser Pro Val Leu Tyr Glu Asn Phe Met Val Gly Gln 190    gtc gaa agc gcg cat ttc gac cg tcc gac aac ggc gg ggg caa 576 Leu Asn Leu Inso Inso Inso Inso Inso Inso Inso Inso			115					120					125				
gca aaa gac gtg ttc caa gtg cag gac att ccg ccc gtt acc gcc atc 480 Ala Lys Asp Val Phe Gln Val Gln Asp Ile Pro Pro Pro Val Thr Ala Ile 160  ggg caa agc ggg ctg cgc ttg aat ttg att ggt leu Asn Leu Ile Gly Lys Asn Asp Arg Ile 175  ctc aac gtc aac agc gcc cct gtt ttg tat gaa acc ttt atg att ggt asa agc gc ggg caa 576 Leu Asn Val Asn Ser Pro Val Leu Tyr Glu Asn Phe Met Val Gly Gln 190  gg gaa agc gc cat ttc gac cgc tcc gac acc ttg acc acc gc atc 328  ctc aac gtc aac agc cct gtt ttg tat gaa acc ttt atg atg ggg caa 1576  Leu Asn Val Asn Ser Pro Val Leu Tyr Glu Asn Phe Met Val Gly Gln 190  gt gaa agc gc cat ttc gac acc gc tcc gac caa agc gtg cat tac acc 624  Val Glu Ser Ala His Phe Asp Pro Ser Asp Gln Ser Val His Tyr Thr 205  atc ttc atc acc acc acc acc gc acc acc acc acc gc acc ac	ctg	ctt	tcg	ggt	tcg	tac	atc	gcc	ttt	aca	ccc	ggc	aaa	agc	gac	gag	432
ggg caa agc ggg ctg ctg cgc ttg aat ttg att ggt aaa aac gac cgc atc leu Asn Val Asn Val Asn Ser Pro Val Leu Tyr leu Tyr leu Tyr leu Ser Val Glu Ser Ala His Pro Ser Ala His Pro Ser Asn Asp Leu Asn Cgg caa agc ggg caa agc ggg caa ttc leu Tyr leu Tyr leu Tyr leu Ser Val Glu Ser Val His Tyr Thr leu Ser Val Glu Ser Pro Val His Tyr Thr leu Ser Val Glu Ser Ala His Pro Ser Asn Asp Leu Tyr leu Tyr leu Tyr leu Tyr leu Ser Val His Tyr Thr leu Ser Val Glu Ser Val His Tyr Thr leu Ser Val His Tyr Thr leu Ser Val Leu Tyr leu Ty	Leu		Ser	Gly	Ser	туr		Ala	Phe	Thr	Pro	-	Lys	Ser	Asp	Glu	
Ala Lys Asp Val Phe Gln Val Gln Asp Ile Pro Pro Val Thr Ala Ile 145		130					135					140					
145	gca	aaa	gac	gtg	ttc	caa	gtg	cag	gac	att	ccg	ccc	gtt	acc	gcc	atc	480
ggg caa agc ggg ctg cgc ttg aat ttg att ggt aaa aac gac cgc atc 1758  Ctc aac gtc aac agc cct gtt ttg tat gaa aac ttt atg gtc agg caa 175  Leu Asn Val Asn Ser Pro Val Leu Tyr Glu Asn Phe Met Val Gly Gln 190  gtc gaa agc gcg cat ttc gac ccg tcc gac caa agc gtg cat tac acc Val Glu Ser Ala His Phe Asp Pro Ser Asp Gln Ser Val His Tyr Thr 205  atc ttc atc caa agc ccc aac gac gac cat ttc gac aac gac cgg atc cat tac acc for acc acc gac acc gac acc acc gac acc acc	Ala	Lys	Asp	Val	Phe	Gln	Val	Gln	Asp	Ile	Pro	Pro	Val	Thr	Ala	Ile	
Gly Gln Ser Gly Leu Arg Leu Asn Leu Ile Gly Lys Asn Asp Arg Ile 165	145					150					155					160	
tte tgg ctg gaa age gge ate ate ate gaa ace age gge age gge ate ate ate gaa ace terms at the ate gge ggg caa 576  170	ggg	caa	agc	ggg	ctg	cgc	ttg	aat	ttg	att	ggt	aaa	aac	gac	cgc	atc	528
ctc aac gtc aac agc cct gtt ttg tat gaa aac ttt atg gtc ggg caa 576 Leu Asn Val Asn Ser Pro Val Leu Tyr Glu Asn Phe Met Val Gly Gln 180  gtc gaa agc gcg cat ttc gac ccg tcc gac caa agc gtg cat tac acc Asp Pro Ser Asp Gln Ser Val His Tyr Thr 205  atc ttc atc caa agc ccc aac gac aaa ctg att cat tcc gcc agc cgt 672 Ile Phe Ile Gln Ser Pro Asn Asp Lys Leu Ile His Ser Ala Ser Arg 210  ttc tgg ctg gaa agc ggc atc aat atc gaa acc aca ggc agc ggc atc 720	Gly	Gln	Ser	Gly	Leu	Arg	Leu	Asn	Leu	Ile	Gly	Lys	Asn	Asp	Arg	Ile	
Leu Asn Val Asn Ser Pro Val Leu Tyr Glu Asn Phe Met Val Gly Gln 190  gtc gaa agc gcg cat ttc gac ccg tcc gac caa agc gtg cat tac acc 624  Val Glu Ser Ala His Phe Asp Pro Ser Asp Gln Ser Val His Tyr Thr 200  atc ttc atc caa agc ccc aac gac aaa ctg att cat tcc gcc agc cgt 672  Ile Phe Ile Gln Ser Pro Asn Asp Lys Leu Ile His Ser Ala Ser Arg 210  ttc tgg ctg gaa agc ggc atc aat atc gaa acc aca ggc agc ggc atc 720					165					170					175		
gtc gaa agc gcg cat ttc gac ccg tcc gac caa agc gtg cat tac acc 624 Val Glu Ser Ala His Phe Asp Pro Ser Asp Gln Ser Val His Tyr Thr 195 ccc aac gac aaa ctg att cat tcc gcc agc cgt 672 Ile Phe Ile Gln Ser Pro Asn Asp Lys Leu Ile His Ser Ala Ser Arg 210 ctg gaa agc ggc atc aat atc gaa acc aca ggc agc ggc atc 720	ctc	aac	gtc	aac	agc	cct	gtt	ttg	tat	gaa	aac	ttt	atg	gtc	ggg	caa	576
gtc gaa agc gcg cat ttc gac ccg tcc gac caa agc gtg cat tac acc C24 Val Glu Ser Ala His Phe Asp Pro Ser Asp Gln Ser Val His Tyr Thr 195 ccc aac ggc aaa ctg att cat tcc gcc agc cgt Ile Phe Ile Gln Ser Pro Asn Asp Lys Leu Ile His Ser Ala Ser Ag 210 ctg gaa agc ggc atc aat atc gaa acc aca ggc agc ggc atc 720  ttc tgg ctg gaa agc ggc atc aat atc gaa acc aca ggc agc ggc atc 720	Leu	Asn	Val	Asn	ser	Pro	Val	Leu	Tyr	Glu	Asn	Phe	Met	Val	Gly	Gln	
Val Glu Ser Ala His Phe Asp Pro Ser Asp Gln Ser Val His Tyr Thr 205 atc ttc atc caa agc ccc aac gac aaa ctg att cat tcc gcc agc cgt Asp Pro Ser Asp Lys Leu Ile His Ser Ala Ser Arg 210 ctg gaa agc ggc atc aat atc gaa acc aca ggc agc ggc atc 720				180					185					190			
atc ttc atc caa agc ccc aac gac aaa ctg att cat tcc gcc agc cgt 672  Ile Phe Ile Gln Ser Pro Asn Asp Lys Leu Ile His Ser Ala Ser Arg 210  ttc tgg ctg gaa agc ggc atc aat atc gaa acc aca ggc agc ggc atc 720	gtc	gaa	agc	gcg	cat	ttc	gac	ccg	tcc	gac	caa	agc	gtg	cat	tac	acc	624
atc ttc atc caa agc ccc aac gac aaa ctg att cat tcc gcc agc cgt 672  Ile Phe Ile Gln Ser Pro Asn Asp Lys Leu Ile His Ser Ala Ser Arg 210 215 220  ttc tgg ctg gaa agc ggc atc aat atc gaa acc aca ggc agc ggc atc 720	Val	Glu	ser	Ala	His	Phe	Asp	Pro	Ser	Asp	Gln	Ser	Val	His	Tyr	Thr	
<pre>Ile Phe Ile Gln Ser Pro Asn Asp Lys Leu Ile His Ser Ala Ser Arg 210</pre>			195					200					205				
210 215 220  ttc tgg ctg gaa agc ggc atc aat atc gaa acc aca ggc agc ggc atc 720	atc	ttc	atc	caa	agc	ccc	aac	gac	aaa	ctg	att	cat	tcc	gcc	agc	cgt	672
ttc tgg ctg gaa agc ggc atc aat atc gaa acc aca ggc agc ggc atc 720	Ile	Phe	Ile	Gln	Ser	Pro	Asn	Asp	Lys	Leu	Ile	His	Ser	Ala	Ser	Arg	
		210					215					220					
	ttc	taa	cta	gaa	agc	aac	atc	aat	atc	αaa	acc	aca	aac	agc	aac	atc	720
			_	_	_					-				_			

225					230					235					240	
				gcc Ala 245		_		_	_	_						768
	-	-	_	aaa Lys				-			_		_	-	_	816
_		_		tac Tyr	-	•	-	-	_	_	_		_		_	864
_	_		_	tac Tyr										_		912
		_		tcg Ser												960
_		-	_	cct Pro 325			-	_		-	-	_		-		1008
_				att Ile		_	_		_						_	1056
_			_	gac Asp	~		_		_							1104
_	_	_		aac Asn			_		_				_			1152
_				agc Ser		_					_	_				1200
_		-	_	cga Arg 405	_			-		-		_		-		1248
				ggc Gly												1296

445

ttg ctg gac aag ttc gac aaa ctg cct tta gat aag acg gtt gcc gaa 1344 Leu Leu Asp Lys Phe Asp Lys Leu Pro Leu Asp Lys Thr Val Ala Glu

440

ttg aac ggt tcg ctt gcc gag ctc aaa tcc aca ctc aaa tct gcc aat 1392 Leu Asn Gly Ser Leu Ala Glu Leu Lys Ser Thr Leu Lys Ser Ala Asn 450 455 460

gcc gcc cta agc tcc atc gac aaa ctg gtc ggc aaa ccg cag aca caa 1440 Ala Ala Leu Ser Ser Ile Asp Lys Leu Val Gly Lys Pro Gln Thr Gln 465 470 480

aac att ccg aac gaa ctg aac caa acc ctg aaa gag ttg cgc aca acc 1488 Asn Ile Pro Asn Glu Leu Asn Gln Thr Leu Lys Glu Leu Arg Thr Thr 485 490 495

ctg caa ggc gta tcg cct caa tcg cct atc tac ggc gac gta caa aat 1536 Leu Gln Gly Val Ser Pro Gln Ser Pro Ile Tyr Gly Asp Val Gln Asn 500 505 510

acg ctg caa agt ttg gac aaa acc tta aaa gac gtt caa ccc gtc att 1584
Thr Leu Gln Ser Leu Asp Lys Thr Leu Lys Asp Val Gln Pro Val Ile
515 520 525

aac act ttg aaa gaa aaa ccc aac gcg ctg att ttc aac agc agc agc 1632
Asn Thr Leu Lys Glu Lys Pro Asn Ala Leu Ile Phe Asn Ser Ser Ser
530 540

aaa gac cct atc ccg aaa gga agc cga 1659 Lys Asp Pro Ile Pro Lys Gly Ser Arg 545 550

<210> 68

435

<211> 553

<212> PRT

<213> Neisseria meningitidis

<400> 68

Met Thr Asp Asn Ser Pro Pro Pro Asn Gly His Ala Gln Ala Arg Val

1 5 10 15

Arg Lys Asn Asn Thr Phe Leu Ser Ala Val Trp Leu Val Pro Leu Ile 20 25 30

Ala Leu Ile Ala Gly Gly Trp Leu Trp Val Lys Glu Ile Arg Asn Arg

WO 01/85772	PCT/GB01/02003

		35					40					45			
Gly	Pro 50	Val	Val	Thr	Leu	Leu 55	Met	Asp	Ser	Ala	Glu 60	Gly	Ile	Glu	Val
Asn 65	Asn	Thr	Val	Ile	Lys 70	Val	Leu	Ser	Ile	Asp 75	Val	Gly	Arg	Val	Thr 80
Arg	Ile	Lys	Leu	Arg 85	Asp	Asp	Gln	Lys	Gly 90	Val	Glu	Val	Thr	Ala 95	Gln
Leu	Asn	Ala	Asp 100	Val	Ser	Gly	Leu	Ile 105	Arg	Ser	Asp	Thr	Gln 110	Phe	Trp
Val	Val	Lys 115	Pro	Arg	Ile	Asp	Gln 120	Ser	Gly	Val	Thr	Gly 125	Leu	Gly	Thr
Leu	Leu 130	Ser	Gly	Ser	Tyr	Ile 135	Ala	Phe	Thr	Pro	Gly 140	Lys	Ser	Asp	Glu

Ala Lys Asp Val Phe Gln Val Gln Asp Ile Pro Pro Val Thr Ala Ile
145 150 155 160

Gly Gln Ser Gly Leu Arg Leu Asn Leu Ile Gly Lys Asn Asp Arg Ile 165 170 175

Leu Asn Val Asn Ser Pro Val Leu Tyr Glu Asn Phe Met Val Gly Gln
180 185 190

Val Glu Ser Ala His Phe Asp Pro Ser Asp Gln Ser Val His Tyr Thr 195 200 205

Ile Phe Ile Gln Ser Pro Asn Asp Lys Leu Ile His Ser Ala Ser Arg 210 215 220

Phe Trp Leu Glu Ser Gly Ile Asn Ile Glu Thr Thr Gly Ser Gly Ile 225 230 235 240

Lys Leu Asn Ser Ala Pro Leu Pro Ala Leu Leu Ser Gly Ala Ile Ser 245 250 255

Phe Asp Ser Pro Lys Thr Lys Asn Ser Lys Asn Val Lys Ser Glu Asp
260 265 270

Ser Phe Thr Leu Tyr Asp Ser Arg Ser Glu Val Ala Asn Leu Pro Asp 275 280 285

Asp Arg Ser Leu Tyr Tyr Thr Ala Phe Phe Lys Gln Ser Val Arg Gly

290 295 300

Leu Thr Val Gly Ser Pro Val Glu Tyr Lys Gly Leu Asn Val Gly Val 305 310 315 320

Val Ser Asp Val Pro Tyr Phe Asp Arg Asn Asp Ser Leu His Leu Phe 325 330 335

Glu Asn Gly Trp Ile Pro Val Arg Ile Arg Ile Glu Pro Ser Arg Leu 340 345 350

Glu Ile Asn Ala Asp Glu Gln Ser Lys Glu His Trp Lys Gln Gln Phe 355 360 365

Gln Thr Ala Leu Asn Lys Gly Leu Thr Ala Thr Ile Ser Ser Asn Asn 370 375 380

Leu Leu Thr Gly Ser Lys Met Ile Glu Leu Asn Asp Gln Pro Ser Ala 385 390 395 400

Ser Pro Lys Leu Arg Pro His Thr Val Tyr Ala Gly Asp Thr Val Ile 405 410 415

Ala Thr Gln Gly Gly Leu Asp Asp Leu Gln Val Lys Leu Ala Asp
420 425 430

Leu Leu Asp Lys Phe Asp Lys Leu Pro Leu Asp Lys Thr Val Ala Glu 435 440 445

Leu Asn Gly Ser Leu Ala Glu Leu Lys Ser Thr Leu Lys Ser Ala Asn 450 455 460

Ala Ala Leu Ser Ser Ile Asp Lys Leu Val Gly Lys Pro Gln Thr Gln 465 470 475 480

Asn Ile Pro Asn Glu Leu Asn Gln Thr Leu Lys Glu Leu Arg Thr Thr
485 490 495

Leu Gln Gly Val Ser Pro Gln Ser Pro Ile Tyr Gly Asp Val Gln Asn
500 505 510

Thr Leu Gln Ser Leu Asp Lys Thr Leu Lys Asp Val Gln Pro Val Ile 515 520 525

Asn Thr Leu Lys Glu Lys Pro Asn Ala Leu Ile Phe Asn Ser Ser Ser 530 535 540

Lys Asp Pro Ile Pro Lys Gly Ser Arg

545 550

<210> 69

<211> 330

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(330)

<400> 69

ttg ccg ctg ctt tgt tgt ctt tgg ttt tgg cag cct gcg gcg gtg aaa 48
Leu Pro Leu Leu Cys Cys Leu Trp Phe Trp Gln Pro Ala Ala Val Lys
1 5 10 15

aag ccg ctg aag ctc ccg ctg ctg aag cac ctg ccg ccg aag ctc ccg 96
Lys Pro Leu Lys Leu Pro Leu Lys His Leu Pro Pro Lys Leu Pro
20 25 30

cta ctg aag cac ctg ccg ccg aag ctc ccg ctg ctg aag cac ctg ccg 144
Leu Leu Lys His Leu Pro Pro Lys Leu Pro Leu Leu Lys His Leu Pro
35 40 45

ccg aag ctc ctg cta ctg aag cac ctg ccg ccg aag ctc ccg ctg ctg 192
Pro Lys Leu Leu Leu Lys His Leu Pro Pro Lys Leu Pro Leu Leu
50 55 60

aag ctg ccg cta ccg aag cac ctg ccg ctg aag ctg ccg cta ccg aag 240 Lys Leu Pro Leu Pro Lys His Leu Pro Leu Lys Leu Pro Leu Pro Lys 65 70 75 80

cac ctg ccg ctg aag ctc ctg ctg ccg aag ctg caa aat aag cat ttt 288
His Leu Pro Leu Lys Leu Leu Pro Lys Leu Gln Asn Lys His Phe
85 90 95

ccg ctt gca aaa aag cag gat acg ttc agt atc ctg ctt ttt 330 .

Pro Leu Ala Lys Lys Gln Asp Thr Phe Ser Ile Leu Leu Phe
100 105 110

<210> 70

<211> 110

<212> PRT

<213> Neisseria meningitidis

<400> 70

Leu Pro Leu Leu Cys Cys Leu Trp Phe Trp Gln Pro Ala Ala Val Lys
1 5 10 15

Lys Pro Leu Lys Leu Pro Leu Lys His Leu Pro Pro Lys Leu Pro
20 25 30

Leu Leu Lys His Leu Pro Pro Lys Leu Pro Leu Leu Lys His Leu Pro
35 40 45

Pro Lys Leu Leu Leu Lys His Leu Pro Pro Lys Leu Pro Leu Leu 50 55 . 60

Lys Leu Pro Leu Pro Lys His Leu Pro Leu Lys Leu Pro Leu Pro Lys 65 70 75 80

His Leu Pro Leu Lys Leu Leu Pro Lys Leu Gln Asn Lys His Phe 85 90 95

Pro Leu Ala Lys Lys Gln Asp Thr Phe Ser Ile Leu Leu Phe 100 105 110

<210> 71

<211> 2274

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(2274)

<400> 71

atg aca aca tta cat ttc tca ggc ttc ccg cgt gtc ggt gcc ttc cgc 48
Met Thr Thr Leu His Phe Ser Gly Phe Pro Arg Val Gly Ala Phe Arg
1 5 10 15

gaa ttg aaa ttc gca caa gaa aaa tac tgg cgc aaa gaa atc agc gag 96 Glu Leu Lys Phe Ala Gln Glu Lys Tyr Trp Arg Lys Glu Ile Ser Glu 20 25 30

caa gaa ttg ctg gct gtt gct aaa gac ttg cgc gag aaa aac tgg aaa 144 Gln Glu Leu Leu Ala Val Ala Lys Asp Leu Arg Glu Lys Asn Trp Lys 35 40 45

cac cag gcc gct gcc aac gcc gat tac gtt gcc gta ggc gat ttc act 192 His Gln Ala Ala Asn Ala Asp Tyr Val Ala Val Gly Asp Phe Thr

50 55 60

		gac Asp				_	_		_	_						240
_	_	ttc Phe			_	-					_	_				288
	_	gcg Ala	-	0.0			-			_		-	_			336
		gac Asp 115						_			-			-	-	384
	_	ttt Phe		_		_				_		_	_		_	432
_		gct Ala			_				_		-	-	~ -	_	_	480
		ctg Leu		_	~ ~		_			-	_	-		-	~	528
•	-	ctg Leu	_			_	_		-		_	_		_		576
		gtt Val 195														624
_		gtt Val	_	_			_		_	_	_			_	_	672
		act Thr					-						_			720
		tct ser	_	_	_				_							768

PCT/GB01/02003

245 250 255

WO 01/85772

-	ggc	-			_	-	_	-	_		_		_	-		816
	gcc Ala	•		-		-	_		_		-		_		-	864
	att Ile 290		_	-		_			_	_	_		_	,		912
_	caa Gln	_		_		_	_	_				_		_	_	960
-	ctg Leu			_		_	_		_		_				_	1008
	aaa Lys		-	_				_				_				1056
	gaa Glu	_	_	-	_		_	_	-		_		_			1104
	gcc Ala 370															1152
	agc Ser												_			1200
	cct Pro	_		-	-		_					_	_	_		1248
	gcg Ala			_		_		~		_	_	_	_			1296
	ggt Gly			_				_		_		_	_	_	_	1344

435 440 445

			ggc Gly	-	_		_	_	, -		-	_		_		1392
	-		gcc Ala	_	-	•	-			-		-	_	-	-	1440
_	_		cac Hís	-	-	•		_		-	_	-	_			1488
	_	_	ttg Leu 500	_			_							_		1536
_			tct ser	_	_	-			_					-	_	1584
_			gaa Glu	-	_		_	-					_		_	1632
_			cgc Arg	_	_			_	-				_			1680
_			tct Ser		_	_		_			_			۰ -		1728
			gca Ala 580										_			1776
_			aaa Lys	_				_	_		_		_	_		1824
		_	aaa Lys		_	_		_	_		_			_		1872
			cgc Arg						_	_	-	-				1920

625	630	635	640
- ·	tac tct gag ttc aac Tyr Ser Glu Phe Asn 650	-	
	gac gtg atc acc atc Asp Val Ile Thr Ile 665	-	-
	gcg ttc ggc gaa ttc Ala Phe Gly Glu Phe 680		
	gac atc cac agc ccg Asp Ile His Ser Pro 695		-
	ttg cgc aaa gcc atc Leu Arg Lys Ala Ile 710		-
	ccg gac tgc ggc ctg Pro Asp Cys Gly Leu 730		
	ctc caa gtg atg atg Leu Gln Val Met Met 745	<del>-</del>	-
cgt gcc gaa ttg gcg Arg Ala Glu Leu Ala 755			2274
<210> 72 <211> 758 <212> PRT <213> Neisseria meni	ingitidis		
<400> 72 Met Thr Thr Leu His 1 5	Phe Ser Gly Phe Pro	Arg Val Gly Ala Phe	Arg
Glu Leu Lys Phe Ala 20	Gln Glu Lys Tyr Trp 25	Arg Lys Glu Ile Ser 30	Glu
Gln Glu Leu Leu Ala	Val Ala Lys Asp Leu	Arg Glu Lys Asn Trp	Lys

WO 01/85772	PCT/GB01/02003

WO 01/85772

His Gln Ala Ala Ala Asn Ala Asp Tyr Val Ala Val Gly Asp Phe Thr

Phe Tyr Asp His Ile Leu Asp Leu Gln Val Ala Thr Gly Ala Ile Pro 

Ala Arg Phe Gly Phe Asp Ser Gln Asn Leu Ser Leu Glu Gln Phe Phe 

Gln Leu Ala Arg Gly Asn Lys Asp Gln Phe Ala Ile Glu Met Thr Lys 

Trp Phe Asp Thr Asn Tyr His Tyr Leu Val Pro Glu Phe His Ala Asp 

Thr Glu Phe Lys Ala Asn Ala Lys His Tyr Val Gln Gln Leu Gln Glu 

Ala Gln Ala Leu Gly Leu Lys Ala Lys Pro Thr Val Val Gly Pro Leu 

Thr Phe Leu Trp Val Gly Lys Glu Lys Gly Ala Val Glu Phe Asp Arg 165 170

Leu Ser Leu Leu Pro Lys Leu Pro Val Tyr Val Glu Ile Leu Thr 

Ala Leu Val Glu Ala Gly Ala Glu Trp Ile Gln Ile Asp Glu Pro Ala 

Leu Thr Val Asp Leu Pro Lys Glu Trp Val Glu Ala Tyr Lys Asp Val 

Tyr Ala Thr Leu Ser Lys Val Ser Ala Lys Ile Leu Leu Ser Thr Tyr 

Phe Gly Ser Val Ala Glu His Ala Ala Leu Leu Lys Ser Leu Pro Val 

Asp Gly Leu His Ile Asp Leu Val Arg Ala Pro Glu Gln Leu Asp Ala 

Phe Ala Asp Tyr Asp Lys Val Leu Ser Ala Gly Val Ile Asp Gly Arg 

Asn Ile Trp Arg Ala Asn Leu Asn Lys Val Leu Glu Thr Val Glu Leu

VO 01/85772	PCT/GB01/02003

290 295 300

Leu Gln Ala Lys Leu Gly Asp Arg Leu Trp Ile Ser Ser Ser Cys Ser 305 310 315 320

Leu Leu His Thr Pro Phe Asp Leu Ser Val Glu Glu Lys Leu Lys Ala 325 330 335

Asn Lys Pro Asp Leu Tyr Ser Trp Leu Ala Phe Thr Leu Gln Lys Thr 340 345 350

Gln Glu Leu Arg Val Leu Lys Ala Ala Leu Asn Glu Gly Arg Asp Ser 355 360 365

Val Ala Glu Glu Leu Ala Ala Ser Gln Ala Ala Ala Asp Ser Arg Ala 370 375 380

Asn Ser Ser Glu Ile His Arg Ala Asp Val Ala Lys Arg Leu Ala Asp 385 390 395 400

Leu Pro Ala Asn Ala Asp Gln Arg Lys Ser Pro Phe Ala Asp Arg Ile 405 410 415

Lys Ala Gln Gln Ala Trp Leu Asn Leu Pro Leu Leu Pro Thr Thr Asn
420 425 430

Ile Gly Ser Phe Pro Gln Thr Thr Glu Ile Arg Gln Ala Arg Ala Ala 435 440 445

Phe Lys Lys Gly Glu Leu Ser Ala Ala Asp Tyr Glu Ala Ala Met Lys 450 455 460

Lys Glu Ile Ala Leu Val Val Glu Glu Glu Lys Leu Asp Leu Asp 465 470 475 480

Val Leu Val His Gly Glu Ala Glu Arg Asn Asp Met Val Glu Tyr Phe
485 490 495

Gly Glu Leu Ser Gly Phe Ala Phe Thr Gln Tyr Gly Trp Val Gln 500 505 510

Ser Tyr Gly Ser Arg Cys Val Lys Pro Pro Ile Ile Phe Gly Asp Val 515 520 525

Ser Arg Pro Glu Ala Met Thr Val Ala Trp Ser Thr Tyr Ala Gln Ser 530 540

Leu Thr Lys Arg Pro Met Lys Gly Met Leu Thr Gly Pro Val Thr Ile

545 550 555 560

Leu Gln Trp Ser Phe Val Arg Asn Asp Ile Pro Arg Ser Thr Val Cys 565 570 575

Lys Gln Ile Ala Leu Ala Leu Asn Asp Glu Val Leu Asp Leu Glu Lys 580 585 590

Ala Gly Ile Lys Val Ile Gln Ile Asp Glu Pro Ala Ile Arg Glu Gly 595 600 605

Leu Pro Leu Lys Arg Ala Asp Trp Asp Ala Tyr Leu Asn Trp Ala Gly 610 620

Glu Ser Phe Arg Leu Ser Ser Thr Gly Cys Glu Asp Ser Thr Gln Ile 625 630 635 640

His Thr His Met Cys Tyr Ser Glu Phe Asn Asp Ile Leu Pro Ala Ile 645 650 655

Ala Ala Met Asp Ala Asp Val Ile Thr Ile Glu Thr Ser Arg Ser Asp 660 665 670

Met Glu Leu Leu Thr Ala Phe Gly Glu Phe Lys Tyr Pro Asn Asp Ile 675 680 685

Gly Pro Gly Val Tyr Asp Ile His Ser Pro Arg Val Pro Thr Glu Ala 690 695 700

Glu Val Glu His Leu Leu Arg Lys Ala Ile Glu Val Val Pro Val Glu 705 710 715 720

Arg Leu Trp Val Asn Pro Asp Cys Gly Leu Lys Thr Arg Gly Trp Lys
725 730 735

Glu Thr Leu Glu Gln Leu Gln Val Met Met Asn Val Thr His Lys Leu 740 745 750

Arg Ala Glu Leu Ala Lys 755

<210> 73

<211> 2118

<212> DNA

<213> Neisseria meningitidis

<220> <221> CDS <222> (1)..(2118)

<400> 73

atg cgc cgt ttt cta ccg atc gca gcc ata tgc gcc gtc gtc ctg ttg 48
Met Arg Arg Phe Leu Pro Ile Ala Ala Ile Cys Ala Val Val Leu Leu
1 5 10 15

tac gga ctg acg gcg gca acc ggc agc acc agt tcg ctg gcg gat tat 96
Tyr Gly Leu Thr Ala Ala Thr Gly Ser Thr Ser Ser Leu Ala Asp Tyr
20 25 30

ttc tgg tgg att gtt gcg ttc agc gca atg ctg ctg ctg gtg ttg tcc 144
Phe Trp Trp Ile Val Ala Phe Ser Ala Met Leu Leu Leu Val Leu Ser
35 40 45

gcc gtt ttg gca cgt tat gtc ata ttg ctg ttg aaa gac agg cgc gac 192
Ala Val Leu Ala Arg Tyr Val Ile Leu Leu Leu Lys Asp Arg Arg Asp
50 55 60

ggc gta ttc ggt tcg cag att gcc aaa cgc ctt tcc ggg atg ttt acg 240 Gly Val Phe Gly Ser Gln Ile Ala Lys Arg Leu Ser Gly Met Phe Thr 65 70 75 80

ctg gtt gcc gta ctg ccc ggc gtg ttt ctg ttc ggc gtt tcc gca cag 288
Leu Val Ala Val Leu Pro Gly Val Phe Leu Phe Gly Val Ser Ala Gln
85 90 95

ttt atc aac ggc acg att aat tcg tgg ttc ggc aac gat acc cac gag 336
Phe Ile Asn Gly Thr Ile Asn Ser Trp Phe Gly Asn Asp Thr His Glu
100 105 110

gcg ctt gaa cgc agc ctc aat ttg agc aag tcc gca ttg aat ctg gcg 384
Ala Leu Glu Arg Ser Leu Asn Leu Ser Lys Ser Ala Leu Asn Leu Ala
115 120 125

gca gac aac gcc ctt ggc aac gcc atc ccc gtg cag ata gac ctc atc 432
Ala Asp Asn Ala Leu Gly Asn Ala Ile Pro Val Gln Ile Asp Leu Ile
130 135 140

ggc gcg gct tcc ctg ccc ggg gat atg ggc agg gtg ctg gaa cat tac 480 Gly Ala Ala Ser Leu Pro Gly Asp Met Gly Arg Val Leu Glu His Tyr 145 150 155 160

gcc ggc agc ggt ttt gcc cag ctt gcc ctg tac aat gcc gca agc ggc 528
Ala Gly Ser Gly Phe Ala Gln Leu Ala Leu Tyr Asn Ala Ala Ser Gly
165 170 175

		-		-			_		_		gat Asp	_	_			576
	_		_		_				_		ggt Gly	_	-		-	624
_	•	-				-	_		-	_	ggc Gly 220	~ -	_	_	-	672
	_				_	-		_	_		ttc Phe	_	_	-	_	720
		_	_			_					gaa Glu		_			768
		-		_	_		_				ttg Leu	_				816
-	_	-	-	_			_	_	-	-	att Ile			-	_	864
-		-	_			_	_	_			gaa Glu 300		-		-	912
											gat Asp					960
											ttg Leu					1008
		_			_				-		gaa Glu	-	_		-	1056
	-		-		_	-	_	-			ctc Leu	_	_		=	1104

	ggg Gly 370															1152
	acc Thr						_	_		_		_	_			1200
	ctg Leu			_	_							_	_		_	1248
_	tcc Ser	_		-	-			-								1296
	gac Asp					_				_	_					1344
	ctg Leu 450	_		_	_		_	_		_	_					1392
	gta Val	_	~ -		-	_			_	_						1440
~	gcc Ala	-		J J	-	~ ~	~			_			_		5	1488
	ccg Pro												-			1536
	ggc				_			_	-			_		_	_	1584
	gac Asp 530							-						-		1632
	ttc Phe					_			_			_	_		_	1680

_	_				atc Ile											1728
_	_				gcg Ala	_		_		_	_	_	_	_		1776
	_			_	atg Met		-		_							1824
_	_	_			gaa Glu	_	-	-			_	-		-		1872
_	_		222	-	gac Asp 630				_	_		-	_	_		1920
	_				agg Arg	_	_	-			-			_		1968
_	_	-		_	gct Ala		_		_		_					2016
			-	-	cac His			_		-	_	-		_	_	2064
		_	-		gtc Val	_						_				2112
	gcg Ala															2118
	0> 7· 1> 7·															

<212> PRT

<213> Neisseria meningitidis

<400> 74

Met 1	Arg	Arg	Pne	ьеu 5	Pro	TTE	Ада	Ата	11e	Cys	ALa	vaı	val	ьеи 15	ьеи
Tyr	Gly	Leu	Thr 20	Ala	Ala	Thr	Gly	Ser 25	Thr	Ser	Ser	Leu	Ala 30	Asp	Tyr
Phe	Trp	Trp 35	Ile	Val	Ala	Phe	Ser 40	Ala	Met	Leu	Leu	Leu 45	Val	Leu	Ser
Ala	Val 50	Leu	Ala	Arg	Tyr	Val 55	Ile	Leu	Leu	Leu	Lys 60	Asp	Arg	Arg	Asp
Gly 65	Val	Phe	Gly	Ser	Gln 70	Ile	Ala	Lys	Arg	Leu 75	Ser	Gly	Met	Phe	Thr 80
Leu	Val	Ala	Val	Leu 85	Pro	Gly	Val	Phe	Leu 90	Phe	Gly	Val	Ser	Ala 95	Gln
Phe	Ile	Asn	Gly 100	Thr	Ile	Asn	Ser	Trp 105	Phe	Gly	Asn	Asp	Thr 110	His	Glu
Ala	Leu	Glu 115	Arg	Ser	Leu	Asn	Leu 120	Ser	Lys	Ser	Ala	Leu 125	Asn	Leu	Ala
Ala	Asp 130	Asn	Ala	Leu	Gly	Asn 135	Ala	Ile	Pro	Val	Gln 140	Ile	Asp	Leu	Ile
Gly 145	Ala	Ala	Ser	Leu	Pro 150	Gly	Asp	Met	Gly	Arg 155	Val	Leu	Glu	His	Туг 160
Ala	Gly	Ser	Gly	Phe 165	Ala	Gln	Leu	Ala	Leu 170	Tyr	Asn	Ala	Ala	Ser 175	Gly
Lys	Ile	Glu	Lys 180	Ser	Ile	Asn	Pro	His 185	Lys	Leu	Asp	Gln	Pro 190	Phe	Pro
Gly	Lys	Ala 195	Arg	Trp	Glu	Lys	Ile 200	Gln	Gln	Ala	Gly	Ser 205	Val	Arg	Asp
Leu	Glu 210	Ser	Ile	Gly	Gly	Val 215	Leu	Tyr	Ala	Gln	Gly 220	Trp	Leu	Ser	Ala
Gly 225	Thr	His	Asn	Gly	Arg 230	Asp	Tyr	Ala	Leu	Phe 235	Phe	Arg	Gln	Pro	Val 240
Pro	Lys	Gly	Val	Ala 245	Glu	Asp	Ala	Val	Leu 250	Ile	Glu	Lys	Ala	Arg 255	Ala

гда	Tyr	Ala	260	ьeu	ser	туr	ser	ьуs 265	ьуѕ	GTÀ	ьeu	GIN	270	Pne	Pne
Leu	Ala	Thr 275	Leu	Leu	Ile	Ala	Ser 280	Leu	Leu	Ser	Ile	Phe 285	Leu	Ala	Leu
Val	Met 290	Ala	Leu	Tyr	Phe	Ala 295	Arg	Arg	Phe	Val	Glu 300	Pro	Val	Leu	Ser
Leu 305	Ala	Glu	Gly	Ala	Lys 310	Ala	Val	Ala	Gln	Gly 315	Asp	Phe	Ser	Gln	Thr 320
Arg	Pro	Val	Leu	Arg 325	Asn	Asp	Glu	Phe	Gly 330	Arg	Leu	Thr	Lys	Leu 335	Phe
Asn	His	Met	Thr 340	Glu	Gln	Leu		Ile 345	Ala	Lys	Glu	Ala	Asp 350	Glu	Arg
Asn	Arg	Arg 355	Arg	Glu	Glu	Ala	Ala 360	Arg	His	Tyr	Leu	Glu 365	Суѕ	Val	Leu
Glu	Gly 370	Leu	Thr	Thr	Gly	Val 375	Val	Val	Phe	Asp	Glu 380	Gln	Gly	Суѕ	Leu
Lys 385	Thr	Phe	Asn	Lys	Ala 390	Ala	Glu	Gln	Ile	Leu 395	Gly	Met	Pro	Leu	Thr 400
Pro	Leu	Trp	Gly	Ser 405	Ser	Arg	His	Gly	Trp 410	His	Gly	Val	Ser	Ala 415	Gln
Gln	Ser	Leu	Leu 420	Ala	Glu	Val	Phe	Ala 425	Ala	Ile	Gly	Ala	Ala 430	Ala	Gly
Thr	Asp	Lys 435	Pro	Val	His	Val	Lys 440	Tyr	Ala	Ala	Pro	Asp 445	Asp	Ala	Lys
Ile	Leu 450	Leu	GŢÀ	Lys	Ala	Thr 455	Val	Leu	Pro	Glu	Asp 460	Asn	Gly	Asn	Gly
Val 465	Val	Met	Val	Ile	Asp 470	Asp	Ile	Thr	Val	Leu 475	Ile	His	Ala	Gln	Lys 480
Glu	Ala	Ala	Trp	Gly 485	Glu	Val	Ala	Lys	Arg 490	Leu	Ala	His	Glu	Ile 495	Arg
Asn	Pro	Leu	Thr 500	Pro	Ile	Gln	Leu	Ser 505	Ala	Glu	Arg	Leu	Ala 510	Trp	Lys

Leu Gly Gly Lys Leu Asp Glu Gln Asp Ala Gln Ile Leu Thr Arg Ser 515 520 525

Thr Asp Thr Ile Ile Lys Gln Val Ala Ala Leu Lys Glu Met Val Glu 530 535 540

Ala Phe Arg Asn Tyr Ala Arg Ser Pro Ser Leu Lys Leu Glu Asn Gln 545 550 555 560

Asp Leu Asn Ala Leu Ile Gly Asp Val Leu Ala Leu Tyr Glu Ala Gly 565 570 575

Pro Cys Arg Phe Ala Ala Glu Leu Ala Gly Glu Pro Leu Met Met Ala 580 585 590

Ala Asp Thr Thr Ala Met Arg Gln Val Leu His Asn Ile Phe Lys Asn 595 600 605

Ala Ala Glu Ala Ala Glu Ala Asp Val Pro Glu Val Arg Val Lys 610 620

Ser Glu Ala Gly Gln Asp Gly Arg Ile Val Leu Thr Val Cys Asp Asn 625 630 635 640

Gly Lys Gly Phe Gly Arg Glu Met Leu His Asn Ala Phe Glu Pro Tyr 645 650 655

Val Thr Asp Lys Pro Ala Gly Thr Gly Leu Gly Leu Pro Val Val Lys
660 665 670

Lys Ile Ile Glu Glu His Gly Gly Arg Ile Ser Leu Ser Asn Gln Asp 675 680 685

Ala Gly Gly Ala Cys Val Arg Ile Ile Leu Pro Lys Thr Val Glu Thr 690 695 700

Tyr Ala 705

<210> 75

<211> 1686

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(1686) <400> 75 atg tta caa tcc gaa aat tcg aaa aat tta atc tct tgt tca ata aag 48 Met Leu Gln Ser Glu Asn Ser Lys Asn Leu Ile Ser Cys Ser Ile Lys 5 10 gct tta cca atc atg att tct acc aac ggc atc acc atg cag ttc ggc 96 Ala Leu Pro Ile Met Ile Ser Thr Asn Gly Ile Thr Met Gln Phe Gly 20 25 gcg aag ccg ctg ttt gaa aac gta tcc gtt aaa ttc ggc gaa ggc aac 144 Ala Lys Pro Leu Phe Glu Asn Val Ser Val Lys Phe Gly Glu Gly Asn 35 40 45 ege tae ggt ttg ate gge geg aae gge tea gge aaa tee ace tte atg 192 Arg Tyr Gly Leu Ile Gly Ala Asn Gly Ser Gly Lys Ser Thr Phe Met 50 55 aaa atc ctc ggc ggc gat ttg gaa cag aca gcc ggc gaa gtg gcg att Lys Ile Leu Gly Gly Asp Leu Glu Gln Thr Ala Gly Glu Val Ala Ile 65 70 75 gaa aac ggc gtg cgt ttg ggt aaa ttg cgc caa gac cag ttt gcc tac Glu Asn Gly Val Arg Leu Gly Lys Leu Arg Gln Asp Gln Phe Ala Tyr 85 90 95

gaa gat atg cgc gtg ctg gac gtg gta atg atg ggt cac acc gaa atg 336 Glu Asp Met Arg Val Leu Asp Val Val Met Met Gly His Thr Glu Met 100 105 110

tgg gcg gcg atg acc gaa cgt gat gcg att tac gcc aat ccc gaa gcc 384
Trp Ala Ala Met Thr Glu Arg Asp Ala Ile Tyr Ala Asn Pro Glu Ala
115 120 125

acc gaa gac gac tac atg aaa gcc gca gaa ctg gaa gcc aag ttc gcc 432
Thr Glu Asp Asp Tyr Met Lys Ala Ala Glu Leu Glu Ala Lys Phe Ala
130 135 140

gaa tac gac ggc tac acc gcc gaa gcg cgt gcc gcc gag ttg ttg agc 480 Glu Tyr Asp Gly Tyr Thr Ala Glu Ala Arg Ala Ala Glu Leu Leu Ser 145

ggc gtg ggc att tcc gaa gat ttg cac aat gca acc atg gca gaa gtt 528 Gly Val Gly Ile Ser Glu Asp Leu His Asn Ala Thr Met Ala Glu Val 165 170

gcc ccg ggc ttc aaa ctg cgc gta ttg ctg gcg caa gcc ctg ttc tcc 576

Ala	Pro	Gly	Phe 180	Lys	Leu	Arg	Val	Leu 185	Leu	Ala	Gln	Ala	Leu 190	Phe	Ser	
_	_	-	-	ttg Leu		_	-	-	_				_	-		624
			_	tgg Trp	_	_			_		_		_		_	672
_				tcg Ser		_	_			_		_	_	_	_	720
	_	-	_	ttg Leu 245	_								_			768
	_	-		atg Met		-		_		_	_	_	_	_	_	816
	_		_	aag Lys		-	-		_	-	_	_		_		864
				agt Ser	-					_	_	_	_		_	912
_	-		_	gca Ala	_				_		_	-	~ _	_		960
				caa Gln 325												1008
				cgt Arg								_			_	1056
				ttg Leu				_					-			1104
caa	cgc	ctc	gcc	atc	atc	ggc	ccg	aac	ggç	gcg	ggc	aaa	tcc	acc	ctg	1152

Gln	Arg 370	Leu	Ala	Ile	Ile	Gly 375	Pro	Asn	Gly	Ala	Gly 380	Lys	Ser	Thr	Leu	
_	aaa Lys		_	_	23								_		_	1200
_	ccg Pro	-	_		_					_		-	_	_		1248
	tat Tyr	_		_		_		-		_	_	_	_	-		1296
_	gaa Glu		_	_				_	_		_	-	_		_	1344
	cgc Arg 450			_		-	_						_	•		1392
	aaa Lys								-			-	_			1440
	aaa Lys		_	_	_			-	-		_	_	_	_	_	1488
	aac Asn		_	-	_	_	-		_				_		_	1536
	aaa Lys											_	_	_		1584
	tct Ser 530															1632
	gaa Glu															1680
gta	gca															1686

Val Ala

<210> 76

<211> 562

<212> PRT

<213> Neisseria meningitidis

<400> 76

Met Leu Gln Ser Glu Asn Ser Lys Asn Leu Ile Ser Cys Ser Ile Lys 1 5 10 15

Ala Leu Pro Ile Met Ile Ser Thr Asn Gly Ile Thr Met Gln Phe Gly
20 25 30

Ala Lys Pro Leu Phe Glu Asn Val Ser Val Lys Phe Gly Glu Gly Asn 35 40 45

Arg Tyr Gly Leu Ile Gly Ala Asn Gly Ser Gly Lys Ser Thr Phe Met 50 55 60

Lys Ile Leu Gly Gly Asp Leu Glu Gln Thr Ala Gly Glu Val Ala Ile 65 70 75 80

Glu Asn Gly Val Arg Leu Gly Lys Leu Arg Gln Asp Gln Phe Ala Tyr 85 90 95

Glu Asp Met Arg Val Leu Asp Val Val Met Met Gly His Thr Glu Met 100 105 110

Trp Ala Ala Met Thr Glu Arg Asp Ala Ile Tyr Ala Asn Pro Glu Ala 115 120 125

Thr Glu Asp Asp Tyr Met Lys Ala Ala Glu Leu Glu Ala Lys Phe Ala 130 135 140

Glu Tyr Asp Gly Tyr Thr Ala Glu Ala Arg Ala Ala Glu Leu Leu Ser 145 150 155 160

Gly Val Gly Ile Ser Glu Asp Leu His Asn Ala Thr Met Ala Glu Val
165 170 175

Ala Pro Gly Phe Lys Leu Arg Val Leu Leu Ala Gln Ala Leu Phe Ser 180 185 190

Lys Pro Asp Val Leu Leu Leu Asp Glu Pro Thr Asn Asn Leu Asp Ile 195 200 205

Asn	Thr 210	Ile	Arg	Trp	Leu	Glu 215	Gly	Val	Leu	Asn	Gln 220	Туг	Asp	Ser	Thr
Met 225	Ile	Ile	Ile	Ser	His 230	Asp	Arg	His	Phe	Leu 235	Asn	Glu	Val	Cys	Thr 240
His	Met	Ala	Asp	Leu 245	Asp	Tyr	Asn	Thr	Ile 250	Thr	Ile	Tyr	Pro	Gly 255	Asn
Tyr	Asp	Asp	Tyr 260	Met	Leu	Ala	Ser	Ala 265	Gln	Ser	Arg	Glu	Arg 270	Ala	Leu
Lys	Asp	Asn 275	Ala	Lys	Ala	Lys	Glu 280	Lys	Leu	Gln	Glu	Leu 285	Gln	Glu	Phe
Val	Ala 290	Arg	Phe	Ser	Ala	Asn 295	Lys	Ser	Lys	Ala	Arg 300	Gln	Ala	Thr	Ser
Arg 305	Leu	Lys	Gln	Ala	Asp 310	Lys	Ile	Lys	Ser	Glu 315	Met	Val	Glu	Val	Lys 320
Pro	ser	Thr	Arg	Gln 325	Asn	Pro	Tyr	Ile	Arg 330	Phe	Glu	Ala	Asp	Glu 335	Lys
Ala	Lys	Leu	His 340	Arg	Gln	Ala	Val	Glu 345	Val	Glu	Lys	Leu	Ala 350	Lys	Arg
Phe	Glu	Thr 355	Gln	Leu	Phe	Lys	Asn 360	Leu	Asn	Phe	Ile	Leu 365	Glu	Ala	Gly
Gln	Arg 370	Leu	Ala	Ile	Ile	Gly 375	Pro	Asn	Gly	Ala	Gly 380	Lys	Ser	Thr	Leu
Leu 385	Lys	Leu	Leu	Ala	Gly 390	Ala	Tyr	Asn	Pro	Glu 395	Туг	Ser	Asp	Gly	Leu 400
Leu	Pro	Asp	Glu	Gly 405	Ser	Ile	Lys	Trp	Ala 410	Glu	Lys	Ala	Ser	Val 415	Gly
Туг	Tyr	Pro	Gln 420	Asp	His	Glu	Asn	Asp 425	Phe	Asp	Val	Asp	Met 430	Asp	Leu
Ser	Glu	Trp 435	Met	Arg	Gln	Trp	Gly 440	Gln	Asp	Gly	Asp	Asp 445	Glu	Gln	Val
Ile	Arg 450	Gly	Thr	Leu	Gly	Arg 455	Leu	Leu	Phe	Gly	Ser 460	Asn	Asp	Val	Val

Lys Lys Val Lys Val Leu Ser Gly Gly Glu Lys Gly Arg Met Leu Tyr 465 470 475 480 Gly Lys Leu Leu Leu Lys Pro Asn Val Leu Val Met Asp Glu Pro 490 485 495 Thr Asn His Met Asp Met Glu Ser Ile Glu Ser Leu Asn Met Ala Leu 500 505 510 Glu Lys Tyr Asn Gly Thr Leu Ile Phe Val Ser His Asp Arg Gln Phe 515 520 525 Val Ser Ser Leu Ala Thr Gln Ile Ile Glu Leu Asp Gly Lys Gly Gly 530 535 540 Tyr Glu His Tyr Leu Gly Asp Tyr Glu Ser Tyr Leu Glu Lys Lys Gly 545 550 555 Val Ala <210> 77 <211> 1773 <212> DNA <213> Neisseria meningitidis <220> <221> CDS <222> (1)..(1773) <400> 77 atg agt atc gtg ctg cac ggc gtg gcg ggc aaa ggc att gcc gtc Met Ser Ile Val Leu His Gly Val Ala Ala Gly Lys Gly Ile Ala Val 1 15 ggt tgc gcc cac ctg att gcg cgc ggt acg gag gaa gtg ccg cag tat 96 Gly Cys Ala His Leu Ile Ala Arg Gly Thr Glu Glu Val Pro Gln Tyr 20 25 30 gat gtt gcg gag gcg gac acc gat gcc gaa gcc gaa cgt ttc gat gcc 144 Asp Val Ala Glu Ala Asp Thr Asp Ala Glu Ala Glu Arg Phe Asp Ala 40 gcc gtc aaa gcc acg cgc aaa gag ttg gaa cag ctc cgc agc gcg att 192 Ala Val Lys Ala Thr Arg Lys Glu Leu Glu Gln Leu Arg Ser Ala Ile

150

60

55

	_		_	ccg Pro			_					_	_		-	240
_		_		gat Asp 85	_		_		_			_	~			288
	_			atc Ile		_			-	_	_	_	_	_	-	336
		-	_	caa Gln		_		_	-	_	_			-	_	384
_	_	_	-	atg Met	_		_	-	_	_					_	432
		-		aac Asn		-	-	_	-	-		_		_	_	480
	-	_		gca Ala 165		_		_		_	_	_	_	_		528
		_	_	att Ile	-	_		_		_	-	-				576
_		_		att Ile	_			_	_	_		_		_	-	624
				gcg Ala	-		-					-	_	-		672
				aac Asn							_	_		-		720
				cgc Arg 245					_			-			_	768

_	_		_		aaa Lys			_	_	_		-	_		-	816
_					GJ Y			_		_	•	_			_	864
_					gca Ala	_				_		-	-			912
		_		_	gat Asp 310			_		-	_		_		_	960
		_			gtc Val			_				_	~	_		1008
		-	-	_	ggt Gly		-			-	_					1056
	_	_			Gly	-					_		_			1104
	_	_	_		gcc Ala	_	_	_			_			-	_	1152
					gcc Ala 390											1200
					tcc Ser					_					_	1248
					ctt Leu											1296
					att Ile			_								1344

_		_		_	-	_				_	ggt Gly 460			-	_	1392
				_		-	-	-		-	gac Asp	_	-	-		1440
		_					-		_		atg Met	_			-	1488
	_		_		_	_	_		_	_	tcc Ser	_	-		5 5	1536
_			_					_	-		ttg Leu		_		_	1584
	_			_						_	ccc Pro 540	_				1632
	_		_				-			_	gat Asp				-	1680
	_	_	-	_	_		_	_	_	_	ctg Leu			_	_	1728
	_			-		_	_	-	-		aag Lys					1773

<210> 78

<211> 591

<212> PRT

<213> Neisseria meningitidis

<400> 78

Met Ser Ile Val Leu His Gly Val Ala Ala Gly Lys Gly Ile Ala Val 1 5 10 15

Gly Cys Ala His Leu Ile Ala Arg Gly Thr Glu Glu Val Pro Gln Tyr

20 25 30

Asp Val Ala Glu Ala Asp Thr Asp Ala Glu Ala Glu Arg Phe Asp Ala 35 40 45

- Ala Val Lys Ala Thr Arg Lys Glu Leu Glu Gln Leu Arg Ser Ala Ile 50 55 60
- Pro Glu Asn Ala Pro Thr Glu Leu Gly Ala Phe Ile Ser Leu His Leu 65 70 75 80
- Met Leu Leu Thr Asp Val Thr Leu Ser Arg Glu Pro Val Asp Ile Leu 85 90 95
- Arg Glu Gln Lys Ile Asn Ala Glu Trp Ala Leu Lys Gln Gln Ser Asp 100 105 110
- Lys Leu Ala Ala Gln Phe Asp Asn Met Asp Asp Ala Tyr Leu Arg Glu 115 120 125
- Arg Lys Gln Asp Met Leu Gln Val Val Arg Arg Ile His Asn Asn Leu 130 135 140
- Ile Gly Gln Gly Asn Glu Leu Glu Val Ala Asp Asn Leu Phe Asp Glu
  145 150 155 160
- Thr Val Leu Ile Ala Asn Asp Leu Ser Pro Ala Asp Thr Val Leu Phe 165 170 175
- Lys Glu Gln Arg Ile Ala Ala Phe Val Thr Asp Ala Gly Gly Pro Thr 180 185 190
- Gly His Thr Ala Ile Leu Gly Arg Ser Leu Asp Ile Pro Ser Val Val 195 200 205
- Gly Leu His Asn Ala Arg Lys Leu Ile Thr Glu Gly Glu Thr Val Ile 210 215 220
- Val Asp Gly Ile Asn Gly Val Leu Ile Ile Ala Pro Asp Glu Ser Val 225 230 235 240
- Leu Asn Glu Tyr Arg Arg Arg Ala Arg Glu Tyr Arg Ser His Lys Arg 245 250 255
- Asp Leu Asn Lys Leu Lys Lys Thr Ala Ala Ala Thr Ala Asp Gly Val 260 265 270
- Cys Ile Glu Leu Val Gly Asn Ile Glu Ser Ala Glu Asp Val Lys Pro

275 280 285

Leu His Asn Leu Gly Ala Asp Gly Ile Gly Leu Phe Arg Ser Glu Phe 290 295 300

Leu Tyr Leu Asn Arg Asp Thr Met Pro Ser Glu Asp Glu Gln Tyr Glu 305 310 315 320

Val Tyr Ser Ala Ile Val Lys Lys Met Lys Gly Lys Ser Val Thr Ile 325 330 335

Arg Thr Val Asp Leu Gly Val Asp Lys Asn Pro Arg Trp Phe Gly Lys 340 345 350

Asn Ser Thr Pro Asn Gly Ser Leu Asn Pro Ala Leu Gly Met Thr Gly 355 360 365

Ile Arg Leu Cys Leu Ala Glu Pro Val Met Phe Arg Thr Gln Met Arg 370 375 380

Ala Ile Leu Arg Ala Ala Ala His Gly Pro Val Arg Met Met Trp Pro 385 390 395 400

Met Ile Thr Ser Val Ser Glu Val Arg Gln Cys Leu Ile His Leu Asp
405 410 415

Thr Ala Gln Arg Gln Leu Ala Glu Arg Gly Asp Ala Phe Gly Lys Val 420 425 430

Gly Ile Gly Cys Met Ile Glu Ile Pro Ser Ala Ala Leu Thr Val Gly
435 440 445

Ser Ile Leu Lys Leu Val Asp Phe Ile Ser Val Gly Thr Asn Asp Leu 450 455 460

Ile Gln Tyr Ile Leu Ser Val Asp Arg Gly Asp Asp Ser Val Ser His 465 470 475 480

Leu Tyr Gln Pro Gly His Pro Ala Val Leu Lys Met Leu Gln His Val
485 490 495

Ile Arg Thr Ala Asn Arg Met Asp Lys Asp Val Ser Val Cys Gly Glu 500 505 510

Met Ala Gly Asp Thr Ala Phe Thr Arg Val Leu Leu Gly Met Gly Leu 515 520 525

Arg Arg Phe Ser Met Asn Pro Asn Asn Ile Leu Pro Val Lys Asn Ile

530 535 540

Ile Leu His Ser Asn Val Gly Gln Leu Glu Ser Asp Ile Val Lys Val 545 550 555 560

Ile Arg Cys Glu Asp Glu Glu Lys Ser Glu Lys Leu Ile Lys Gln Met 565 570 575

Asn Ser Val Ser Val Glu Glu Glu Ala Asp Phe Lys Gly Arg Lys 580 585 590

<210> 79

<211> 1062

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(1062)

<400> 79

atg gaa aaa gaa ttc agg ata tta aat atc gta tcg gcc aag att tgg 48
Met Glu Lys Glu Phe Arg Ile Leu Asn Ile Val Ser Ala Lys Ile Trp

1 5 10 15

ggt gga ggc gaa caa tat gtc tat gat gtt tca aaa gca ttg ggg ctt 96
Gly Gly Glu Gln Tyr Val Tyr Asp Val Ser Lys Ala Leu Gly Leu
20 25 30

cgg gac tgc aca atg ttt acc gcc gtc aat aaa aat aat gaa ttg atg 144
Arg Asp Cys Thr Met Phe Thr Ala Val Asn Lys Asn Asn Glu Leu Met
35 40 45

cac agg cga ttt tcc gaa gtt tct tcc gtt ttc acg aca cgc ctt cac 192
His Arg Arg Phe Ser Glu Val Ser Ser Val Phe Thr Thr Arg Leu His
50 55 60

acg ctc aac ggg ctg ttt tcg ctc tac gca ctt acc cgc ttt atc cgg 240
Thr Leu Asn Gly Leu Phe Ser Leu Tyr Ala Leu Thr Arg Phe Ile Arg
65 70 75 80

aaa aac cgc att tcc cac ctg atg ata cac acc ggc aaa att gcc gcc 288 Lys Asn Arg Ile Ser His Leu Met Ile His Thr Gly Lys Ile Ala Ala 85 90 95

tta tcc ata ctt ttg aaa aaa ctg acc ggg gtg cgc ctg ata ttt gtc 336

Leu	Ser	Ile	Leu 100	Leu	Lys	Lys	Leu	Thr 105	Gly	Val	Arg	Leu	Ile 110	Phe	Val	
			_	-	_				-		tat Tyr		_	_		384
_				_	_			_	_		cgt Arg 140	_	-		-	432
	_	_	_	_					_		tac Tyr				_	480
			_		-	_					caa Gln	_			_	528
											atc Ile					576
	_	-		_		_	-	-			ctg Leu					624
						_	-		_		cat His 220	-	_		-	672
_	_	-	_		-	_		_	_		gca Ala	_			_	720
											ttt Phe					768
											gca Ala			_		816
			-			-	_	_			att Ile				_	864
ggc	gcg	caa	aag	gaa	att	atc	gaa	cat	cat	caa	tcg	āāā	att	ctg	ctg	912

Gly Ala Gln Lys Glu Ile Ile Glu His His Gln Ser Gly Ile Leu Leu 290 295 300 gat agg ctg aca cct gaa tct ttg gcg gac gaa atc gaa cgc ctc gtc Asp Arg Leu Thr Pro Glu Ser Leu Ala Asp Glu Ile Glu Arg Leu Val 305 310 315 320 tta aac cct gaa acg aaa aac gca ctg gca acg gca gga cat caa tgc 1008 Leu Asn Pro Glu Thr Lys Asn Ala Leu Ala Thr Ala Gly His Gln Cys 325 330 335 gtc gcc aac cgt ttt acc atc aac cat acc gcc gac aaa tta ttg gat 1056 Val Ala Asn Arg Phe Thr Ile Asn His Thr Ala Asp Lys Leu Leu Asp 340 345 350 gca ata 1062 Ala Ile <210> 80 <211> 354 <212> PRT <213> Neisseria meningitidis <400> 80 Met Glu Lys Glu Phe Arg Ile Leu Asn Ile Val Ser Ala Lys Ile Trp 5 10 Gly Gly Glu Gln Tyr Val Tyr Asp Val Ser Lys Ala Leu Gly Leu 20 25 Arg Asp Cys Thr Met Phe Thr Ala Val Asn Lys Asn Asn Glu Leu Met 40 His Arg Arg Phe Ser Glu Val Ser Ser Val Phe Thr Thr Arg Leu His 50 55 Thr Leu Asn Gly Leu Phe Ser Leu Tyr Ala Leu Thr Arg Phe Ile Arg 65 70 75 Lys Asn Arg Ile Ser His Leu Met Ile His Thr Gly Lys Ile Ala Ala 85 95

Lys His Asn Val Val Ala Asn Lys Thr Asp Phe Tyr His Arg Leu Ile 115 120 125

158

Leu Ser Ile Leu Leu Lys Lys Leu Thr Gly Val Arg Leu Ile Phe Val

105

110

Gln Lys Asn Thr Asp Arg Phe Ile Cys Val Ser Arg Leu Val Tyr Asp Val Gln Thr Ala Asp Asn Pro Phe Lys Glu Lys Tyr Arg Ile Val His Asn Gly Ile Asp Thr Gly Arg Phe Pro Pro Gln Glu Lys Pro Asp Ser Arg Phe Phe Thr Val Ala Tyr Ala Gly Arg Ile Ser Pro Glu Lys Gly Leu Glu Asn Leu Ile Glu Ala Cys Val Ile Leu His Arg Lys Tyr Pro Gln Ile Arg Leu Lys Leu Ala Gly Asp Gly His Pro Asp Tyr Met Cys Arg Leu Lys Arg Asp Val Ser Ala Ser Gly Ala Glu Pro Phe Val Ser Phe Glu Gly Phe Thr Glu Lys Leu Ala Ser Phe Tyr Arg Gln Ser Asp Val Val Leu Pro Ser Leu Val Pro Glu Ala Phe Gly Leu Ser Leu Cys Glu Ala Met Tyr Cys Arg Thr Ala Val Ile Ser Asn Thr Leu Gly Ala Gln Lys Glu Ile Ile Glu His His Gln Ser Gly Ile Leu Leu Asp Arg Leu Thr Pro Glu Ser Leu Ala Asp Glu Ile Glu Arg Leu Val Leu Asn Pro Glu Thr Lys Asn Ala Leu Ala Thr Ala Gly His Gln Cys Val Ala Asn Arg Phe Thr Ile Asn His Thr Ala Asp Lys Leu Leu Asp 

Ala Ile

<210> 81 <211> 795 <212> DNA <213> Neisseria meningitidis <220> <221> CDS <222> (1)..(795) <400> 81 atg gcg gct gtt ttt tct gta tgt gcc tgt ttt atg tgt tcc tgc ctt Met Ala Ala Val Phe Ser Val Cys Ala Cys Phe Met Cys Ser Cys Leu 1 10 15 gtt gtc aaa aat acc gtt atc gga agc gga cgc acc aaa atc gcc gtg Val Val Lys Asn Thr Val Ile Gly Ser Gly Arg Thr Lys Ile Ala Val 20 25 ccg ctt gtc gcc cgc gat gcc gcc gta ctt tcc gcc gta ctt gac caa 144 Pro Leu Val Ala Arg Asp Ala Ala Val Leu Ser Ala Val Leu Asp Gln ate aaa aac ctg ccc ttc gat atc gtc gag ttc cgc gcc gat ttt ttg 192 Ile Lys Asn Leu Pro Phe Asp Ile Val Glu Phe Arg Ala Asp Phe Leu 50 55 gaa tgc gcg ggc agc atc ggc gaa gta ttg cgc cac acg cag acc gtc 240 Glu Cys Ala Gly Ser Ile Gly Glu Val Leu Arg His Thr Gln Thr Val 70 75 65 cgc gac gcg cta ccc gac aag ccg ctg ctg ttt acg ttc aga cgg cat 288 Arg Asp Ala Leu Pro Asp Lys Pro Leu Leu Phe Thr Phe Arg Arg His 85 ggc gaa ggc ggc tcg ttc ccg tgt tcg gac gat tat tat ttt gaa ctg 336 Gly Glu Gly Ser Phe Pro Cys Ser Asp Asp Tyr Tyr Phe Glu Leu 100 105 110 ctc gac gcg ctg atc gaa agc cgc ctg ccc gac atc atc gac atc gag 384 Leu Asp Ala Leu Ile Glu Ser Arg Leu Pro Asp Ile Ile Asp Ile Glu 115 120 125 ctg ttt tcc ggc gaa acc gcc gtc cgg tgc gcc gtg gca aat gct caa 432 Leu Phe Ser Gly Glu Thr Ala Val Arg Cys Ala Val Ala Asn Ala Gln 130 135 140 aaa aac ggc atc gcc gcc ctg ctc tgc aat cat gag ttt cac cgc acg

Lys Asn Gly Ile Ala Ala Leu Leu Cys Asn His Glu Phe His Arg Thr

145					150					155					160	
_	ccg Pro		-	_		-	_	-	_		_	_		_	-	528
	gcg Ala	_	_	_					_	_		-		-	-	576
	ctg Leu		_				_							-	_	624
	ccg Pro 210															672
	gcc Ala		_					_		_			_		_	720
	aac Asn			-					-		-		_			768
	gac Asp	-		-			_	_								795
<21:	0> 82 1> 20 2> PI 3> No	55 RT	eria	meni	Lngit	cidis	5									
	0> 82 Ala		Val	Phe 5	Ser	Val	Cys	Ala	Cys 10	Phe	Met	Cys	Ser	Cys 15	Leu	
Val	Val	Lys	Asn 20	Thr	Val	Ile	Gly	Ser 25	Gly	Arg	Thr	Lys	Ile 30	Ala	Val	
Pro	Leu	Val 35	Ala	Arg	Asp	Ala	Ala 40	Val	Leu	Ser	Ala	Val 45	Leu	Asp	Gln	
Ile	Lys	Asn	Leu	Pro	Phe	Asp	Ile	Val	Glu	Phe	Arg	Ala	Asp	Phe	Leu	

Glu Cys Ala Gly Ser Ile Gly Glu Val Leu Arg His Thr Gln Thr Val 65 70 75 80

Arg Asp Ala Leu Pro Asp Lys Pro Leu Leu Phe Thr Phe Arg Arg His
85 90 95

Gly Glu Gly Ser Phe Pro Cys Ser Asp Asp Tyr Tyr Phe Glu Leu 100 105 110

Leu Asp Ala Leu Ile Glu Ser Arg Leu Pro Asp Ile Ile Asp Ile Glu
115 120 125

Leu Phe Ser Gly Glu Thr Ala Val Arg Cys Ala Val Ala Asn Ala Gln
130 135 140

Lys Asn Gly Ile Ala Ala Leu Leu Cys Asn His Glu Phe His Arg Thr 145 150 155 160

Pro Pro Gln Glu Glu Ile Val Cys Arg Leu Lys Gln Met Glu Asp Cys 165 170 175

Gly Ala Asp Ile Cys Lys Ile Ala Val Met Pro Gln Ser Ala Glu Asp 180 185 190

Val Leu Thr Leu Leu Ser Ala Thr Leu Lys Ala Lys Glu Leu Ala Ala 195 200 205

Lys Pro Ile Val Thr Met Ser Met Gly Gln Thr Gly Ala Val Ser Arg 210 215 220

Leu Ala Gly Gln Val Phe Gly Ser Ser Ile Thr Phe Gly Ser Gly Thr 225 230 235 240

Gln Asn Ser Ala Pro Gly Gln Ile Gly Val Ser Ala Leu Arg Ala Thr 245 250 255

Leu Asp Cys Leu Glu Asn Gly Ala Asp 260 265

<210> 83

<211> 876

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

145

<222> (1)..(876)

<400> 83 ttg acc gtc cga acg aaa aag acg gcg cat tat acc cta ttc cat tcc Leu Thr Val Arg Thr Lys Lys Thr Ala His Tyr Thr Leu Phe His Ser 1 15 5 10 gac cga aaa ccg aac atg act act ctc aaa ccc gcc ctg ccc gct tat 96 Asp Arg Lys Pro Asn Met Thr Thr Leu Lys Pro Ala Leu Pro Ala Tyr 20 25 144 ctg gac aac atc cgc atc atc ctc acg cgc acc agc cat ccc gcc aac Leu Asp Asn Ile Arg Ile Ile Leu Thr Arg Thr Ser His Pro Ala Asn 35 40 atc ggc tct gcc gcg cgc gcg atg aaa aca atg ggt ctg cac aaa ctg 192 Ile Gly Ser Ala Ala Arg Ala Met Lys Thr Met Gly Leu His Lys Leu 50 55 acc atc gtc gcc cca aat ctg atg gca acg ccg atg acg gaa aac ccg Thr Ile Val Ala Pro Asn Leu Met Ala Thr Pro Met Thr Glu Asn Pro 65 70 75 80 ccc gtg ttt gac ccg gag cat cct caa tcg ttt aaa tta ccg gaa gaa 288 Pro Val Phe Asp Pro Glu His Pro Gln Ser Phe Lys Leu Pro Glu Glu 85 age tte ate etc get tec gge geg gea gae gtt ttg gaa aat gee ace Ser Phe Ile Leu Ala Ser Gly Ala Ala Asp Val Leu Glu Asn Ala Thr 100 105 110 att gcc gct tct ttg gac gaa gcc ctt gcc gac acc acc atc gcc tgc 384 Ile Ala Ala Ser Leu Asp Glu Ala Leu Ala Asp Thr Thr Ile Ala Cys 115 120 gcc ctg acc agc cgc cgc gaa att act gcg ccg ctg caa acc ccg 432 Ala Leu Thr Ser Arg Arg Glu Ile Thr Ala Pro Leu Gln Thr Pro 130 135 cgc gat ttg gta tcc gaa tta ctg cag acc gca aac cga ggc gag aaa 480 Arg Asp Leu Val Ser Glu Leu Gln Thr Ala Asn Arg Gly Glu Lys

163

gtg gca ctg gtt ttc ggc aac gag act ttc ggc ttg agc atc gaa gaa

Val Ala Leu Val Phe Gly Asn Glu Thr Phe Gly Leu Ser Ile Glu Glu

155

170

160

175

528

150

_		-	_		_	_	-							gac Asp		576
	_				_		-		_	-	-	_		gaa Glu		624
	_				_		_						_	gac Asp		672
										-	-		_	gaa Glu	~	720
	_		-						-	_				cgt Arg 255	_	768
_	-	_	_	_	-	_			_	-		_		acc Thr	_	816
_		-		_	_						_	_		cgt Arg		864
		aaa Lys	_													876
<211 <212	)> 84 .> 29 2> PE 3> Ne	92	eria	meni	Lngit	cidis	5									
	)> 84 Thr		Arg	Thr 5	Lys	Lys	Thr	Ala	His 10	Туг	Thr	Leu	Phe	His 15	Ser	
Asp	Arg	Lys	Pro 20	Asn	Met	Thr	Thr	Leu 25	Lys	Pro	Ala	Leu	Pro 30	Ala	туг	
Leu	Asp	Asn 35	Ile	Arg	Ile	Ile	Leu 40	Thr	Arg	Thr	Ser	His 45	Pro	Ala	Asn	

164

Ile Gly Ser Ala Ala Arg Ala Met Lys Thr Met Gly Leu His Lys Leu Thr Ile Val Ala Pro Asn Leu Met Ala Thr Pro Met Thr Glu Asn Pro Pro Val Phe Asp Pro Glu His Pro Gln Ser Phe Lys Leu Pro Glu Glu Ser Phe Ile Leu Ala Ser Gly Ala Ala Asp Val Leu Glu Asn Ala Thr Ile Ala Ala Ser Leu Asp Glu Ala Leu Ala Asp Thr Thr Ile Ala Cys Ala Leu Thr Ser Arg Arg Glu Ile Thr Ala Pro Leu Gln Thr Pro Arg Asp Leu Val Ser Glu Leu Leu Gln Thr Ala Asn Arg Gly Glu Lys Val Ala Leu Val Phe Gly Asn Glu Thr Phe Gly Leu Ser Ile Glu Glu Val Gln Ala Cys Asn Arg Leu Met Thr Ile Asn Gly Asn Pro Asp Tyr Phe Ser Leu Asn Leu Ala Gln Ala Val Gln Val Val Cys Tyr Glu Ile Phe Ser Gln Thr Gly Ser Pro Met Thr His Leu Gln Gln Glu Asp His Ala Ala Thr His Glu Gln Ile Lys Gly Met Val Ala His Met Glu Ser Val Met Asn Asp Ile Gly Phe Phe Asn Arg Arg Asn Gly Glu Arg Leu Met Arg Arg Met Gln Ser Leu Phe Gly Arg Ala Asn Thr Gln Thr Glu Asp Ile Asp Ile Leu Arg Gly Phe Phe Asn Thr Val Ser His Arg Ile His Lys Lys Asp 

<210> 85 <211> 1545 <212> DNA <213> Neisseria meningitidis <220> <221> CDS <222> (1)..(1545) <400> 85 gtg cgt ctc aat cat ttc ata atg ata gcg att att ata tat gtg att 48 Val Arg Leu Asn His Phe Ile Met Ile Ala Ile Ile Ile Tyr Val Ile tcc cct gca aac aag ccg gcc cgc cac agc gtt ccc act tat ccg 96 Ser Pro Ala Asn Lys Pro Ala Arg Arg His Ser Val Pro Thr Tyr Pro 20 25 30 gct ttg cct tat aat tgc ttt ttt tat gta aca gat tta cct atg aat 144 Ala Leu Pro Tyr Asn Cys Phe Phe Tyr Val Thr Asp Leu Pro Met Asn 35 40 ttc ccc aaa aca gcg gcc tcc ctg ctg ctt ctc gcc tcc ctc gcc 192 Phe Pro Lys Thr Ala Ala Ser Leu Leu Leu Leu Ala Ser Leu Ala 50 55 gca cac gcg ctc gat aca ggt cgc att ccg caa aac gaa atc gcc gta 240 Ala His Ala Leu Asp Thr Gly Arg Ile Pro Gln Asn Glu Ile Ala Val 65 70 75 80 tat gtc caa gag ctt gac agc gga aaa gtc atc att gac cac cgc tcg 288 Tyr Val Gln Glu Leu Asp Ser Gly Lys Val Ile Ile Asp His Arg Ser 85 90 gat gtc ccc gtc aac ccc gcc tcc aca atg aaa ctc gtt acc gcg ttt Asp Val Pro Val Asn Pro Ala Ser Thr Met Lys Leu Val Thr Ala Phe 100 105 110 gcc gcc ttc aaa acc ttc ggc agc aat tac cgc tgg gcg acc gag ttt Ala Ala Phe Lys Thr Phe Gly Ser Asn Tyr Arg Trp Ala Thr Glu Phe 120 115 125 aaa agc aac ggt acg gta aac gac ggc acg ctt gac gga aac ctg tat Lys Ser Asn Gly Thr Val Asn Asp Gly Thr Leu Asp Gly Asn Leu Tyr 135 140

			-	GT À	-		_			-	-		_		-	480
_		_	_	ttg Leu 165	_	-				_			_		_	528
	_		_	cac His	_	_			-	-	~ ~	_		_	_	576
	_	-	_	agc Ser		_	_		_	-						624
	_		_	ggt Gly	_	_	_		-	_	•	_		-	-	672
_	_		_	atc Ile			_	_		_	_				_	720
			•	aaa Lys 245			_			-	-	_		_		768
		_	_	cgt Arg	-			_	-		_	-		_	-	816
				gag Glu	-	_	_		_		_		_		=	864
			-	gaa Glu	_				_						•	912
				cgg Arg										_	_	960
-			-	acg Thr 325				_			_			_	_	1008

			_	-		_	_	_	_					cgt Arg		1056
-							_			-		-	-	tcc Ser	-	1104
_	-			_	-		-	-		-		_		atc Ile	_	1152
_		-		-		_		-			_		_	aaa Lys		1200
	_	_		_	_	_			-	_		_	-	tat Tyr 415		1248
_	_		_		-			_	_	_			_	ggc Gly		1296
_				_		-				_			_	ttg Leu	_	1344
				_				-	_	_		_		tat Tyr		1392
														ggc ggc		1440
_	_		_	-		-	_	_			-	-		aac Asn 495		1488
														aaa Lys		1536
-	cga Arg									*						1545

<210> 86

<211> 515

<212> PRT

<213> Neisseria meningitidis

<400> 86

Val Arg Leu Asn His Phe Ile Met Ile Ala Ile Ile Ile Tyr Val Ile 1 5 10 15

Ser Pro Ala Asn Lys Pro Ala Arg Arg His Ser Val Pro Thr Tyr Pro 20 25 30

Ala Leu Pro Tyr Asn Cys Phe Phe Tyr Val Thr Asp Leu Pro Met Asn 35 40 45

Phe Pro Lys Thr Ala Ala Ser Leu Leu Leu Leu Leu Ala Ser Leu Ala 50 55 60

Ala His Ala Leu Asp Thr Gly Arg Ile Pro Gln Asn Glu Ile Ala Val 65 70 75 80

Tyr Val Gln Glu Leu Asp Ser Gly Lys Val Ile Ile Asp His Arg Ser 85 90 95

Asp Val Pro Val Asn Pro Ala Ser Thr Met Lys Leu Val Thr Ala Phe 100 105 110

Ala Ala Phe Lys Thr Phe Gly Ser Asn Tyr Arg Trp Ala Thr Glu Phe
115 120 125

Lys Ser Asn Gly Thr Val Asn Asp Gly Thr Leu Asp Gly Asn Leu Tyr 130 135 140

Trp Ala Gly Ser Gly Asp Pro Val Phe Asn Gln Glu Asn Leu Leu Ala
145 150 . 155 160

Val Gln Arg Gln Leu Arg Glu Gln Gly Ile Arg Asn Ile Thr Gly His

165 170 175

Leu Met Leu Asp His Ser Leu Trp Gly Glu Val Gly Ser Pro Asp Asp 180 185 190

Phe Glu Ala Asp Ser Gly Ser Pro Phe Met Thr Pro Pro Asn Pro Thr
195 200 205

Met Leu Ser Ala Gly Met Val Met Val Arg Ala Glu Arg Asn Ala Ala 210 215 220

Asp 225	Ser	Thr	Asp	Ile	Leu 230	Thr	Asp	Pro	Pro	Leu 235	Pro	His	Ile	Phe	Ala 240
Gln	Asn	Asn	Leu	Lys 245	Ile	Thr	Ala	Ser	Gln 250	Ala	Ala	Cys	Pro	ser 255	Ile
Lys	Lys	Leu	Met 260	Arg	Ala	Ser	Phe	Ser 265	Asp	Asn	Thr	Leu	Lys 270	Leu	Arg
Gly	Asn	Ile 275	Pro	Glu	Ser	Cys	Leu 280	Gly	Lys	Pro	Val	Gly 285	Val	Arg	Met
Phe	Ala 290	Leu	Asp	Glu	Leu	Ile 295	Arg	Gln	Ser	Phe	Thr 300	Asn	His	Trp	Leu
Leu 305	Gly	Gly	Gly	Arg	Ile 310	Ser	Asp	Gly	Ile	Gly 315	Ile	Ser	Asp	Thr	Pro 320
Glu	Gly	Ala	Gln	Thr 325	Leu	Ala	Val	Ala	His 330	Ser	Lys	Pro	Met	Lys 335	Glu
Ile	Leu	Thr	Asp 340	Met	Asn	Lys	Arg	Ser 345	Asp	Asn	Leu	Ile	Ala 350	Arg	Ser
Val	Phe	Leu 355	Lys	Leu	Gly	Gly	Asp 360	Gly	Lys	Leu	Pro	Ala 365	Val	Ser	Glu
Gln	Ala 370	Ala	Ser	Ala	Val	Arg 375	Arg	Glu	Leu	Ala	Val 380	Ser	Gly	Ile	Asp
Val 385	Ala	Asp	Leu	Val	Leu 390	Glu	Asn	Gly	Ser	Gly 395	Leu	Ser	Arg	Lys	Glu 400
Arg	Val	Thr	Ala	Arg 405	Met	Met	Ala	Gln	Met 410	Leu	Glu	Thr	Ala	Tyr 415	Phe
Ser	Pro	Phe	Ala 420	Gln	Asp	Phe	Ile	Asp 425	Thr	Leu	Pro	Ile	Ala 430	Gly	Thr
Asp	Gly	Thr 435	Leu	Arg	Asn	Arg	Phe 440	Lys	Gln	Ser	Gly	Gly 445	Leu	Leu	Arg
Leu	Lys 450	Thr	Gly	Thr	Leu	Asn 455	Asn	Val	Arg	Ala	Leu 460	Ala	Gly	Tyr	Trp
Leu 465	Gly	Asp	Lys	Pro	Met 470	Ala	Val	Val	Val	Ile 475	Ile	Asn	Ser	Gly	Arg 480

510

505

Arg Arg Ala 515

<400> 87

<210> 87
<211> 840
<212> DNA
<213> Neisseria meningitidis
<220>
<221> CDS
<222> (1)..(840)

500

atg gat aaa gaa cga att tta acc ccc gca gtc gtg ttt tcc gtc gca 48
Met Asp Lys Glu Arg Ile Leu Thr Pro Ala Val Val Phe Ser Val Ala
1 5 10 15

ctg ctg cat ttg gca atg gtg gca ttg ctc tgg cag gcg cac aag ctg 96
Leu Leu His Leu Ala Met Val Ala Leu Leu Trp Gln Ala His Lys Leu
20 25 30

ccc gtg ata gag tca ggc aat gtt att gaa ttt gtc gat ttg ggc gat 144
Pro Val Ile Glu Ser Gly Asn Val Ile Glu Phe Val Asp Leu Gly Asp
35 40 45

ttt ggc gga ggg gac ggc gca ccc gaa ggt gca ggc gcg cct gcc gcg 192 Phe Gly Gly Asp Gly Ala Pro Glu Gly Ala Gly Ala Pro Ala Ala 50 55 60

ccc gaa ccg caa ccc gtg ccc gag ccg ccc aaa cct gtc gag ccg ccc 240
Pro Glu Pro Gln Pro Val Pro Glu Pro Pro Lys Pro Val Glu Pro Pro
65 70 75 80

aag ccg gtt ttg aag ccg gtg gtt acg aaa aag gcg gat gcg gat att 288
Lys Pro Val Leu Lys Pro Val Val Thr Lys Lys Ala Asp Ala Asp Ile
85 90 95

cag cag cct aag gaa gag ccg aaa cct gaa gaa aag ccg aaa ccc gaa 336 Gln Gln Pro Lys Glu Glu Pro Lys Pro Glu Glu Lys Pro Lys Pro Glu

110

gaa aaa ccg aaa cca gag cct aag ccg gaa gcg aag cct gtc ccg aaa 384
Glu Lys Pro Lys Pro Glu Pro Lys Pro Glu Ala Lys Pro Val Pro Lys
115 120 125

105

100

ccg gcg gaa aaa ccg gtc gag aag ccg tct gaa aaa cct gcc gaa cat 432
Pro Ala Glu Lys Pro Val Glu Lys Pro Ser Glu Lys Pro Ala Glu His
130 135 140

ccc ggc aat gct tct gcc aaa gca gac agc gag cag ggc aat ggg gaa 480
Pro Gly Asn Ala Ser Ala Lys Ala Asp Ser Glu Gln Gly Asn Gly Glu
145 150 160

gat aag gga acc ggt atc aaa gga gac gga acg ggg cgc gga gaa ggc 528
Asp Lys Gly Thr Gly Ile Lys Gly Asp Gly Thr Gly Arg Gly Glu Gly
165 170 175

agc ggt aaa ggt agc ggt gtc aaa ggc gaa cac ggg gaa gga gcc 576 Ser Gly Lys Gly Ser Gly Gly Val Lys Gly Glu His Gly Glu Gly Ala 180 185 190

ggc agc agc aaa ggc aat cct tta cgc gcc aac ggc agc att ccg cgc 624 Gly Ser Ser Lys Gly Asn Pro Leu Arg Ala Asn Gly Ser Ile Pro Arg 195 200 205

ccg gct tat ccc acg ctt tct atg gag aat gat gag cag ggt acg gtt 672
Pro Ala Tyr Pro Thr Leu Ser Met Glu Asn Asp Glu Gln Gly Thr Val
210 220

gtt ttg agc gtt ttg gtt tct ccg ggc ggt cat gtt gag tcc gtt aaa 720
Val Leu Ser Val Leu Val Ser Pro Gly Gly His Val Glu Ser Val Lys
225 230 235 240

atc gtg aaa agc agt ggt ttt tcc cgg ttg gac aat gcg gca cgc aag 768

Ile Val Lys Ser Ser Gly Phe Ser Arg Leu Asp Asn Ala Ala Arg Lys

245 250 255

gcg gcg caa aac ggg cat ttt caa gcc aat gcc tgg acg gag ttt aaa 816 Ala Ala Gln Asn Gly His Phe Gln Ala Asn Ala Trp Thr Glu Phe Lys 260 265 270

gtc ccc gtc aag ttt gaa ttg aat

Val Pro Val Lys Phe Glu Leu Asn

275

280

<210> 88

<211> 280

<212> PRT

<213> Neisseria meningitidis

<400> 88

Met Asp Lys Glu Arg Ile Leu Thr Pro Ala Val Val Phe Ser Val Ala 1 5 10 15

Leu Leu His Leu Ala Met Val Ala Leu Leu Trp Gln Ala His Lys Leu 20 25 30

Pro Val Ile Glu Ser Gly Asn Val Ile Glu Phe Val Asp Leu Gly Asp 35 40 45

Phe Gly Gly Gly Asp Gly Ala Pro Glu Gly Ala Gly Ala Pro Ala Ala 50 55 60

Pro Glu Pro Gln Pro Val Pro Glu Pro Pro Lys Pro Val Glu Pro Pro 65 70 75 80

Lys Pro Val Leu Lys Pro Val Val Thr Lys Lys Ala Asp Ala Asp Ile 85 90 95

Gln Gln Pro Lys Glu Glu Pro Lys Pro Glu Glu Lys Pro Lys Pro Glu
100 105 110

Glu Lys Pro Lys Pro Glu Pro Lys Pro Glu Ala Lys Pro Val Pro Lys
115 120 125

Pro Ala Glu Lys Pro Val Glu Lys Pro Ser Glu Lys Pro Ala Glu His 130 135 140

Pro Gly Asn Ala Ser Ala Lys Ala Asp Ser Glu Gln Gly Asn Gly Glu 145 150 155 160

Asp Lys Gly Thr Gly Ile Lys Gly Asp Gly Thr Gly Arg Gly Glu Gly
165 170 175

Ser Gly Lys Gly Ser Gly Gly Val Lys Gly Glu His Gly Glu Gly Ala 180 185 190

Gly Ser Ser Lys Gly Asn Pro Leu Arg Ala Asn Gly Ser Ile Pro Arg 195 200 205

Pro Ala Tyr Pro Thr Leu Ser Met Glu Asn Asp Glu Gln Gly Thr Val 210 215 220

Val Leu Ser Val Leu Val Ser Pro Gly Gly His Val Glu Ser Val Lys

225 230 235 240

Ile Val Lys Ser Ser Gly Phe Ser Arg Leu Asp Asn Ala Ala Arg Lys 245 250 255

Ala Ala Gln Asn Gly His Phe Gln Ala Asn Ala Trp Thr Glu Phe Lys
260 265 270

Val Pro Val Lys Phe Glu Leu Asn 275 280

<210> 89

<211> 1584

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(1584)

<400> 89

atg gca ctt ttc ctc agc ata ttc ccc atc gtc ctg ctg att tgg ctg 48

Met Ala Leu Phe Leu Ser Ile Phe Pro Ile Val Leu Leu Ile Trp Leu

1 5 10 15

atg gtg aaa aaa aac agt atg ccc tcc tac gtc gcg ctg ccg att acc 96
Met Val Lys Lys Asn Ser Met Pro Ser Tyr Val Ala Leu Pro Ile Thr
20 25 30

gca gtg ctg att tac gcc atc aaa ctt ttc tac ttc gac gat gcg ggc 144
Ala Val Leu Ile Tyr Ala Ile Lys Leu Phe Tyr Phe Asp Asp Ala Gly
35 40 45

atg ctg ctc aac gcc acc gcc gct tcc ggc ctc gtc aaa acg ctc acg 192
Met Leu Leu Asn Ala Thr Ala Ala Ser Gly Leu Val Lys Thr Leu Thr
50 55 60

ccg att acc gtg att ttc ggc gcg att atg ttc aac cgt atg atg gaa 240
Pro Ile Thr Val Ile Phe Gly Ala Ile Met Phe Asn Arg Met Met Glu
65 70 75 80

acc acg ggc tgc atc gat gtc atc cgc aaa tgg ctg gcg acc atc agc 288
Thr Thr Gly Cys Ile Asp Val Ile Arg Lys Trp Leu Ala Thr Ile Ser
85 90 95

ccc aac ccc gta gcg caa ctg atg att atc ggc tgg gct ttt gcc ttt 336

Pro	Asn	Pro	Val 100	Ala	Gln	Leu	Met	Ile 105	Ile	Gly	Trp	Ala	Phe 110	Ala	Phe	
		,		gca Ala				J J	_			, ,		_	5 5	384
_		_	_	agc Ser	_				_	_		-				432
				aac Asn												480
				ggt Gly 165		-	_	~		_	_	-	_	-		528
	_			agg Arg	_			_	_				_			576
_			_	atc Ile		_				-				-		624
_			_	ggc Gly		-			_	_			_			672
		•	_	ttg Leu	~ _	_			_	-			-		_	720
				ggc Gly 245			_				_	_				768
		_	_	aaa Lys	-		-		-	_		_	_			816
				gtc Val	-				_				_	_		864
ggc	atg	ctg	gtg	gtt	acg	cgc	atc	aaa	cag	ctc	ggc	atc	aaa	ggc	att	912

Gly	Met 290	Leu	Val	Val	Thr	Arg 295	Ile	Lys	Gln	Leu	Gly	Ile	Lys	Gly	Ile	
_		_		gaa Glu	-											960
				gtc Val 325	_	-		_	_							1008
			_	gtc Val	-					_	_		-	_	_	1056
		_		gtg Val	_		_			_		-				1104
				gat Asp	_		_				•					1152
			_	ctg Leu		-	_	_			_		_	-	-	1200
_	_	_	_	ggc Gly 405		_		_	_						_	1248
_		•	_	atg Met			-			_			_	_		1296
_				ggt Gly									-			1344
-				ccg Pro		_	_			-	_	_			_	1392
			_	att Ile			_	_		_						1440
aat	atg	gtg	tgc	ctc	aac	aac	atc	atc	gcc	gta	tgt	acc	gta	ttg	gat	1488

Asn Met Val Cys Leu Asn Asn Ile Ile Ala Val Cys Thr Val Leu Asp 485 490 495

gtg aaa aat tcc gaa ggt gcg att atc aag aaa acc gtt atc ccg atg 1536 Val Lys Asn Ser Glu Gly Ala Ile Ile Lys Lys Thr Val Ile Pro Met 500 505 510

gcg att tac ggc gtg att gcc gtc gtc gcg gca atg att ttc ttc ctc 1584
Ala Ile Tyr Gly Val Ile Ala Val Val Ala Ala Met Ile Phe Phe Leu
515 520 525

<210> 90

<211> 528

<212> PRT

<213> Neisseria meningitidis

<400> 90

Met Ala Leu Phe Leu Ser Ile Phe Pro Ile Val Leu Leu Ile Trp Leu 1 5 10 15

Met Val Lys Lys Asn Ser Met Pro Ser Tyr Val Ala Leu Pro Ile Thr
20 25 30

Ala Val Leu Ile Tyr Ala Ile Lys Leu Phe Tyr Phe Asp Asp Ala Gly
35 40 45

Met Leu Leu Asn Ala Thr Ala Ala Ser Gly Leu Val Lys Thr Leu Thr 50 55 60

Pro Ile Thr Val Ile Phe Gly Ala Ile Met Phe Asn Arg Met Met Glu 65 70 75 80

Thr Thr Gly Cys Ile Asp Val Ile Arg Lys Trp Leu Ala Thr Ile Ser 85 90 95

Pro Asn Pro Val Ala Gln Leu Met Ile Ile Gly Trp Ala Phe Ala Phe
100 105 110

Met Ile Glu Gly Ala Ser Gly Phe Gly Thr Pro Ala Ala Ile Ala Ala 115 120 125

Pro Ile Leu Met Ser Leu Gly Phe Asn Pro Leu Lys Val Ala Ile Phe 130 135 140

Thr Leu Val Met Asn Ser Val Pro Val Ser Phe Gly Ala Val Gly Thr 145 150 155 160

Pro	Thr	Trp	Phe	Gly 165	Phe	Ala	Pro	Leu	Asn 170	Leu	Ser	Ala	Glu	Asp 175	Ile
Leu	Ala	Ile	Gly 180	Arg	Gln	Thr	Gly	Val 185	Met	His	Phe	Phe	Ala 190	Gly	Phe
Val	Ile	Pro 195	Val	Ile	Gly	Leu	Glý 200	Phe	Ile	Val	Pro	Trp 205	Ser	Glu	Ile
Arg	Lys 210	Asn	Leu	Gly	Phe	Val 215	Ala	Ile	Ala	Val	Phe 220	Ser	Cys	Thr	Ile
Pro 225	Tyr	Val	Ala	Leu	Ala 230	Met	Val	Asn	Glu	Glu 235	Phe	Pro	Ser	Leu	Val 240
Ala	Gly	Ala	Ile	Gly 245	Leu	Met	Val	Ser	Val 250	Phe	Ala	Ala	Asn	Gln 255	Gly
Trp	Gly	Leu	Ser 260	Lys	Asp	His	Ala	Lys 265	Asp	Pro	Asn	Ala	Glu 270	Lys	Val
Pro	Phe	Ala 275	Gln	Val	Ala	Lys	Ala 280	Leu	Ala	Pro	Leu	Gly 285	Met	Leu	Ile
Gly	Met 290	Leu	Val	Val	Thr	Arg 295	Ile	Lys	Gln	Leu	Gly 300	Ile	Lys	Gly	Ile
Leu 305	Thr	Ser	Lys	Glu	Glu 310	Trp	Phe	Ser	Phe	Gln 315	Leu	Pro	Phe	Asp	Leu 320
Ser	Lys	Ile	Thr	Val 325	Ser	Asp	Ser	Leu	Thr 330	Ile	Thr	Phe	Gly	Asn 335	Ile
Phe	Gly	Gln	Asp 340	Val	Ser	Ala	Ser	Tyr 345	Gln	Thr	Leu	Tyr	Val 350	Pro	Ala
Trp	Ile	Pro 355	Phe	Val	Leu	Thr	Val 360	Trp	Ile	Cys	Ile	Leu 365	Leu	Tyr	Lys
Thr	Lys 370	Phe	Lys	Asp	Ala	Trp 375	Thr	Ile	Tyr	Ser	Val 380	Thr	Phe	Asn	Ġln
Thr 385	Lys	Lys	Pro	Leu	Leu 390	Ala	Leu	Met	Gly	Ala 395	Leu	Ile	Met	Val	Gln 400
Leu	Met	Leu	Val	Gly 405	Gly	Asp	Asn	Ser	Met 410	Val	Lys	Ile	Ile	Gly 415	Lys

Glu Phe Ala Ala Met Ala Gly Glu His Trp Val Tyr Phe Ser Pro Tyr
420 425 430

Leu Gly Ala Ile Gly Ala Phe Phe Ser Gly Ser Asn Thr Val Ser Asn 445

Leu Thr Phe Gly Pro Ile Gln Gln Ile Ala Leu Asp Thr Gly Leu 450 455 460

Ser Val Thr Leu Ile Leu Ala Leu Gln Ser Val Gly Gly Ala Met Gly 465 470 475 480

Asn Met Val Cys Leu Asn Asn Ile Ile Ala Val Cys Thr Val Leu Asp 485 490 495

Val Lys Asn Ser Glu Gly Ala Ile Ile Lys Lys Thr Val Ile Pro Met 500 505 510

Ala Ile Tyr Gly Val Ile Ala Val Val Ala Ala Met Ile Phe Phe Leu 515 520 525

<210> 91

<211> 1686

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(1686)

<400> 91

atg tta caa tcc gaa aat tcg aaa aat tta atc tct tgt tca ata aag 48 Met Leu Gln Ser Glu Asn Ser Lys Asn Leu Ile Ser Cys Ser Ile Lys 1 5 10 15

gct tta cca atc atg att tct acc aac ggc atc acc atg cag ttc ggc 96
Ala Leu Pro Ile Met Ile Ser Thr Asn Gly Ile Thr Met Gln Phe Gly
20 25 30

gcg aag ccg ctg ttt gaa aac gta tcc gtt aaa ttc ggc gaa ggc aac 144
Ala Lys Pro Leu Phe Glu Asn Val Ser Val Lys Phe Gly Glu Gly Asn
35 40 45

cgc tac ggt ttg atc ggc gcg aac ggc tca ggc aaa tcc acc ttc atg 192
Arg Tyr Gly Leu Ile Gly Ala Asn Gly Ser Gly Lys Ser Thr Phe Met
50 55 60

				ggc	-	_	-	_		_		_				240
_				cgt Arg 85	_			_	_		_	_		_		288
-	_	_	_	gtg Val	_	_		_	_	_				_		336
			_	acc Thr	-	-	_				_			_	-	384
		-	_	tac Tyr	_						-	-	_			432
-		-		tac Tyr		-				_	_		_	_		480
				tcc Ser 165	-	-	_			_		_	_	-	_	528
-	-			aaa Lys		_	_	_	_				_			576
_		-	_	ttg Leu		_	_	_	_				-	_		624
				tgg Trp							_		_		-	672
				tcg Ser						_		-	_	_	-	720
	_	-	-	ttg Leu 245	-								_			768

	_	_		•		-		gcc Ala 265		_	_	-	_	-	_	816
	_		-	_		_	-	aaa Lys	_		_	_				864
				_	_			tcc Ser		_	_		_		-	912
_	_		_	_	_			aaa Lys	_		_	_		_		960
						_		atc Ile	_		_	-	_	_		1008
-	_	_		-	_	-		gaa Glu 345	-	-		_			_	1056
				_				ctg Leu								1104
	_		-				_	aac Asn							-	1152
_			-	_				aac Asn		-			-		_	1200
								tgg Trp		-		_	_	_		1248
		_		-		-		gac Asp 425		-	-	_	-	-	-	1296
-				_				cag Gln	_			_	_		_	1344

atc cgc gg Ile Arg Gl 450		_		_	_				_		-	-		1392
aaa aaa gt Lys Lys Va 465		-					_			-	-			1440
ggc aaa ct Gly Lys Le		_	_				_		-	_	_	_	_	1488
acc aac ca Thr Asn Hi		_		_			_		_		_		_	1536
gaa aaa ta Glu Lys T3 51	r Asn		_	_			_			-	_	_		1584
gtt tct tc Val Ser Se 530	_	-					_	_	-					1632
tat gaa ca Tyr Glu Hi 545		_		_		-	_							1680
gta gca Val Ala														1686
<210> 92 <211> 562 <212> PRT <213> Neis	seria	men:	ingit	tidis	5									
<400> 92 Met Leu Gl	n Ser	Glu 5	Asn	Ser	Lys	Asn	Leu 10	Ile	Ser	Cys	Ser	Ile 15	Lys	
Ala Leu Pi	o Ile 20	Met	Ile	Ser	Thr	Asn 25	Gly	Ile	Thr	Met	Gln 30	Phe	Gly	
Ala Lys Pi	o Leu 35	Phe	Glu	Asn	Val 40	Ser	Val	Lys	Phe	Gly 45	Glu	Gly	Asn	

Arg	Tyr 50	Gly	Leu	Ile	Gly	Ala 55	Asn	Gly	Ser	Gly	Lys 60	Ser	Thr	Phe	Met
Lys 65	Ile	Leu	Gly	Gly	Asp 70	Leu	Glu	Gln	Thr	Ala 75	Gly	Glu	Val	Ala	Ile 80
Glu	Asn	Gly	Val	Arg 85	Leu	Gly	Lys	Leu	Arg 90	Gln	Asp	Gln	Phe	Ala 95	Tyr
Glu	Asp	Met	Arg 100	Val	Leu	Asp	Val	Val 105	Met	Met	Gly	His	Thr 110	Glu	Met
Trp	Ala	Ala 115	Met	Thr	Glu	Arg	Asp 120	Ala	Ile	Tyr	Ala	Asn 125	Pro	Glu	Ala
Thr	Glu 130	Asp	Asp	Tyr	Met	Lys 135	Ala	Ala	Glu	Leu	Glu 140	Ala	Lys	Phe	Ala
Glu 145	Tyr	Asp	Gly	Tyr	Thr 150	Ala	Glu	Ala	Arg	Ala 155	Ala	Glu	Leu	Leu	Ser 160
Gly	Val	Gly	Ile	Ser 165	Glu	Asp	Leu	His	Asn 170	Ala	Thr	Met	Ala	Glu 175	Val
Ala	Pro	Gly	Phe 180	Lys	Leu	Arg	Val	Leu 185	Leu	Ala	Gln	Ala	Leu 190	Phe	Ser
Lys	Pro	Asp 195	Val	Leu	Leu	Leu	Asp 200	Glu	Pro	Thr	Asn	Asn 205	Leu	Asp	Ile
Asn	Thr 210	Ile	Arg	Trp	Leu	Glu 215	Gly	Val	Leu	Asn	Gln 220	Tyr	Asp	Ser	Thr
Met 225	Ile	Ile	Ile	Ser	His 230	Asp	Arg	His	Phe	Leu 235	Asn	Glu	Val	Суз	Thr 240
His	Met	Ala	Asp	Leu 245	Asp	Tyr	Asn	Thr	Ile 250	Thr	Ile	Tyr	Pro	Gly 255	Asn
Tyr	Asp	Asp	Tyr 260	Met	Leu	Ala	Ser	Ala 265	Gln	Ser	Arg	Glu	Arg 270	Ala	Leu
Lys	Asp	Asn 275	Ala	Lys	Ala	Lys	Glu 280	Lys	Leu	Gln	Glu	Leu 285	Gln	Glu	Phe
Val	Ala 290	Arg	Phe	Ser	Ala	Asn 295	Lys	Ser	Lys	Ala	Arg 300	Gln	Ala	Thr	Ser

305	ьеи	ьys	GIN	Ala	310	ьys	TTE	ьys	ser	315	Met	var	GIU	Val	шуs 320
Pro	Ser	Thr	Arg	Gln 325	Asn	Pro	Tyr	Ile	Arg 330	Phe	Glu	Ala	Asp	Glu 335	Lys
Ala	Lys	Leu	His 340	Arg	Gln	Ala	Val	Glu 345	Val	Glu	Lys	Leu	Ala 350	Lys	Arg
Phe	Glu	Thr 355	Gln	Leu	Phe	Lys	Asn 360	Leu	Asn	Phe	Ile	Leu 365	Glu	Ala	Gly
Gln	Arg 370	Leu	Ala	Ile	Ile	Gly 375	Pro	Asn	Gly	Ala	Gly 380	Lys	Ser	Thr	Leu
Leu 385	Lys	Leu	Leu	Ala	Gly 390	Ala	Tyr	Asn	Pro	Glu 395	Tyr	Ser	Asp	Gly	Leu 400
Leu	Pro	Asp	Glu	Gly 405	Ser	Ile	Lys	Trp	Ala 410	Glu	Lys	Ala	Ser	Val 415	Gly
Tyr	Туг	Pro	Gln 420	Asp	His	Glu	Asn	Asp 425	Phe	Asp	Val	Asp	Met 430	Asp	Leu
Ser	Glu	Trp 435	Met	Arg	Gln	Trp	Gly 440	Gln	Asp	Gly	Asp	Asp 445	Glu	Gln	Val
	450	-			_	455					460		_	Val	
465					470			-		475				Leu	480
	_			485					490				_	Glu 495	
			500	_				505					510	Ala	
		515					520					525		Gln	
	530					535					540			Gly	
Tyr 545	Glu	His	Tyr	Leu	Gly 550	Asp	Tyr	Glu	Ser	Tyr 555	Leu	Glu	Lys	Lys	Gly 560

Val Ala

<210> 93 <211> 1126 <212> DNA <213> Neisseria meningitidis <220> <221> CDS <222> (1)..(1125) <400> 93 atg aac acc tcg caa cgc aac cgc ctc gtc agc cgc tgg ctc aac tcc Met Asn Thr Ser Gln Arg Asn Arg Leu Val Ser Arg Trp Leu Asn Ser tac gaa ege tac ege tac ege etc atc eac gee gte egg etc gge Tyr Glu Arg Tyr Arg Tyr Arg Leu Ile His Ala Val Arg Leu Gly 25 30 20 ggg gcc gtc ctg ttc gcc acc gcc tcc gcc cgg ctg ctc cac ctc caa 144 Gly Ala Val Leu Phe Ala Thr Ala Ser Ala Arg Leu Leu His Leu Gln 35 40 cac ggc gag tgg ata ggg atg acc gtc ttc gtc gtc ctc ggc atg ctc His Gly Glu Trp Ile Gly Met Thr Val Phe Val Val Leu Gly Met Leu 50 55 cag ttt caa ggg gcg att tac tcc aag gcg gtg gaa cgt atg ctc ggc Gln Phe Gln Gly Ala Ile Tyr Ser Lys Ala Val Glu Arg Met Leu Gly 65 70 75 80 acg gtc atc ggg ctg ggc gcg ggt ttg ggc gtt tta tgg ctg aac cag 288 Thr Val Ile Gly Leu Gly Ala Gly Leu Gly Val Leu Trp Leu Asn Gln cat tat ttc cac ggc aac ctc ctc ttc tac ctc acc gtc ggc acg gca 336 His Tyr Phe His Gly Asn Leu Leu Phe Tyr Leu Thr Val Gly Thr Ala 100 110 age gea ctg gee tgg geg geg gte gge aaa aac gge tae gte eet 384 Ser Ala Leu Ala Gly Trp Ala Ala Val Gly Lys Asn Gly Tyr Val Pro 115 120 125 atg ctg gcg ggg ctg acg atg tgc atg ctc atc ggc gac aac ggc agc 432

Met	Leu 130	Ala	Gly	Leu	Thr	Met 135	Cys	Met	Leu	Ile	Gly 140	Asp	Asn	Gly	Ser	
_			-	_		_	_	_		_		-		atc Ile		480
	-		-		-	-	_		_	_	_	_		tcc Ser 175		528
_	_		-		_		_	_		_		_	_	agc Ser		576
_		-	_		_				-	_		_	-	cgc Arg		624
_	-		_			_	•				•	-	_	gtc Val		672
_	_	_			_	-		_		_	_			agc		720
225		ser	His	Leu	A1a 230	ALa	Thr	Ser	Gly	Glu 235	Ser	Arg	Ile	Ser	Pro 240	
225 gcc	atg	atg	gaa	gcc	230 atg	cag	cac	gcc	cac	235 cgt	aaa	att	gtc	aac Asn 255	240 acc	768
225 gcc Ala	atg Met	atg Met	gaa Glu ctc	gcc Ala 245	230 atg Met	cag Gln acc	cac His	gcc Ala gcc	cac His 250	235 cgt Arg	aaa Lys caa	att Ile	gtc Val	aac Asn	240 acc Thr	768 816
gcc Ala acc Thr	atg Met gag Glu	atg Met ctg Leu	gaa Glu ctc Leu 260	gcc Ala 245 ctg Leu	230 atg Met acc Thr	cag Gln acc Thr	cac His gcc Ala	gcc Ala gcc Ala 265	cac His 250 aag Lys	cgt Arg ctg Leu	aaa Lys caa Gln	att Ile tct ser	gtc Val ccc Pro 270	aac Asn 255	240 acc Thr ctc Leu caa	
gcc Ala acc Thr aac Asn	atg Met gag Glu ggc Gly	atg Met ctg Leu agc ser 275	gaa Glu ctc Leu 260 gaa Glu	gcc Ala 245 ctg Leu atc Ile	atg Met acc Thr cgg Arg	cag Gln acc Thr ctg Leu	cac His gcc Ala ctt Leu 280	gcc Ala gcc Ala 265 gac Asp	cac His 250 aag Lys cgc Arg	cgt Arg ctg Leu cac His	aaa Lys caa Gln ttc Phe	att Ile tct Ser aca Thr 285	gtc Val ccc Pro 270 ctg Leu	aac Asn 255 aaa Lys	acc Thr ctc Leu caa Gln	816
gcc Ala acc Thr aac Asn acc Thr	atg Met gag Glu ggc Gly gac Asp 290	atg Met ctg Leu agc ser 275 ctg Leu	gaa Glu ctc Leu 260 gaa Glu caa Gln	gcc Ala 245 ctg Leu atc Ile caa Gln	atg Met  acc Thr  cgg Arg  acc Thr	cag Gln acc Thr ctg Leu gtc Val 295	cac His gcc Ala ctt Leu 280 gcc Ala	gcc Ala gcc Ala 265 gac Asp	cac His 250 aag Lys cgc Arg atc Ile	ctg Leu cac His	aaa Lys caa Gln ttc Phe ggc Gly 300	att Ile tct Ser aca Thr 285 aga Arg	gtc Val CCC Pro 270 Ctg Leu Cac His	aac Asn 255 aaa Lys ctc Leu	240 acc Thr ctc Leu caa Gln cgc Arg	816

Glu His Leu His Tyr Gln Trp Gln Gly Phe Leu Trp Leu Ser Thr Asn 325 330 335

atg cgt cag gaa att tcc gcc ctc gtc atc ctg ctg caa cgc acc cgc 1056
Met Arg Gln Glu Ile Ser Ala Leu Val Ile Leu Leu Gln Arg Thr Arg
340 345 350

cgc aaa tgg ctg gat gcc cac gaa cgc caa cac ctg cgc caa agc ctg 1104 Arg Lys Trp Leu Asp Ala His Glu Arg Gln His Leu Arg Gln Ser Leu 355 360 365

ctt gaa aca cgg gaa cac agt t

Leu Glu Thr Arg Glu His Ser

370 375

<210> 94

<211> 375

<212> PRT

<213> Neisseria meningitidis

<400> 94

Met Asn Thr Ser Gln Arg Asn Arg Leu Val Ser Arg Trp Leu Asn Ser 1 5 10 15

Tyr Glu Arg Tyr Arg Tyr Arg Leu Ile His Ala Val Arg Leu Gly
20 25 30

Gly Ala Val Leu Phe Ala Thr Ala Ser Ala Arg Leu Leu His Leu Gln
35 40 45

His Gly Glu Trp Ile Gly Met Thr Val Phe Val Val Leu Gly Met Leu 50 55 60

Gln Phe Gln Gly Ala Ile Tyr Ser Lys Ala Val Glu Arg Met Leu Gly 65 70 75 80

Thr Val Ile Gly Leu Gly Ala Gly Leu Gly Val Leu Trp Leu Asn Gln 85 90 95

His Tyr Phe His Gly Asn Leu Leu Phe Tyr Leu Thr Val Gly Thr Ala 100 105 110

Ser Ala Leu Ala Gly Trp Ala Ala Val Gly Lys Asn Gly Tyr Val Pro 115 120 125

Met Leu Ala Gly Leu Thr Met Cys Met Leu Ile Gly Asp Asn Gly Ser 130 135 140

Glu 145	Trp	Phe	Asp	Ser	Gly 150	Leu	Met	Arg	Ala	Met 155	Asn	Val	Leu	Ile	160	
Ala	Ala	Ile	Ala	Ile 165	Ala	Ala	Ala	Lys	Leu 170	Leu	Pro	Leu	Lys	Ser 175	Thr	
Leu	Met	Trp	Arg 180	Phe	Met	Leu	Ala	Asp 185	Asn	Leu	Thr	Asp	Cys 190	Ser	Lys	
Met	Ile	Ala 195	Glu	Ile	Ser	Asn	Gly 200	Arg	Arg	Met	Thr	Arg 205	Glu	Arg	Leu	
Glu	Glu 210	Asn	Met	Ala	Lys	Met 215	Arg	Gln	Ile	Asn	Ala 220	Arg	Met	Val	Lys	
Ser 225	Arg	Ser	His	Leu	Ala 230	Ala	Thr	Ser	Gly	Glu 235	Ser	Arg	Ile	Ser	Pro 240	
Ala	Met	Met	Glu	Ala 245	Met	Gln	His	Ala	His 250	Arg	Lys	Ile	Val	Asn 255	Thr	
Thr	Glu	Leu	Leu 260	Leu	Thr	Thr	Ala	Ala 265	Lys	Leu	Gln	Ser	Pro 270	Lys	Leu	
Asn	Gly	Ser 275	Glu	Ile	Arg	Leu	Leu 280	Asp	Arg	His	Phe	Thr 285	Leu	Leu	Gln	
Thr	Asp 290	Leu	Gln	Gln	Thr	Val 295	Ala	Leu	Ile	Asn	Gly 300	Arg	Hìs	Ala	Arg	
Arg 305	Ile	Arg	Ile	Asp	Thr 310	Ala	Ile	Asn	Pro	Glu 315	Leu	Glu	Ala	Leu	Ala 320	
Glu	His	Leu	His	Tyr 325	Gln	Trp	Gln	Gly	Phe 330	Leu	Trp	Leu	Ser	Thr 335	Asn	
Met	Arg	Gln	Glu 340	Ile	Ser	Ala	Leu	Val 345	Ile	Leu	Leu	Gln	Arg 350	Thr	Arg	
Arg	Lys	Trp 355	Leu	Asp	Ala	His	Glu 360	Arg	Gln	Hìs	Leu	Arg 365	Gln	Ser	Leu	
Leu	Glu 370	Thr	Arg	Glu	His	Ser 375										

<210> 95 <211> 1725 -<212> DNA <213> Neisseria meningitidis <220> <221> CDS <222> (1)..(1725) <400> 95 atg cag cta tca ggc gcg caa atc ata gtg cag agt ctc aaa gcc gaa Met Gln Leu Ser Gly Ala Gln Ile Ile Val Gln Ser Leu Lys Ala Glu 1 5 15 ggt gtc gag tac gtt ttc ggt tat ccc ggc ggt gcg gtt atc gaa atc 96 Gly Val Glu Tyr Val Phe Gly Tyr Pro Gly Gly Ala Val Ile Glu Ile 20 25 tac gat gcc ctt ttc caa ctc aat aaa ttc aag cac att ctg acc cgt 144 Tyr Asp Ala Leu Phe Gln Leu Asn Lys Phe Lys His Ile Leu Thr Arg cac gag cag gcg gca gta cac gcg gca gat gcg tat gcg cgc gtc agc 192 His Glu Gln Ala Ala Val His Ala Ala Asp Ala Tyr Ala Arg Val Ser 50 55 ggt aag gtg ggc gtg gca ttg gtt aca tcc ggc ccg ggc gtt acc aat 240 Gly Lys Val Gly Val Ala Leu Val Thr Ser Gly Pro Gly Val Thr Asn 70 75 gca ctg acc ggt att gct act gcc tat acg gat tcg att ccg atg gtg 288 Ala Leu Thr Gly Ile Ala Thr Ala Tyr Thr Asp Ser Ile Pro Met Val 85 gtc atc agc ggg cag gta ggc aat tcc ctg att ggt acg gat gcg ttc 336 Val Ile Ser Gly Gln Val Gly Asn Ser Leu Ile Gly Thr Asp Ala Phe 100 105 110 384 caa gaa gtt gat acg gtg ggt att acc cgt ccg tgc gtc aaa cac aat Gln Glu Val Asp Thr Val Gly Ile Thr Arg Pro Cys Val Lys His Asn 115 120 125 ttc ctg gtt acg gac atc aat gag ttg gcg gaa acc att aaa aag gcg 432 Phe Leu Val Thr Asp Ile Asn Glu Leu Ala Glu Thr Ile Lys Lys Ala 130 135 ttc caa att gcc gca agc ggc cga ccg ggg ccc gtg gtt gat gtc

Phe Gln Ile Ala Ala Ser Gly Arg Pro Gly Pro Val Val Asp Val

145					150					155					160	
_		-	_	acg Thr 165			_				-					528
-				cgt Arg	_			-	_	-		_				576
_			_	gcc Ala		_	_	_	-	_	_		_	_	-	624
_				ggc Gly				_			_		_		_	672
	_		-	cga Arg	_	_		-	_	_	_		_	_	_	720
	_		_	tat Tyr 245			-									768
	_			act Thr			_			_	_				_	816
				gta Val												864
_				ttc Phe				_		_				-		912
-			-	atc Ile			_									960
	-			aac Asn 325	-	_			_	_		_				1008
				ccg Pro		_	-	_	_							1056

340 345 350

ata	gag	gaa	tgg	cgt	tcc	cgc	gat	tgc	ttg	tgg	ttt	gac	aac	ggc	agc	1104
Ile	Glu	Glu	Trp	Arg	Ser	Arg	Asp	Cys	Leu	Trp	Phe	Asp	Asn	Gly	Ser	
		355					360					365				
gaa	att	atc	aag	cca	caa	tat	gtg	att	cag	aag	ctt	gcc	gag	att	acc	1152
Glu	Ile	Ile	Lys	Pro	Gln	Tyr	Val	Ile	Gln	Lys	Leu	Ala	Glu	Ile	Thr	
	370		-			375				_	380					
aac	aat	tca	qca	atc	atc	aca	tca	gat	qta	aaa	cag	cat	caa	atq	ttt	1200
0.0		_	Ala				•	-	-		-			_		
385					390			<b>-</b>		395					400	
aca	act	caa	tat	tat	ccc	ttc	αаа	cat	cca	cac	caa	taa	ctc	aac	tcc	1248
	_		Tyr				_	_	_	_						
	1114	01111	- y	405		1110	0 u	9	410	9		<u>-</u> -		415	~~	
				100					110					110		
aac	aat	tta	ggt	aca	ata	aac	att	aat	cta	cct	tat	aca	att	aat	aca	1296
		_	Gly	_	_		-		_							1230
GTA	GΤΆ	пец	-	TIIT	мес	сту	vaı	-	Бец	PIO	тАт	ALA		ату	ALA	
			420					425					430			
222	att	~~~	~~~	aaa	ant-	<b>a</b> 2 2 2	~~~	~+ ~	++~	+~+	a + +	200	aaa	~~ a	aaa	1344
		-	gcc	_	-		-	-		_				_	-	1244
гух	пеп		Ala	Pro	Asp	GLII	-	val	Pne	Суѕ	тте		GTĀ	ASP	GTÀ	
		435					440					445				
1.	1-		,		4			. 4			A_ 1	a - a		). A.		1200
-		_	atg					_			_					1392
Ser		Gln	Met	Asn	Ile		GLu	Leu	Ser	Thr	-	Phe	GIn	Tyr	Arg	
	450					455					460					
	_	-	aac	-			_							_	_	1440
Ile	Pro	Val	Asn	Val	Ile	Thr	Leu	Asn	Asn	_	Tyr	Leu	Gly	Met	Val	
465					470					475					480	
			cag													1488
Arg	Gln	Trp	Gln	Glu	Ile	Tyr	Tyr	Gly	Gly	Arg	Glu	Ser	Glu	Thr	Tyr	
				485					490					495		
ttc	gat	tct	ttg	ccc	gat	ttc	gtc	aaa	ctt	gcc	gag	gca	tac	ggc	cat	1536
Phe	Asp	Ser	Leu	Pro	Asp	Phe	Val	Lys	Leu	Ala	Glu	Ala	Tyr	Gly	His	
			500					505					510			
atc	ggt	atc	cgc	gtg	gac	aag	aag	tct	gat	gtg	gaa	ggt	gcg	ttg	ttg	1584
Ile	Gly	Ile	Arg	Val	Asp	Lys	Lys	Ser	Asp	Val	Glu	Gly	Ala	Leu	Leu	
		515					520					525				
gaa	gca	ttg	aac	caa	aaa	gac	agg	ctg	gtg	ttt	atc	gac	ttc	ctg	acc	1632
Glu	Ala	Leu	Asn	Gln	Lys	Asp	Arg	Leu	Val	Phe	Ile	Asp	Phe	Leu	Thr	

530 535 540

gac cag aaa cag aat gtg atg ccc atg gtc ggc aac ggc aaa ggt ttg 1680 Asp Gln Lys Gln Asn Val Met Pro Met Val Gly Asn Gly Lys Gly Leu 545 550 560

gac gaa atg gta ctt ccg ccg cat atg cgt gcg gac gga aag gcg 1725 Asp Glu Met Val Leu Pro Pro His Met Arg Ala Asp Gly Lys Ala 565 570 575

<210> 96

<211> 575

<212> PRT

<213> Neisseria meningitidis

<400> 96

Met Gln Leu Ser Gly Ala Gln Ile Ile Val Gln Ser Leu Lys Ala Glu
1 5 10 15

Gly Val Glu Tyr Val Phe Gly Tyr Pro Gly Gly Ala Val Ile Glu Ile
20 25 30

Tyr Asp Ala Leu Phe Gln Leu Asn Lys Phe Lys His Ile Leu Thr Arg
35 40 45

His Glu Gln Ala Ala Val His Ala Ala Asp Ala Tyr Ala Arg Val Ser 50 55 60

Gly Lys Val Gly Val Ala Leu Val Thr Ser Gly Pro Gly Val Thr Asn 65 70 75 80

Ala Leu Thr Gly Ile Ala Thr Ala Tyr Thr Asp Ser Ile Pro Met Val 85 90 95

Val Ile Ser Gly Gln Val Gly Asn Ser Leu Ile Gly Thr Asp Ala Phe 100 105 110

Gln Glu Val Asp Thr Val Gly Ile Thr Arg Pro Cys Val Lys His Asn 115 120 125

Phe Leu Val Thr Asp Ile Asn Glu Leu Ala Glu Thr Ile Lys Lys Ala 130 135 140

Phe Gln Ile Ala Ala Ser Gly Arg Pro Gly Pro Val Val Val Asp Val 145 150 155 160

Pro Lys Asp Val Thr Gln Ala Met Ala Lys Phe Ser Tyr Pro Gln Glu

PCT/GB01/02003

165 170 175

Asp Ile Phe Ile Arg Ser Tyr Gln Pro Val Val Gln Gly His Ile Gly 180 185 190

- Gln Ile Lys Lys Ala Val Gln Met Leu Ala Ser Ala Lys Arg Pro Val 195 200 205
- Val Tyr Phe Gly Gly Gly Val Val Leu Gly Asn Ala Ser Glu Glu Leu 210 215 220
- Thr Arg Phe Val Arg Met Thr Gly Ala Pro Cys Thr Gly Thr Leu Met 225 230 235 240
- Gly Leu Gly Ala Tyr Pro Ser Gly Asp Arg Gln Phe Leu Gly Met Leu 245 250 255
- Gly Met His Gly Thr Tyr Glu Ala Asn Leu Ala Met Gln Asn Ala Asp 260 265 270
- Val Val Leu Ala Val Gly Ala Arg Phe Asp Asp Arg Val Val Ser Val 275 280 285
- Pro Ser Lys Phe Phe Glu Lys Ala Lys Lys Val Ile His Ile Asp Val 290 295 300
- Asp Pro Ser Ser Ile Ala Lys Arg Val Lys Ala Asp Ile Pro Ile Val 305 310 315 320
- Gly Asp Val Lys Asn Val Leu Ser Glu Met Val Ala Leu Trp Gln Lys 325 330 335
- Gln Glu Ser Val Pro Ser Glu Asp Ala Leu Gly Lys Trp Trp Lys Thr 340 345 350
- Ile Glu Glu Trp Arg Ser Arg Asp Cys Leu Trp Phe Asp Asn Gly Ser 355 360 365
- Glu Ile Ile Lys Pro Gln Tyr Val Ile Gln Lys Leu Ala Glu Ile Thr 370 375 380
- Gly Asn Ser Ala Ile Ile Thr Ser Asp Val Gly Gln His Gln Met Phe 385 390 395 400
- Ala Ala Gln Tyr Tyr Pro Phe Glu Arg Pro Arg Gln Trp Leu Asn Ser
  405 410 415
- Gly Gly Leu Gly Thr Met Gly Val Gly Leu Pro Tyr Ala Ile Gly Ala

420 425 430

Lys Leu Ala Ala Pro Asp Gln Asp Val Phe Cys Ile Thr Gly Asp Gly 435 440 445

Ser Ile Gln Met Asn Ile Gln Glu Leu Ser Thr Cys Phe Gln Tyr Arg 450 455 460

Ile Pro Val Asn Val Ile Thr Leu Asn Asn Gly Tyr Leu Gly Met Val 465 470 475 480

Arg Gln Trp Gln Glu Ile Tyr Tyr Gly Gly Arg Glu Ser Glu Thr Tyr 485 490 495

Phe Asp Ser Leu Pro Asp Phe Val Lys Leu Ala Glu Ala Tyr Gly His 500 505 510

Ile Gly Ile Arg Val Asp Lys Lys Ser Asp Val Glu Gly Ala Leu Leu 515 520 525

Glu Ala Leu Asn Gln Lys Asp Arg Leu Val Phe Ile Asp Phe Leu Thr 530 535 540

Asp Gln Lys Gln Asn Val Met Pro Met Val Gly Asn Gly Lys Gly Leu 545 550 555 560

Asp Glu Met Val Leu Pro Pro His Met Arg Ala Asp Gly Lys Ala 565 570 575

<210> 97

<211> 570

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(570)

<400> 97

atg gac aat cac gcc gaa gca cac tgg caa aac ggc tgg ctt caa agc 48 Met Asp Asn His Ala Glu Ala His Trp Gln Asn Gly Trp Leu Gln Ser

ata cgc cat acc ccg tcg ccc aat ttc agc ccg agg gaa acg ggg gaa 96

Ile Arg His Thr Pro Ser Pro Asn Phe Ser Pro Arg Glu Thr Gly Glu
20 25 30

								•								
acg	gtt	tcc	ctg	atc	gtg	ttg	cac	aac	att	tca	ctg	ccg	ccg	ttc	gaa	144
Thr	Val	Ser	Leu	Ile	Val	Leu	His	Asn	Ile	Ser	Leu	Pro	Pro	Phe	Glu	
		35					40					45				
tac	ggc	acg	gat	gct	gtg	gaa	aag	ctg	ttt	gcc	aac	cgg	ctc	gac	ccc	192
Tyr	Gly	Thr	Asp	Ala	Val	Glu	Lys	Leu	Phe	Ala	Asn	Arg	Leu	Asp	Pro	
_	50		-			55	_				60	_		_		
aac	gga	cat	ccq	ttc	ttc	agc	cta	ata	cac	act	tta	cqc	gta	tcc	aqc	240
			-			_	_				_	-	Val		_	
65					70					75		,			80	
cat.	ttc	tta	atc	ааа	cac	gac	aac	aaa	aco	ata	cad	ttc	gta	t.ca	tac	288
					_	-			_		_		Val		-	
11110		шса	220	85	9	1101	υ _π υ	77.5	90	var	011		var	95	O I D	
aac	gat	ato	aca	tac	cac	aca	aac	αta	tcc	taa	t.t.t	cac	gga	caa	gaa	336
	_	-						-		_		-	Gly		_	
OT A	лър	1100	100	- A -	11110	ALU	GLY	105	DCI	DCT	1110	Arg	110	ALG	Olu	
			100					103					110			
222	taa	220	aca	+++	+ a a	atc	aac	atc	a a a	tta	a = =	aac	tgc	a=t	ttc	384
	_		_				~ ~		-	_	-		Cys	•		304
шур	Cyb	115	лга	1110	DCI	110	120	110	Oru	дса	O.c.u	125	СуБ	nsp	THE	
		11.0					120					120				
C = =	ccc	+++	3 C C	(122	aca	<b>Caa</b>	tac	cat	taa	ctc	(Taa	202	ttg	++~	as s	432
				-				_	_		-		Leu			432
GLU	130	rnc	T11T	Giu	лта	135	тАт	ALG	SCI	пец	140	T 111.	шец	шец	Gi, u	
	7.30					133					140					
ac =	ctc	taa	ccc	ccc	t=0	aca	~++	200	ac =	at =	200	aa.	cat	as a	asc.	480
_		_	_				_		-					_	_	400
	ьец	Суѕ	Arg	Arg	_	PLO	val	THE	Ald		THE	GTĀ	His	GTII	-	
145					150					155					160	
											<u> </u>	A- A				T00
				-			_		-				gac -			528
тте	Ата	Pro	GTÀ	_	гаг	unr	Asp	Pro		HLS	Pne	Pne	Asp	_	Arg	
				165					170					175		
					āāā			-	_	_		-	-			570
Arg	ITe	Arg		Lys	Gly	Phe	Pro		Asp	Arg	Asn	A1a				
			180					185					190			

<210> 98

<211> 190

<212> PRT

<213> Neisseria meningitidis

<400> 98

Met Asp Asn His Ala Glu Ala His Trp Gln Asn Gly Trp Leu Gln Ser 1 5 10 15

Ile Arg His Thr Pro Ser Pro Asn Phe Ser Pro Arg Glu Thr Gly Glu
20 25 30

Thr Val Ser Leu Ile Val Leu His Asn Ile Ser Leu Pro Pro Phe Glu
35 40 45

Tyr Gly Thr Asp Ala Val Glu Lys Leu Phe Ala Asn Arg Leu Asp Pro 50 55 60.

Asn Gly His Pro Phe Phe Ser Leu Ile His Thr Leu Arg Val Ser Ser 65 70 75 80

His Phe Leu Ile Lys Arg Asp Gly Lys Thr Val Gln Phe Val Ser Cys 85 90 95

Gly Asp Met Ala Tyr His Ala Gly Val Ser Ser Phe Arg Gly Arg Glu 100 105 110

Lys Cys Asn Ala Phe Ser Ile Gly Ile Glu Leu Glu Gly Cys Asp Phe 115 120 125

Glu Pro Phe Thr Glu Ala Gln Tyr Arg Ser Leu Glu Thr Leu Leu Glu 130 135 140

Ile Ala Pro Gly Arg Lys Thr Asp Pro Gly His Phe Phe Asp Trp Arg 165 170 175

Arg Ile Arg Glu Lys Gly Phe Pro Val Asp Arg Asn Ala Val 180 185 190

<210> 99

<211> 1515

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(1515)

<400> 99

_	_			_				_	_	_				gca Ala 15		48
_			_											gac Asp		96
_	_	_	~		_		_		_	_	_			gaa Glu	-	144
_			_	_		_	_	_	_		_			gat Asp		192
_	_			_		_	-	_		_	_	_	_	gtg Val		240
			_		_	_		_	_	_		_	_	tat Tyr 95	-	288
_	-	_	-		-		-	_						gct Ala	_	336
														tat Tyr	-	384
									-	-		_	_	gat Asp	_	432
										_	-		-	agg Arg		480
								_			_		_	gaa Glu 175		528
														cgt Arg		576

_				agt Ser	_	 _		_		_			_		624
_	_		-	cgg Arg					_		_	_	-	-	672
	-	-		gcg Ala	_				_						720
				gca Ala 245											768
0 2		_	_	tat Tyr		_				_		-	-		816
		_		tat Tyr	_	 	_				_		_	_	864
				ccg Pro											912
	-			aca Thr		 -			_	_	_	-	_		960
				gga Gly 325											1008
				caa Gln		_		_	_					-	1056
		_		gat Asp		 _						_	_		1104
				tcg Ser											1152

			_						_			_	_	gtg Val	- 5	1200
		-			_	_			_			_		gcc Ala 415		1248
		J				_	_			_		_	0.5	gtt Val		1296
			_	_	_			_		_		_		tcg Ser		1344
			_		-	_			_	_	_	-	-	agc Ser		1392
_	-	_	_											cgt Arg		1440
		_	_	_			_				_	_		agc Ser 495		1488
			-	gcg Ala	~											1515

<210> 100

<211> 505

<212> PRT

<213> Neisseria meningitidis

<400> 100

Met Leu Tyr Phe Arg Tyr Gly Phe Leu Val Val Trp Cys Ala Ala Gly
1 5 10 15

Val Ser Ala Ala Tyr Gly Ala Asp Ala Pro Ala Ile Leu Asp Asp Lys
20 25 30

Ala Leu Leu Gln Val Gln Arg Ser Val Ser Asp Lys Trp Ala Glu Ser 35 40 45

Asp	50	тЛг	vaı	Asp	Asn	55	Ala	Pro	Arg	vaı	60	Asp	стХ	Asp	Pue
Leu 65	Leu	Ala	His	Pro	Lys 70	Met	Leu	Glu	His	Ser 75	Leu	Arg	Asp	Val	Leu 80
Asn	Gly	Asn	Gln	Ala 85	Asp	Leu	Ile	Ala	Ser 90	Leu	Ala	Asp	Leu	Tyr 95	Ala
Lys	Leu	Pro	Asp 100	Tyr	Asp	Ala	Val	Leu 105	туг	Gly	Arg	Ala	Arg 110	Ala	Leu
Leu	Ala	Lys 115	Leu	Ala	Gly	Aţg	Pro 120	Ala	Glu	Ala	Val	Ala 125	Arg	Туг	Arg
Glu	Leu 130	His	Gly	Glu	Asn	Ala 135	Ala	Asp	Glu	Arg	Ile 140	Leu	Leu	Asp	Leu
Ala 145	Ala	Ala	Glu	Phe	Asp 150	Asp	Phe	Arg	Leu	Lys 155	Ser	Ala	Glu	Arg	His 160
Phe	Ala	Glu	Ala	Glu 165	Lys	Leu	Asp	Leu	Pro 170	Ala	Pro	Val	Leu	Glu 175	Asn
Val	Gly	Arg	Phe 180	Arg	Lys	Lys	Ala	Glu 185	Gly	Leu	Thr	Gly	Trp 190	Arg	Phe
Ser	Gly	Gly 195	Ile	ser	Pro	Ala	Val 200	Asn	Arg	Asn	Ala	Asn 205	Asn	Ala	Ala
Pro	Gln 210	Tyr	Cys	Arg	Gln	Asn 215	Gly	Gly	Arg	Gln	Ile 220	Cys	ser	Val	Ser
Arg 225	Ala	Glu	Arg	Ala	Ala 230	Gly	Leu	Asn	Tyr	Glu 235	Ile	Glu	Ala	Glu	Lys 240
Leu	Thr	Ala	Leu	Ala 245	Asp	Asn	His	Tyr	Leu 250	Leu	Phe	Arg	Ser	Asn 255	Ile
Gly	Gly	Thr	Ser 260	Tyr	Tyr	Phe	Ser	Lys 265	Lys	Ser	Ala	Tyr	Asp 270	Asp	Gly
Phe	Gly	Arg 275	Ala	Туг	Leu	Gly	Trp 280	Gln	Tyr	Lys	Asn	Ala 285	Arg	Gln	Thr
Ala	Gly 290	Ile	Leu	Pro	Phe	Tyr 295	Gln	Val	Gln	Leu	Ser 300	Gly	Ser	Asp	Gly

Phe Asp Ala Lys Thr Lys Arg Val Asn Asn Arg Arg Leu Pro Pro Tyr 305 310 315 320

Met Leu Ala His Gly Val Gly Val Gln Leu Ser His Thr Tyr Arg Pro 325  $330 \cdot 335$ 

Asn Pro Gly Trp Gln Phe Ser Val Ala Leu Glu His Tyr Arg Gln Arg 340 345 350

Tyr Arg Glu Gln Asp Arg Ala Glu Tyr Asn Asn Gly Arg Gln Asp Gly 355 360 365

Phe Tyr Val Ser Ser Ala Lys Arg Leu Gly Glu Ser Ala Thr Val Phe 370 375 380

Gly Gly Trp Gln Phe Val Arg Phe Val Pro Lys Arg Glu Thr Val Gly 385 390 395 400

Gly Ala Val Asn Asn Ala Ala Tyr Arg Asn Gly Val Tyr Ala Gly 405 410 415

Trp Ala Gln Glu Trp Arg Gln Leu Gly Gly Leu Asn Ser Arg Val Ser
420 425 430

Ala Ser Tyr Ala Arg Arg Asn Tyr Lys Gly Val Ala Ala Phe Ser Thr 435 440 445

Glu Ala Gln Arg Asn Arg Glu Trp Asn Val Ser Leu Ala Leu Ser His
450 455 460

Asp Lys Leu Ser Tyr Lys Gly Ile Val Pro Ala Leu Asn Tyr Arg Phe 465 470 475 480

Gly Arg Thr Glu Ser Asn Val Pro Tyr Ala Lys Arg Arg Asn Ser Glu 485 490 495

Val Phe Val Ser Ala Asp Trp Arg Phe 500 505

<210> 101

<211> 1476

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(1476)

<400> 101

atg aaa tac aaa gac ctg cgc gac ttc atc gcc atg ctc gag cag cag Met Lys Tyr Lys Asp Leu Arg Asp Phe Ile Ala Met Leu Glu Gln Gln ggc aaa ctc aaa cgc atc gcg cac ccc gtt tcc ccg cat ttg gaa atg Gly Lys Leu Lys Arg Ile Ala His Pro Val Ser Pro His Leu Glu Met acc gaa atc gcc gac cgc gtg ctg cgc gcc gaa ggg ccg gcg ttg ttg Thr Glu Ile Ala Asp Arg Val Leu Arg Ala Glu Gly Pro Ala Leu Leu ttt gaa cac cca gtt aag ccc gac ggt acg cgc tat gat tat ccc gtg Phe Glu His Pro Val Lys Pro Asp Gly Thr Arg Tyr Asp Tyr Pro Val ttg gca aac ctg ttc ggc acg ccc gaa cgt gtg gcg atg ggc atg ggc Leu Ala Asn Leu Phe Gly Thr Pro Glu Arg Val Ala Met Gly Met Gly gcg gac agc gtg tcc aag ctg cgc gaa atc ggg cag acg ctg gcg tat Ala Asp Ser Val Ser Lys Leu Arg Glu Ile Gly Gln Thr Leu Ala Tyr ttg aaa gaa ccc gaa ccg ccc aaa ggc att aaa gac gcg ttt tcc aaa Leu Lys Glu Pro Glu Pro Pro Lys Gly Ile Lys Asp Ala Phe Ser Lys ctg ccg ctc ttg aaa gac att tgg agc atg gcg ccg aac gtg gtg aaa Leu Pro Leu Lys Asp Ile Trp Ser Met Ala Pro Asn Val Val Lys aat gcg ccg tgt cag gaa atc gta tgg gaa ggc gaa gac gtt gat ttg Asn Ala Pro Cys Gln Glu Ile Val Trp Glu Gly Glu Asp Val Asp Leu tat caa ctt ccg att cag cat tgc tgg ccg gaa gac gtt gcg ccg ctg Tyr Gln Leu Pro Ile Gln His Cys Trp Pro Glu Asp Val Ala Pro Leu gta acg tgg ggc ttg acc gtc acg cgc ggg ccg cac aaa aaa cgc caa Val Thr Trp Gly Leu Thr Val Thr Arg Gly Pro His Lys Lys Arg Gln aat ctc ggc att tac cgc caa caa tta atc ggc ata aac aag ctg att 

Asn	Leu	Gly	Ile 180	Tyr	Arg	Gln	Gln	Leu 185	Ile	Gly	Ile	Asn	Lys 190	Leu	Ile	
	_					_				_	_		_	gaa Glu		624
_					-	-	_			-	_	-		ctc Leu		672
_	-		-			_			-	_		-		gat Asp		720
-	_	_		_		-		_	_	-		_		acg Thr 255	-	768
_	, ,		_		5.5		_	~		, ,		_	_	gca Ala	_	816
	-	-	-		-					-			_	gaa Glu		864
										_	_			ttc Phe		912
		_	-	-	-			_	_	_		_		tac Tyr		960
						_		_	_		_	_	_	ggc Gly 335	-	1008
	_		_			_	_		_		_			ccc Pro	_	1056
										_				atg Met		1104
gtg	gtg	agc	atg	aaa	aaa	cag	tac	gcc	gga	cac	gcc	aag	cgc	gtg	atg	1152

Val Val Ser Met Lys Lys Gln Tyr Ala Gly His Ala Lys Arg Val Met 370 375 380 atg ggc tgc tgg tcg ttc ctg cgc cag ttt atg tac acc aaa ttc atc 1200 Met Gly Cys Trp Ser Phe Leu Arg Gln Phe Met Tyr Thr Lys Phe Ile 390 395 att gtg gtg gat gac gat gtg gat gtg cgc gac tgg aaa gaa gtc atc 1248 Ile Val Val Asp Asp Val Asp Val Arg Asp Trp Lys Glu Val Ile 405 410 415 tgg gcg gta acc acg cgc atg gac ccc gtg cgc gat acc gtt ttg atg 1296 Trp Ala Val Thr Thr Arg Met Asp Pro Val Arg Asp Thr Val Leu Met 420 425 430 gaa aac acg ccc atc gac tac ctc gac ttc gcc agc ccc gtc agc gga 1344 Glu Asn Thr Pro Ile Asp Tyr Leu Asp Phe Ala Ser Pro Val Ser Gly 435 440 ctt ggc ggc aaa atg ggt ttg gat gcg acc aac aag tgg ccg ggc gaa 1392 Leu Gly Gly Lys Met Gly Leu Asp Ala Thr Asn Lys Trp Pro Gly Glu 450 455 460 acc gac cgc gaa tgg gga cgg gtg att aaa aaa gac cct gcg gtt acg 1440 Thr Asp Arg Glu Trp Gly Arg Val Ile Lys Lys Asp Pro Ala Val Thr 470 475 465 480 gct aag att gat gag att tgg gag gaa ttg ggg ttg 1476 Ala Lys Ile Asp Glu Ile Trp Glu Glu Leu Gly Leu 485 490

<210> 102

<211> 492

<212> PRT

<213> Neisseria meningitidis

<400> 102

Met Lys Tyr Lys Asp Leu Arg Asp Phe Ile Ala Met Leu Glu Gln Gln 1 5 10 15

Gly Lys Leu Lys Arg Ile Ala His Pro Val Ser Pro His Leu Glu Met
20 25 30

Thr Glu Ile Ala Asp Arg Val Leu Arg Ala Glu Gly Pro Ala Leu Leu
35 40 45

Phe Glu His Pro Val Lys Pro Asp Gly Thr Arg Tyr Asp Tyr Pro Val

VO 01/85772	PCT/GB01/02003

50 55 60

Leu Ala Asn Leu Phe Gly Thr Pro Glu Arg Val Ala Met Gly Met Gly 65 70 75 80

Ala Asp Ser Val Ser Lys Leu Arg Glu Ile Gly Gln Thr Leu Ala Tyr 85 90 95

Leu Lys Glu Pro Glu Pro Pro Lys Gly Ile Lys Asp Ala Phe Ser Lys
100 105 110

Leu Pro Leu Leu Lys Asp Ile Trp Ser Met Ala Pro Asn Val Val Lys
115 120 125

Asn Ala Pro Cys Gln Glu Ile Val Trp Glu Gly Glu Asp Val Asp Leu 130 135 140

Tyr Gln Leu Pro Ile Gln His Cys Trp Pro Glu Asp Val Ala Pro Leu 145 150 155 160

Val Thr Trp Gly Leu Thr Val Thr Arg Gly Pro His Lys Lys Arg Gln
165 170 175

Asn Leu Gly Ile Tyr Arg Gln Gln Leu Ile Gly Ile Asn Lys Leu Ile 180 185 190

Met Arg Trp Leu Ser His Arg Gly Gly Ala Leu Asp Tyr Gln Glu Phe 195 200 205

Arg Lys Leu Asn Pro Asp Thr Pro Tyr Pro Val Ala Val Val Leu Gly 210 215 220

Cys Asp Pro Ala Thr Ile Leu Gly Ala Val Thr Pro Val Pro Asp Thr 225 230 235 240

Leu Ser Glu Tyr Gln Phe Ala Gly Leu Leu Arg Gly Ser Arg Thr Glu 245 250 255

Leu Val Lys Cys Ile Gly Asn Asp Leu Gln Val Pro Ala Arg Ala Glu 260 265 270

Ile Val Leu Glu Gly Val Ile His Pro Asn Glu Thr Ala Leu Glu Gly
275 280 285

Pro Tyr Gly Asp His Thr Gly Tyr Tyr Asn Glu Gln Asp His Phe Pro 290 295 300

Val Phe Thr Val Glu Arg Ile Thr Met Arg Glu Asn Pro Ile Tyr His

305 310 315 320

Ser Thr Tyr Thr Gly Lys Pro Pro Asp Glu Pro Ala Val Leu Gly Val 325 330 335

Ala Leu Asn Glu Val Phe Val Pro Leu Leu Gln Lys Gln Phe Pro Glu 340 345 350

Ile Thr Asp Phe Tyr Leu Pro Pro Glu Gly Cys Ser Tyr Arg Met Ala 355 360 365

Val Val Ser Met Lys Lys Gln Tyr Ala Gly His Ala Lys Arg Val Met 370 375 380

Met Gly Cys Trp Ser Phe Leu Arg Gln Phe Met Tyr Thr Lys Phe Ile 385 390 395 400

Ile Val Val Asp Asp Asp Val Asp Val Arg Asp Trp Lys Glu Val Ile
405 410 415

Trp Ala Val Thr Thr Arg Met Asp Pro Val Arg Asp Thr Val Leu Met 420 425 430

Glu Asn Thr Pro Ile Asp Tyr Leu Asp Phe Ala Ser Pro Val Ser Gly 435 440 445

Leu Gly Gly Lys Met Gly Leu Asp Ala Thr Asn Lys Trp Pro Gly Glu 450 455 460

Thr Asp Arg Glu Trp Gly Arg Val Ile Lys Lys Asp Pro Ala Val Thr 465 470 475 480

Ala Lys Ile Asp Glu Ile Trp Glu Glu Leu Gly Leu 485 490

<210> 103

<211> 1089

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(1089)

<400> 103

atg agt ttg aaa tgc ggc atc gtc ggt ttg ccc aac gtc ggc aaa tcc 48

Met 1	Ser	Leu	Lys	Cys 5	Gly	Ile	Val	Gly	Leu 10	Pro	Asn	Val	Gly	Lуs 15	Ser	
-				Ū		4			10							
					-			_				-		aac Asn		96
														ccc Pro		144
		35					40					45				
_	-	_	_	-	_	_			_		_			atg Met	_	192
	_		_	_		_	_		_		_	-,	_	Gly ggc		240
	222	aaa	~~~	~~~		~~~	224	a 2 a	++~		~~~	224	2+4	949		200
-			_	-	-			-			-			cgc Arg 95	_	288
														aac Asn		336
			-	-	-	-					_			acc Thr		384
										-	-			gcc Ala		432
_	-	-	_		-	_	-			_		-		caa Gln	_	480
			_	_			_		_		_	_	_	ggc Gly 175		528
									-					ctc Leu		576
cca	cta	ttc	cta	cta	acc	acc	aaa	cca	aca	ato	tat	ata	aac	aac	atc	624

Pro	Leu	Phe 195	Leu	Leu	Thr	Ala	Lys 200	Pro	Ala	Met	Tyr	Val 205	Gly	Asn	Val	
				ttt Phe									-			672
_		-		gaa Glu		-		_	_	_	_	_	_	_	_	720
	_			gcc Ala 245				-					-			768
				ttg Leu							-					816
		•		ttg Leu		_						_				864
Glu				tgg Trp												912
				cac His				_	-				-	_		960
				gac Asp 325												1008
				aaa Lys		_		_		_			_		_	1056
_		-	_	atg Met			_									1089

<210> 104

<211> 363

<212> PRT

<213> Neisseria meningitidis

<4	$\cap$	$\cap \sim$	7	0.4
V 4	11	U /		<b>U</b>

Met Ser Leu Lys Cys Gly Ile Val Gly Leu Pro Asn Val Gly Lys Ser 1 5 10 15

Thr Leu Phe Asn Ala Leu Thr Gln Ser Gly Ile Glu Ala Ala Asn Tyr
20 25 30

Pro Phe Cys Thr Ile Glu Pro Asn Val Gly Ile Val Glu Val Pro Asp 35 40 45

Pro Arg Met Ala Glu Leu Ala Lys Ile Val Asn Pro Gln Lys Met Gln 50 55 60

Pro Ala Ile Val Glu Phe Val Asp Ile Ala Gly Leu Val Ala Gly Ala 65 70 75 80

Ser Lys Gly Glu Gly Leu Gly Asn Gln Phe Leu Ala Asn Ile Arg Glu 85 90 95

Thr Asp Ala Ile Val Asn Val Val Arg Cys Phe Asp Asp Asp Asn Ile 100 105 110

Val His Val Ala Gly Arg Val Asp Pro Ile Ala Asp Ile Glu Thr Ile 115 120 125

Gly Thr Glu Leu Ala Leu Ala Asp Leu Ala Ser Val Glu Lys Ala Ile 130 135 140

Val Arg Glu Glu Lys Arg Ala Arg Ser Gly Asp Lys Asp Ala Gln Lys 145 150 155 160

Leu Val Asp Leu Cys Lys Lys Leu Leu Pro His Leu Asp Glu Gly Lys
165 170 175

Pro Val Arg Ser Phe Gly Leu Asp Ala Glu Glu Arg Ala Met Leu Lys
180 185 190

Pro Leu Phe Leu Leu Thr Ala Lys Pro Ala Met Tyr Val Gly Asn Val
195 200 205

Ala Glu Asp Gly Phe Glu Asn Asn Pro His Leu Asp Arg Leu Lys Glu 210 215 220

Leu Ala Ala Lys Glu Asn Ala Pro Val Val Ala Val Cys Ala Ala Met 225 230 235 240

Glu Ser Glu Ile Ala Glu Leu Glu Asp Asp Glu Lys Ala Glu Phe Leu

245 250 255

Ala Glu Met Gly Leu Glu Glu Pro Gly Leu Asn Arg Leu Ile Arg Ala 260 265 270

Gly Tyr Asp Leu Leu Gly Leu Gln Thr Tyr Phe Thr Ala Gly Val Lys 275 280 285

Glu Val Arg Ala Trp Thr Ile His Lys Gly Asp Thr Ala Pro Gln Ala 290 295 300

Ala Gly Val Ile His Thr Asp Phe Glu Arg Gly Phe Ile Arg Ala Gln 305 310 315 320

Val Ile Ser Tyr Asp Asp Phe Val Ser Leu Gly Gly Glu Ala Lys Ala 325 330 335

Lys Glu Ala Gly Lys Met Arg Val Glu Gly Lys Glu Tyr Val Val Gln 340 345 350

Asp Gly Asp Val Met His Phe Leu Phe Asn Val
355
360

<210> 105

<211> 1177

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(1176)

<400> 105

atg gca aaa atg atg aaa tgg gcg gct gtt gcg gcg gtc gcg gcg gca 48
Met Ala Lys Met Met Lys Trp Ala Ala Val Ala Ala Val Ala Ala Ala

10 15

gcg gtt tgg ggc gga tgg tct tat ctg aag ccc gag ccg cag gct gct 96
Ala Val Trp Gly Gly Trp Ser Tyr Leu Lys Pro Glu Pro Gln Ala Ala
20 25 30

tat att acg gaa acg gtc agg cgc ggc gac atc agc cgg acg gtt tct 144
Tyr Ile Thr Glu Thr Val Arg Arg Gly Asp Ile Ser Arg Thr Val Ser
35 40 45

gca aca ggg gag att tcg ccg tcc aac ctg gta tcg gtc ggc gcg cag 192

Ala	Thr 50	Gly	Glu	Ile	Ser	Pro 55	Ser	Asn	Leu	Val	Ser 60	Val	Gly	Ala	Gln	
_	_	555	_	att Ile					_			,,,,		_	_	240
	_		_	ttg Leu 85		_	_									288
_			_	gaa Glu				_	-	_		_		_	_	336
J _	_	_	-	att Ile	-	-		_			_			_	_	384
				tgg Trp								_			_	432
_	_	_	_	gcg Ala		_	_	_		_		_	-		_	480
_	_			aga Arg 165	_	_							-			528
_	_			acg Thr	-			-	-	_	_		_			576
			_	gaa Glu									_		_	624
-	_		-	caa Gln	-			-	-	_	_	-			-	672
_		_		Gly	-			_		_			_	_		720
tcg	ttt	acg	att	ttg	tcc	gaa	ccg	gat	acg	ccg	att	aag	gcg	aag	ctc	768

Ser P	?he	Thr	Ile	Leu 245	Ser	Glu	Pro	Asp	Thr 250	Pro	Ile	Lys	Ala	Lys 255	Leu	
gac a Asp S	_	-	_			_		_	_	_	_					816
agc a Ser S	_															864
ttt g Phe V 2				_	-				-	_		_	_	_	-	912
aat a Asn T 305	_	_	_		-						_			_	_	960
ctg a Leu T					-							-				1008
gca g Ala A			_				_					_		-		1056
agt a Ser M	_						_									1104
gtc a Val I			~			-	_		_	_	-	_		_	-	1152
gcc c Ala I 385						_		t								1177
<210><211><211><212><213>	> 39 > PF	92 RT	eria	men	ingit	tidis	5									
<400> Met A			Met	Met 5	Lys	Trp	Ala	Ala	Val 10	Ala	Ala	Val	Ala	Ala 15	Ala	

Ala	Val	Trp	Gly 20	Gly	Trp	Ser	Tyr	Leu 25	Lys	Pro	Glu	Pro	Gln 30	Ala	Ala
Tyr	Ile	Thr 35	Glu	Thr	Val	Arg	Arg 40	Gly	Asp	Ile	Ser	Arg 45	Thr	Val	Ser
Ala	Thr 50	Gly	Glu	Ile	Ser	Pro 55	Ser	Asn	Leu	Val	Ser 60	Val	Gly	Ala	Gln
Ala 65	Ser	Gly	Gln	Ile	Lys 70	Lys	Leu	Tyr	Val	Lys 75	Leu	Gly	Gln	Gln	Val 80
Lys	Lys	Gly	Asp	Leu 85	Ile	Ala	Glu	Ile	Asn 90	Ser	Thr	Ser	Gln	Thr 95	Asn
Thr	Leu	Asn	Thr 100	Glu	Lys	Ser	Lys	Leu 105	Glu	Thr	Tyr	Gln	Ala 110	Lys	Leu
Val	Ser	Ala 115	Gln	Ile	Ala	Leu	Gly 120	Ser	Ala	Glu	Lys	Lys 125	Tyr	Lys	Arg
Gln	Ala 130	Ala	Leu	Trp	Lys	Asp 135	Asp	Ala	Thr	Ala	Lys 140	Glu	Asp	Leu	Glu
Ser 145	Ala	Gln	Asp	Ala	Leu 150	Ala	Ala	Ala	Lys	Ala 155	Asn	Val	Ala	Glu	Leu 160
Lys	Ala	Leu	Ile	Arg 165	Gln	Ser	Lys	Ile	ser 170	Ile	Asn	Thr	Ala	Glu 175	Ser
Glu	Leu	Gly	Tyr 180	Thr	Arg	Ile	Thr	Ala 185	Thr	Met	Asp	Gly	Thr 190	Val	Val
Ala	Ile	Leu 195	Val	Glu	Glu	Gly	Gln 200	Thr	Val	Asn	Ala	Ala 205	Gln	Ser	Thr
Pro	Thr 210	Ile	Val	Gln	Leu	Ala 215	Asn	Leu	Asp	Met	Met 220	Leu	Asn	Lys	Met
Gln 225	Ile	Ala	Glu	Gly	Asp 230	Ile	Thr	Lys	Val.	Lys 235	Ala	Gly	Gln	Asp	Ile 240
Ser	Phe	Thr	Ile	Leu 245	Ser	Glu	Pro	Asp	Thr 250	Pro	Ile	Lys	Ala	Lys 255	Leu
Asp	Ser	Val	Asp 260	Pro	Gly	Leu	Thr	Thr 265	Met	ser	Ser	Gly	Gly 270	туг	Asn

Ser Ser Thr Asp Thr Ala Ser Asn Ala Val Tyr Tyr Tyr Ala Arg Ser 275 280 285

Phe Val Pro Asn Pro Asp Gly Lys Leu Ala Thr Gly Met Thr Thr Gln 290 295 300

Asn Thr Val Glu Ile Asp Gly Val Lys Asn Val Leu Ile Ile Pro Ser 305 310 315 320

Leu Thr Val Lys Asn Arg Gly Gly Arg Ala Phe Val Arg Val Leu Gly 325 330 335

Ala Asp Gly Lys Ala Ala Glu Arg Glu Ile Arg Thr Gly Met Arg Asp 340 345 350

Ser Met Asn Thr Glu Val Lys Ser Gly Leu Lys Glu Gly Asp Lys Val 355 360 365

Val Ile Ser Glu Ile Thr Ala Ala Glu Gln Gln Glu Ser Gly Glu Arg 370 375 380

Ala Leu Gly Gly Pro Pro Arg Arg 385 390

<210> 107

<211> 1185

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(1185)

<400> 107

atg aca gag gac gaa cgt ttc gcg tgg ctg caa ttg gcg ttt acg ccc 48
Met Thr Glu Asp Glu Arg Phe Ala Trp Leu Gln Leu Ala Phe Thr Pro

1 5 10 15

tat atc ggc gcg gaa agt ttc ctg ctg ctg atg cgc cgt ttc ggc agc 96
Tyr Ile Gly Ala Glu Ser Phe Leu Leu Met Arg Arg Phe Gly Ser
20 25 30

gcg caa aat gcc ctg tcc gca ccg gcg gaa cag gtg gcg gca ctg ata 144
Ala Gln Asn Ala Leu Ser Ala Pro Ala Glu Gln Val Ala Ala Leu Ile
35 40 45

.5

			_	gcg Ala			_		_			_		_	-	192
_			_	gcg Ala	-				_	_			_		_	240
	_	_	_	atg Met 85	_		_	-	_	_			-	_	-	288
_	_		-	acc Thr		-	_	-	_		~	_				336
	_	_		aag Lys			-	-		-		_	-		-	384
_	_	_		atg Met	2.0		_		-			_	_	_		432
				ccc Pro	-		_		_					-		480
_	_		_	ggc Gly 165	-	_		_	_					_		528
				ata Ile												576
				gcc Ala				_		_						624
	_	_	_	tat Tyr	_				_	_	_		_	-		672
				caa Gln					_	_						720

	tcg Ser	_			-		_		_	_	_		_	-		768
	gcg Ala	_			_		_		_		-			_		816
	ctg Leu			_		_		_	, ,	~	-	_	_	_		864
	aac Asn 290	-	_	_			_			_		_				912
	ata Ile									_		_			=	960
_	tac Tyr	-		_		-	_		_	_		_			_	1008
	ggc		_	-				_	-		_			_		1056
	cat His		-	-		_		-	_	_	_		_	-	-	1104
	tat Tyr 370															1152
	ccc Pro															1185

<210> 108

<211> 395

<212> PRT

<213> Neisseria meningitidis

<400> 108

Met 1	Thr	GLu	Asp	GLu 5	Arg	Phe	ALa	Trp	Leu 10	GIn	Leu	Ala	Phe	Thr 15	Pro
Tyr	Ile	Gly	Ala 20	Glu	Ser	Phe	Leu	Leu 25	Leu	Met	Arg	Arg	Phe 30	Gly	Ser
Ala	Gln	Asn 35	Ala	Leu	Ser	Ala	Pro 40	Ala	Glu	Gln	Val	Ala 45	Ala	Leu	Ile
Arg	His 50	Lys	Gln	Ala	Leu	Glu 55	Ala	Trp	Arg	Asn	Ala 60	Glu	Lys	Arg	Ala
Leu 65	Ala	Arg	Gln	Ala	Ala 70	Glu	Ala	Ala	Leu	Glu 75	Trp	Glu	Met	Arg	Asp 80
Gly	Cys	Arg	Leu	Met 85	Leu	Leu	Gln	Asp	Glu 90	Asp	Phe	Pro	Glu	Met 95	Leu
Thr	Gln	Gly	Leu 100	Thr	Ala	Pro	Pro	Val 105	Leu	Phe	Leu	Arg	Gly 110	Asn	Val
Arg	Leu	Leu 115	His	Lys	Pro	Ser	Ala 120	Ala	Ile	Val	Gly	ser 125	Arg	His	Ala
Thr	Pro 130	Gln	Ala	Met	Arg	Ile 135	Ala	Lys	Asp	Phe	Gly 140	Lys	Ser	Leu	Gly
Gly 145	Gln	Asn	Ile	Pro	Val 150	Val	Ser	Gly	Met	Ala 155	Ser	Gly	Ile	Asp	Thr 160
Ala	Ala	His	Gln	Gly 165	Ala	Leu	Glu	Ala	Glu 170	Gly	Gly	Thr	Ile	Ala 175	Val
Trp	Gly	Thr	Gly 180	Ile	Asp	Arg	Ile	Tyr 185	Pro	Pro	Ser	Asn	Lys 190	Asn	Leu
Ala	Tyr	Glu 195	Ile	Ala	Glu	Lys	Gly 200	Leu	Ile	Val	Ser	Glu 205	Phe	Pro	Ile
Gly	Thr 210	Arg	Pro	Tyr	Ala	Gly 215	Asn	Phe	Pro	Arg	Arg 220	Asn	Arg	Leu	Ile
Ala 225	Ala	Leu	Ser	Gln	Val 230	Thr	Leu	Val	Val	Glu 235	Ala	Ala	Leu	Glu	Ser 240
Gly	Ser	Leu	Ile	Thr 245	Ala	Gly	Leu	Ala	Ala 250	Glu	Met	Gly	Arg	Glu 255	Val

Met Ala Val Pro Gly Ser Ile Asp Asn Pro His Ser Lys Gly Cys His 260 265 270

Lys Leu Ile Lys Asp Gly Ala Lys Leu Val Glu Cys Leu Asp Asp Ile 275 280 285

Leu Asn Glu Cys Pro Gly Leu Leu Gln Asn Thr Gly Ala Ser Ser Tyr 290 295 300

Ser Ile Asn Lys Asp Thr Pro Asp Thr Gly Arg Arg Ala Val Gln Thr 305 310 315 320

Ala Tyr Ala Pro Pro Pro Ala Ala Lys Met Pro Ser Glu Ala Ala Ala 325 330 335

Gly Gly Thr Ala Val Gly Gly Ile Leu Asp Lys Met Gly Phe Asp Pro 340 345 350

Ile His Pro Asp Val Leu Ala Gly Gln Leu Ala Met Pro Ala Ala Asp 355 360 365

Leu Tyr Ala Ala Leu Leu Glu Leu Glu Leu Asp Gly Ser Val Ala Ala 370 375 380

Met Pro Ser Gly Arg Tyr Gln Arg Ile Arg Thr 385 390 395

<210> 109

<211> 1257

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(1257)

<400> 109

atg aaa cag acc gtc ctc aaa aat aac ctg caa aac ctg ctt gaa agc 48
Met Lys Gln Thr Val Leu Lys Asn Asn Leu Gln Asn Leu Glu Ser
1 5 10 15

gca gaa aat atc ctg ctg ctt caa ggc cct gtc ggc gat ttt ttt ctg 96
Ala Glu Asn Ile Leu Leu Gln Gly Pro Val Gly Asp Phe Phe Leu
20 25 30

cgc ctt gcc gac tgg ctg act gca aac ggc aaa acc gta cat aaa ttc 144

Arg Leu Ala Asp Trp Leu Thr Ala Asn Gly Lys Thr Val His Lys Phe aac ttt aat gca ggc gac gac tat ttt tat ccg ccc act caa gcg cat Asn Phe Asn Ala Gly Asp Asp Tyr Phe Tyr Pro Pro Thr Gln Ala His acc gtt gtt ttt aac gac aac tac gat gcc ttt cct gag ttt ttg caa Thr Val Val Phe Asn Asp Asn Tyr Asp Ala Phe Pro Glu Phe Leu Gln gaa tac atc caa cat cac atc cag gcc gtt gtc tgc ttt ggc gac Glu Tyr Ile Thr Gln His His Ile Gln Ala Val Cys Phe Gly Asp aca cgc cct tat cac gtc att gca aaa cgc att gca aac gaa aac caa Thr Arg Pro Tyr His Val Ile Ala Lys Arg Ile Ala Asn Glu Asn Gln gcc agt ttc tgg gcg ttt gaa gaa ggc tat ttc cgc ccc tac tac atc Ala Ser Phe Trp Ala Phe Glu Glu Gly Tyr Phe Arg Pro Tyr Tyr Ile acc tta gaa aaa gac ggc gtc aac gca ttt tcc ccg ttg ccg cgc cgt Thr Leu Glu Lys Asp Gly Val Asn Ala Phe Ser Pro Leu Pro Arg Arg gcc gac ttt ttt ctt gaa caa ttc cct aag ctt gcc cag caa gaa tat Ala Asp Phe Phe Leu Glu Gln Phe Pro Lys Leu Ala Gln Gln Glu Tyr aaa gcg cca acg ccg gta cac ggc ggt ttt acg ccc atg gca aaa aac Lys Ala Pro Thr Pro Val His Gly Gly Phe Thr Pro Met Ala Lys Asn gct atc cgt tac tat atc gag ttg ttc cgc aat cta cgc aaa tac ccc Ala Ile Arg Tyr Tyr Ile Glu Leu Phe Arg Asn Leu Arg Lys Tyr Pro gac tac atc cac cgc gca ccc aat gcc ggc cat tac ctc aaa ccg Asp Tyr Ile His His Arg Ala Pro Asn Ala Gly His Tyr Leu Lys Pro tgg tcg ctc tcc atc ctc aag cgt ttg aac tac tat att gaa gac atc Trp Ser Leu Ser Ile Leu Lys Arg Leu Asn Tyr Tyr Ile Glu Asp Ile caa atc gcc aaa cgt gtg gaa gca ggc aaa tac ggc aag ttt ttt att

Gln 225	Ile	Ala	Lys	Arg	Val 230	Glu	Ala	Gly	Lys	Tyr 235	Gly	Lys	Phe	Phe	Ile 240	
_		_	_	gta Val 245			_	-		_				_	-	768
		_	_	cgc Arg	_		_			-	-	-			_	816
-				gcc Ala	_						_				_	864
_	_			atc Ile	_				-			_				912
_			_	ctc Leu			_									960
_		_		ctg Leu 325	-					_	_				-	1008
	_		-	tcc Ser		_				_		_		_		1056
	_	_		tat Tyr	-						_				-	1104
-	-			aat Asn		_		_								1152
				tac Tyr												1200
	_	_	_	ttt Phe 405								-				1248
cca	aca	acc														1257

Pro Thr Thr

<210> 110

<211> 419

<212> PRT

<213> Neisseria meningitidis

<400> 110

Met Lys Gln Thr Val Leu Lys Asn Asn Leu Gln Asn Leu Leu Glu Ser 1 5 10 15

Ala Glu Asn Ile Leu Leu Gln Gly Pro Val Gly Asp Phe Phe Leu
20 25 30

Arg Leu Ala Asp Trp Leu Thr Ala Asn Gly Lys Thr Val His Lys Phe 35 40 45

Asn Phe Asn Ala Gly Asp Asp Tyr Phe Tyr Pro Pro Thr Gln Ala His 50 55 60

Thr Val Val Phe Asn Asp Asn Tyr Asp Ala Phe Pro Glu Phe Leu Gln 65 70 75 80

Glu Tyr Ile Thr Gln His His Ile Gln Ala Val Val Cys Phe Gly Asp 85 90 95

Thr Arg Pro Tyr His Val Ile Ala Lys Arg Ile Ala Asn Glu Asn Gln
100 105 110

Ala Ser Phe Trp Ala Phe Glu Glu Gly Tyr Phe Arg Pro Tyr Tyr Ile 115 120 125

Thr Leu Glu Lys Asp Gly Val Asn Ala Phe Ser Pro Leu Pro Arg Arg 130 135 140

Ala Asp Phe Phe Leu Glu Gln Phe Pro Lys Leu Ala Gln Gln Glu Tyr 145 150 155 160

Lys Ala Pro Thr Pro Val His Gly Gly Phe Thr Pro Met Ala Lys Asn 165 170 175

Ala Ile Arg Tyr Tyr Ile Glu Leu Phe Arg Asn Leu Arg Lys Tyr Pro 180 185 190

Asp Tyr Ile His His Arg Ala Pro Asn Ala Gly His Tyr Leu Lys Pro 195 200 205

Trp Ser Leu Ser Ile Leu Lys Arg Leu Asn Tyr Tyr Ile Glu Asp Ile 210 215 220

Gln Ile Ala Lys Arg Val Glu Ala Gly Lys Tyr Gly Lys Phe Phe Ile 225 230 235 240

Val Pro Leu Gln Val Phe Asn Asp Ser Gln Val Arg Ile His Cys Asp
245 250 255

Phe Pro Ser Val Arg Ser Phe Leu Leu His Val Leu Ser Ser Phe Ala 260 265 270

Glu His Ala Pro Ala Asp Thr Asn Ile Ile Ile Lys His His Pro Met 275 280 285

Asp Arg Gly Phe Ile Asp Tyr Trp Arg Asp Ile Lys Arg Phe Ile Lys 290 295 300

Glu His Pro Glu Leu Lys Gly Arg Val Ile Tyr Val His Asp Val Pro 305 310 315 320

Leu Pro Val Phe Leu Arg His Gly Leu Gly Met Val Thr Ile Asn Ser 325 330 335

Thr Ser Gly Leu Ser Gly Leu Ile His Asn Met Pro Val Lys Val Leu 340 345 350

Gly Arg Ala Tyr Tyr Asp Ile Pro Gly Ile Thr Asp Gln Asn Thr Leu 355 360 365

Ala Glu Phe Trp Asn His Pro Thr Pro Pro Asp Lys Glu Leu Phe His 370 375 380

Ala Tyr Arg Met Tyr His Leu Asn Val Thr Gln Ile Asn Gly Asn Phe 385 390 395 400

Tyr Ser Gln Val Phe Phe Pro Asn Lys Asn Thr Ser Asp Ser Ser Thr 405 410 415

Pro Thr Thr

<210> 111

<211> 1674

<212> DNA

<213> Neisseria meningitidis

<220> <221> CDS <222> (1)..(1674) <400> 111 atg agt ttc aaa acc gat gcc gaa atc gcc caa tcc tcc acc atg cgc 48 Met Ser Phe Lys Thr Asp Ala Glu Ile Ala Gln Ser Ser Thr Met Arg ccg att ggc gaa att gcc gcc aag ctg ggt ttg aac gtt gac aac att 96 Pro Ile Gly Glu Ile Ala Ala Lys Leu Gly Leu Asn Val Asp Asn Ile 20 gag cct tac ggt cat tac aaa gcc aaa atc aat cct gcc gaa gcg ttc 144 Glu Pro Tyr Gly His Tyr Lys Ala Lys Ile Asn Pro Ala Glu Ala Phe 35 40 aaa ctg ccg caa aaa cag ggc agg ctg att ttg gtt acc gcc atc aac 192 Lys Leu Pro Gln Lys Gln Gly Arg Leu Ile Leu Val Thr Ala Ile Asn 50 ccg act ccg gcg ggc gaa ggt aaa acc acc gta acc atc ggt ttg gcg 240 Pro Thr Pro Ala Gly Glu Gly Lys Thr Thr Val Thr Ile Gly Leu Ala 65 70 75 80 gac gca ttg cgc cat atc ggc aaa gac tct gtg att gct ttg cgc gag 288 Asp Ala Leu Arg His Ile Gly Lys Asp Ser Val Ile Ala Leu Arg Glu 85 90 cct tct ttg ggt ccg gtg ttc ggc gtg aaa ggc ggc gcg gca ggc ggc 336 Pro Ser Leu Gly Pro Val Phe Gly Val Lys Gly Gly Ala Ala Gly Gly 100 105 110 ggc tat gcc caa gtt ttg ccg atg gaa gac atc aac ctg cac ttc acc 384 Gly Tyr Ala Gln Val Leu Pro Met Glu Asp Ile Asn Leu His Phe Thr 115 120 125 gga gat ttt cac gcc atc ggt gcg gca aat aat ctg ctt gcc gcg atg 432 Gly Asp Phe His Ala Ile Gly Ala Ala Asn Asn Leu Leu Ala Ala Met 130 135 140 ctc gac aac cat atc tac caa ggc aac gag ttg aac atc gac ccc aaa Leu Asp Asn His Ile Tyr Gln Gly Asn Glu Leu Asn Ile Asp Pro Lys 145 150 155 160 cgc gtg ctg tgg cgc gtg gtc gat atg aac gac cgc cag ttg cgc 528

Arg Val Leu Trp Arg Arg Val Val Asp Met Asn Asp Arg Gln Leu Arg

165 170 175

			-		_		_		-	_				cgt Arg		576
_			_			_	_		_		_		_	ttc Phe	_	624
	_		_		_	-	_			_	_			atc Ile		672
														ttg Leu		720
				_		_	_			-			-	ccc Pro 255		768
-							_		-		•			ggc ggc	_	816
	_			_			_			-		-		cgt Arg	_	864
				_	_		_	_		-	_			ggc Gly		912
														gcc Ala		960
_			_		_	_	_				_	_		ttg Leu 335		1008
					•	_	-		Leu		-	_		tta Leu	_	1056
_	_	_			_			_	_					aac Asn	-	1104

355 360 365

		_		gga Gly	_		_	_	_				_			1152
	gac		_	gcc Ala	_	ttg					aaa					1200
385	-		-		390					395	-		-		400	
	_		_	gtt Val 405		_			-						-	1248
			_	ttg Leu		_		-	_		_		_	_		1296
				ggt Gly		_		•	-	~ ~	_	55			-	1344
		_		att Ile	_							-	•	_	_	1392
	_		_	gcg Ala		_	-		-		_	_		_		1440
_	_		-	ccg Pro 485		-	_								_	1488
				ctg Leu						_		_		_		1536
-				gtt Val		_		_				-	_	_	-	1584
				aaa Lys				_				_	_	_		1632
				gac Asp				_				_				1674

545 550 555

<210> 112

<211> 558

<212> PRT

<213> Neisseria meningitidis

<400> 112

Met Ser Phe Lys Thr Asp Ala Glu Ile Ala Gln Ser Ser Thr Met Arg

1 5 10 15

Pro Ile Gly Glu Ile Ala Ala Lys Leu Gly Leu Asn Val Asp Asn Ile 20 25 30

Glu Pro Tyr Gly His Tyr Lys Ala Lys Ile Asn Pro Ala Glu Ala Phe 35 40 45

Lys Leu Pro Gln Lys Gln Gly Arg Leu Ile Leu Val Thr Ala Ile Asn 50 55 60

Pro Thr Pro Ala Gly Glu Gly Lys Thr Thr Val Thr Ile Gly Leu Ala 65 70 75 80

Asp Ala Leu Arg His Ile Gly Lys Asp Ser Val Ile Ala Leu Arg Glu 85 90 95

Pro Ser Leu Gly Pro Val Phe Gly Val Lys Gly Gly Ala Ala Gly Gly
100 105 110

Gly Tyr Ala Gln Val Leu Pro Met Glu Asp Ile Asn Leu His Phe Thr 115 120 125

Gly Asp Phe His Ala Ile Gly Ala Ala Asn Asn Leu Leu Ala Ala Met 130 135 140

Leu Asp Asn His Ile Tyr Gln Gly Asn Glu Leu Asn Ile Asp Pro Lys
145 150 155 160

Arg Val Leu Trp Arg Arg Val Val Asp Met Asn Asp Arg Gln Leu Arg 165 170 175

Asn Ile Ile Asp Gly Met Gly Lys Pro Val Asp Gly Val Met Arg Pro 180 185 190

Asp Gly Phe Asp Ile Thr Val Ala Ser Glu Val Met Ala Val Phe Cys 195 200 205

Leu	Ala 210	Lys	Asp	Ile	Ser	Asp 215	Leu	Lys	Glu	Arg	Leu 220	Gly	Asn	Ile	Leu
Val 225	Ala	Tyr	Ala	Lys	Asp 230	Gly	Ser	Pro	Val	Tyr 235	Ala	Lys	Asp	Leu	Ьуs 240
Ala	Asn	Gly	Ala	Met 245	Ala	Ala	Leu	Leu	Lys 250	Asp	Ala	Ile	Lys	Pro 255	Asn
Leu	Val	Gln	Thr 260	Ile	Glu	Gly	Thr	Pro 265	Ala	Phe	Val	His	Gly 270	Gly	Pro
Phe	Ala	Asn 275	Ile	Ala	His	Gly	Cys 280	Asn	Ser	Val	Thr	Ala 285	Thr	Arg	Leu
Ala	Lys 290	His	Leu	Ala	Asp	Tyr 295	Ala	Val	Thr	Glu	Ala 300	Gly	Phe	Gly	Ala
Asp 305	Leu	Gly	Ala	Glu	Lys 310	Phe	Суз	Asp	Ile	Lys 315	Cys	Arg	Leu	Ala	Gly 320
Leu	Lys	Pro	Asp	Ala 325	Ala	Val	Val	Val	Ala 330	Thr	Val	Arg	Ala	Leu 335	Lys
Tyr	Asn	Gly	Gly 340	Val	Glu	Arg	Ala	Asn 345	Leu	Gly	Glu	Glu	Asn 350	Leu	Asp
Ala	Leu	Glu 355	Lys	Gly	Leu	Pro	Asn 360	Leu	Leu	Lys	His	Ile 365	Ser	Asn	Leu
Lys	Asn 370	Val	Phe	Gly	Leu	Pro 375	Val	Val	Val	Ala	Leu 380	Asn	Arg	Phe	Val
Ser 385	Asp	Ser	Asp	Ala	Glu 390	Leu	Ala	Met	Ile	Glu 395	Lys	Ala	Cys	Ala	Glu 400
His	Gly	Val	Glu	Val 405	Ser	Leu	Thr	Glu	Val 410	Trp	Gly	Lys	Gly	Gly 415	
Gly	Gly	Ala	Asp 420	Leu	Ala	Arg	Lys	Val 425	Val	Asn	Ala	Ile	Glu 430	Ser	Gln
Thr	Asn	Asn 435	Phe	Gly	Phe	Ala	Tyr 440	Asp	Val	Glu	Leu	Gly 445	Ile	Lys	Asp
Lys	Ile 450	Arg	Ala	Ile	Ala	Gln 455	Lys	Val	Tyr	Gly	Ala 460	Glu	Asp	Val	Asp

Phe Ser Ala Glu Ala Ser Ala Glu Ile Ala Ser Leu Glu Lys Leu Gly 465 470 475 480 Leu Asp Lys Met Pro Ile Cys Met Ala Lys Thr Gln Tyr Ser Leu Ser 485 490 Asp Asn Ala Lys Leu Leu Gly Cys Pro Glu Asp Phe Arg Ile Ala Val 500 505 Arg Gly Ile Thr Val Ser Ala Gly Ala Gly Phe Ile Val Ala Leu Cys 520 525 515 Gly Asn Met Met Lys Met Pro Gly Leu Pro Lys Val Pro Ala Ala Glu 530 535 540 Lys Ile Asp Val Asp Ala Glu Gly Val Ile His Gly Leu Phe 545 550 555 <210> 113 <211> 475 <212> DNA <213> Neisseria meningitidis <220> <221> CDS <222> (1)..(474) <400> 113 atg gaa cac cta ttt gag gaa tgg ttg ccc gac ctg ccc gac gtt Met Glu His Leu Phe Glu Glu Trp Leu Pro Asp Leu Pro Ala Asp Val 1 10 15 tca gac ggc atc ggc ctg ccg atg agc cgg tta ttg aaa gcc cgg tcg Ser Asp Gly Ile Gly Leu Pro Met Ser Arg Leu Leu Lys Ala Arg Ser 20 25 30 ctg act gcc gca ttg cgc gcc ttg ccg cat ctg ttt tcg gta gaa ctg 144 Leu Thr Ala Ala Leu Arg Ala Leu Pro His Leu Phe Ser Val Glu Leu 35 40 ctg aaa ctg ggc gaa ttg gaa acg gaa tgc gga ggg cgg ctg gtg cgc Leu Lys Leu Gly Glu Leu Glu Thr Glu Cys Gly Gly Arg Leu Val Arg 50 55 60 gaa gtt ttg ttg aag ctg gac ggt atc cct gtt gtc gcg gca agg agc

Glu Val Leu Leu Lys Leu Asp Gly Ile Pro Val Val Ala Ala Arg Ser

gaa tgc cgt atc ggt tcg gcg ttt tgg caa aac att ttg gac tgc ggc Glu Cys Arg Ile Gly Ser Ala Phe Trp Gln Asn Ile Leu Asp Cys Gly acg cgt cct ttg ggc gaa cgt ctg ttt caa gcc gat ttg gaa ggg gcq Thr Arg Pro Leu Gly Glu Arg Leu Phe Gln Ala Asp Leu Glu Gly Ala cgt tcg gcg ttt gag ttt gcc gtt ttc ggc gaa gga tgc gga cgg tac Arg Ser Ala Phe Glu Phe Ala Val Phe Gly Glu Gly Cys Gly Arg Tyr ttt gcc gct cgg cgt tcg cgg ttt tcc cat cac ggc gag gaa atg ctg Phe Ala Ala Arg Arg Ser Arg Phe Ser His His Gly Glu Glu Met Leu ctg acc gag tat ttt ctg ccc gaa ctg aaa cgc ttt atc gga t Leu Thr Glu Tyr Phe Leu Pro Glu Leu Lys Arg Phe Ile Gly <210> 114 <211> 158 <212> PRT <213> Neisseria meningitidis <400> 114 Met Glu His Leu Phe Glu Glu Trp Leu Pro Asp Leu Pro Ala Asp Val Ser Asp Gly Ile Gly Leu Pro Met Ser Arg Leu Leu Lys Ala Arg Ser Leu Thr Ala Ala Leu Arg Ala Leu Pro His Leu Phe Ser Val Glu Leu Leu Lys Leu Gly Glu Leu Glu Thr Glu Cys Gly Gly Arg Leu Val Arg 

Glu Cys Arg Ile Gly Ser Ala Phe Trp Gln Asn Ile Leu Asp Cys Gly 85 90 95

Glu Val Leu Leu Lys Leu Asp Gly Ile Pro Val Val Ala Ala Arg Ser

Thr Arg Pro Leu Gly Glu Arg Leu Phe Gln Ala Asp Leu Glu Gly Ala

100 105 110

Arg Ser Ala Phe Glu Phe Ala Val Phe Gly Glu Gly Cys Gly Arg Tyr 115 120 125

Phe Ala Ala Arg Arg Ser Arg Phe Ser His His Gly Glu Glu Met Leu 130 135 140

Leu Thr Glu Tyr Phe Leu Pro Glu Leu Lys Arg Phe Ile Gly 145 150 155

<210> 115

<211> 1476

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(1476)

<400> 115

atg aaa tac aaa gac ctg cgc gac ttc atc gcc atg ctc gag cag cag 48
Met Lys Tyr Lys Asp Leu Arg Asp Phe Ile Ala Met Leu Glu Gln Gln
1 5 10 15

ggc aaa ctc aaa cgc atc gcg cac ccc gtt tcc ccg cat ttg gaa atg 96 Gly Lys Leu Lys Arg Ile Ala His Pro Val Ser Pro His Leu Glu Met 20 25 30

acc gaa atc gcc gac cgc gtg ctg cgc gcc gaa ggg ccg gcg ttg ttg 144
Thr Glu Ile Ala Asp Arg Val Leu Arg Ala Glu Gly Pro Ala Leu Leu
35 40 45

ttt gaa cac cca gtt aag ccc gac ggt acg cgc tat gat tat ccc gtg 192
Phe Glu His Pro Val Lys Pro Asp Gly Thr Arg Tyr Asp Tyr Pro Val
50 55 60

ttg gca aac ctg ttc ggc acg ccc gaa cgt gtg gcg atg ggc atg ggc 240 Leu Ala Asn Leu Phe Gly Thr Pro Glu Arg Val Ala Met Gly Met Gly 65 70 75 80

gcg gac agc gtg tcc aag ctg cgc gaa atc ggg cag acg ctg gcg tat 288
Ala Asp Ser Val Ser Lys Leu Arg Glu Ile Gly Gln Thr Leu Ala Tyr
85 90 95

ttg aaa gaa ccc gaa ccg ccc aaa ggc att aaa gac gcg ttt tcc aaa 336

Leu	Lys	Glu	Pro 100	Glu	Pro	Pro	Lys	Gly 105	Ile	Lys	Asp	Ala	Phe 110	Ser	Lys	
_	_		_	aaa Lys	-			_	_		_					384
		_	-	cag Gln	-		-		-		_	_	-	-	_	432
				att Ile	_		_		-	-	_	_		-	_	480
				ttg Leu 165												528
				tac Tyr	_								_	_		576
_	-		_	tcg Ser		-				-	_			-		624
-				ccc Pro	•	_	_			-		-				672
-	_		-	acc Thr		_			-	_		-		-		720
_	_	_		cag Gln 245		_		_	_	_		_		_	_	768
_			_	atc Ile			-	_				_	_	_	_	816
			_	Gly	_					_			_	_		864
cca	tac	ggc	gac	cac	acg	ggc	tat	tac	aac	gag	cag	gac	cat	ttc	ccc	912

Pro	Tyr 290	Gly	Asp	His	Thr	Gly 295	Tyr	Tyr	Asn	Glu	Gln 300	Asp	His	Phe	Pro	
		_	_	_	_			_	_	_	aac Asn	_				960
						_		-	-		gcc Ala	_	_			1008
	_		_			-	_		_		aag Lys	_			_	1056
		_			_	_		_		_	tcc Ser		_	_		1104
		_	_					_			gcc Ala 380	_	_		-	1152
_		_		_		_	_	_		_	tac Tyr					1200
			-	_	-		-		_	-	tgg Trp		_	-		1248
		_		_		_	_			_	gat Asp		_	_	-	1296
_		_			_						agc Ser		_	_		1344
				_		_	_				aag Lys 460		_		_	1392
											gac Asp					1440
gct	aag	att	gat	gag	att	tgg	gag	gaa	ttg	ggg	ttg					1476

Ala Lys Ile Asp Glu Ile Trp Glu Glu Leu Gly Leu 485 490

<210> 116

<211> 492

<212> PRT

<213> Neisseria meningitidis

<400> 116

Met Lys Tyr Lys Asp Leu Arg Asp Phe Ile Ala Met Leu Glu Gln Gln 1 5 10 15

Gly Lys Leu Lys Arg Ile Ala His Pro Val Ser Pro His Leu Glu Met
20 25 30

Thr Glu Ile Ala Asp Arg Val Leu Arg Ala Glu Gly Pro Ala Leu Leu 35 40 45

Phe Glu His Pro Val Lys Pro Asp Gly Thr Arg Tyr Asp Tyr Pro Val
50 55 60

Leu Ala Asn Leu Phe Gly Thr Pro Glu Arg Val Ala Met Gly Met Gly 65 70 75 80

Ala Asp Ser Val Ser Lys Leu Arg Glu Ile Gly Gln Thr Leu Ala Tyr 85 90 95

Leu Lys Glu Pro Glu Pro Pro Lys Gly Ile Lys Asp Ala Phe Ser Lys
100 105 110

Leu Pro Leu Lys Asp Ile Trp Ser Met Ala Pro Asn Val Val Lys
115 120 125

Asn Ala Pro Cys Gln Glu Ile Val Trp Glu Gly Glu Asp Val Asp Leu 130 135 140

Val Thr Trp Gly Leu Thr Val Thr Arg Gly Pro His Lys Lys Arg Gln
165 170 175

Asn Leu Gly Ile Tyr Arg Gln Gln Leu Ile Gly Ile Asn Lys Leu Ile 180 185 190

Met Arg Trp Leu Ser His Arg Gly Gly Ala Leu Asp Tyr Gln Glu Phe 195 200 205

Arg	Lys 210	Leu	Asn	Pro	Asp	Thr 215	Pro	Tyr	Pro	Val	Ala 220	Val	Val	Leu	Gly
Cys 225	Asp	Pro	Ala	Thr	Ile 230	Leu	Gly	Ala	Val	Thr 235	Pro	Val	Pro	Asp	Thr 240
Leu	Ser	Glu	Tyr	Gln 245	Phe	Ala	Gly	Leu	Leu 250	Arg	Gly	ser	Arg	Thr 255	Glu
Leu	Val	Lys	Cys 260	Ile	Gly	Asn	Asp	Leu 265	Gln	Val	Pro	Ala	Arg 270	Ala	Glu
Ile	Val	Leu 275	Glu	Gly	Val	Ile	His 280	Pro	Asn	Glu	Thr	Ala 285	Leu	Glu	Gly
Pro	Tyr 290	Gly	Asp	His	Thr	Gly 295	Tyr	Tyr	Asn	Glu	Gln 300	Asp	His	Phe	Pro
Val 305	Phe	Thr	Val	Glu	Arg 310	Ile	Thr	Met	Arg	Glu 315	Asn	Pro	Ile	Tyr	His 320
Ser	Thr	Туг	Thr	Gly 325	Lys	Pro	Pro	Asp	Glu 330	Pro	Ala	Val	Leu	Gly 335	Val
Ala	Leu	Asn	Glu 340	Val	Phe	Val	Pro	Leu 345	Leu	Gln	Lys	Gln	Phe 350	Pro	Glu
Ile	Thr	Asp 355	Phe	Tyr	Leu	Pro	Pro 360	Glu	Gly	Cys	Ser	Tyr 365	Arg	Met	Ala
Val	Val 370	Ser	Met	Lys	Lys	Gln 375	Tyr	Ala	Gly	His	Ala 380	Lys	Arg	Val	Met
Met 385	Gly	Суѕ	Trp	Ser	Phe 390	Leu	Arg	Gln	Phe	Met 395	Tyr	Thr	Lys	Phe	Ile 400
Ile	Val	Val	Asp	Asp 405	Asp	Val	Asp	Val	Arg 410	Asp	Trp	Lys	Glu	Val 415	Ile
Trp	Ala	Val	Thr 420	Thr	Arg	Met	Asp	Pro 425	Val	Arg	Asp	Thr	Val 430	Leu	Met
Glu	Asn	Thr 435	Pro	Ile	Asp	Туг	Leu 440	Asp	Phe	Ala	ser	Pro 445	Val	Ser	Gly
Leu	Gly 450	Gly	Lys	Met	Gly	Leu 455	Asp	Ala	Thr	Asn	Lys 460	Trp	Pro	Gly	Glu

Thr Asp Arg Glu Trp Gly Arg Val Ile Lys Lys Asp Pro Ala Val Thr 465 470 475 480

Ala Lys Ile Asp Glu Ile Trp Glu Glu Leu Gly Leu 485 490

<210> 117

<211> 1515

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(1515)

<400> 117

atg ttg tat ttc aga tac ggt ttt ttg gtt gtt tgg tgt gcg gca ggt 48
Met Leu Tyr Phe Arg Tyr Gly Phe Leu Val Val Trp Cys Ala Ala Gly

1 5 10 15

gtt tct gcc gcc tat ggg gcg gat gcg ccc gcg att ttg gat gac aag 96
Val Ser Ala Ala Tyr Gly Ala Asp Ala Pro Ala Ile Leu Asp Asp Lys
20 25 30

gca ttg ttg cag gtg cag cgg tcg gtg tcg gat aag tgg gcg gaa tcg 144
Ala Leu Leu Gln Val Gln Arg Ser Val Ser Asp Lys Trp Ala Glu Ser
35 40 45

gat tgg aaa gtt gac aat gat gcc ccg cgc gtg gtt gac ggg gat ttt 192
Asp Trp Lys Val Asp Asn Asp Ala Pro Arg Val Val Asp Gly Asp Phe
50 55 60

ttg ttg gcg cat ccg aaa atg ttg gaa cat agt ttg cgc gac gtg ctc 240 Leu Leu Ala His Pro Lys Met Leu Glu His Ser Leu Arg Asp Val Leu 65 70 75 80

aac ggc aat cag gcg gat ttg atc gct tcg ttg gcg gat ttg tat gcc 288
Asn Gly Asn Gln Ala Asp Leu Ile Ala Ser Leu Ala Asp Leu Tyr Ala
85 90 95

aag ctg ccg gat tat gac gcg gtt ttg tac ggc agg gcg cgg gct ttg 336
Lys Leu Pro Asp Tyr Asp Ala Val Leu Tyr Gly Arg Ala Arg Ala Leu
100 105 110

ctg gcg aaa ttg gcg gga agg ccg gcg gag gcg gtg gcg cgg tat cgg 384

Leu	Ala	Lys 115	Leu	Ala	Gly	Arg	Pro 120	Ala	Glu	Ala	Val	Ala 125	Arg	Tyr	Arg	
				gaa Glu												432
, ,				ttt Phe	_	_			_	_	_	-	-			480
	_			gaa Glu 165		_	-	_	-		_	_	_	_		528
				cgg Arg												576
				agt Ser												624
_	_		_	cgg Arg						_		-	_	_	=	672
				gcg Ala	-		-			-						720
		,		gca Ala 245	-				_							768
		_	_	tat Tyr			_				-					816
		_		tat Tyr	_			_				_			_	864
			_	ccg Pro			_		_	_	_		_	_		912
ttt	gat	gcg	aaa	aca	aaa	cgg	gta	aac	aac	cgc	cgc	ctg	ccg	ccg	tat	960

Phe 305	Asp	Ala	Lys	Thr	Lys 310	Arg	Val	Asn	Asn	Arg 315	Arg	Leu	Pro	Pro	Tyr 320	
_	_			gga Gly 325	_				_					_		1008
	_			caa Gln		_	_	-	_	-			_		_	1056
	_	-	_	gat Asp			_						_	_		1104
		_	_	tcg Ser	_		-	_		-	_	_				1152
			_	ttt Phe							_					1200
				aat Asn 405												1248
				tgg Trp												1296
			_	cgc Arg	_			_		_				_		1344
	_		-	aac Asn	_	_			_		_	_	_	_		1392
_	_	_	_	tac Tyr							_			_		1440
		_	_	agt Ser 485			_				_	_		_		1488
gtg	ttt	gtg	tcg	gcg	gat	tgg	cgg	ttt								1515

Val Phe Val Ser Ala Asp Trp Arg Phe 500 505

<210> 118

<211> 505

<212> PRT

<213> Neisseria meningitidis

<400> 118

Met Leu Tyr Phe Arg Tyr Gly Phe Leu Val Val Trp Cys Ala Ala Gly
1 5 10 15

Val Ser Ala Ala Tyr Gly Ala Asp Ala Pro Ala Ile Leu Asp Asp Lys
20 25 30

Ala Leu Leu Gln Val Gln Arg Ser Val Ser Asp Lys Trp Ala Glu Ser 35 40 45

Asp Trp Lys Val Asp Asn Asp Ala Pro Arg Val Val Asp Gly Asp Phe 50 55 60

Leu Leu Ala His Pro Lys Met Leu Glu His Ser Leu Arg Asp Val Leu 65 70 75 80

Asn Gly Asn Gln Ala Asp Leu Ile Ala Ser Leu Ala Asp Leu Tyr Ala 85 90 95

Lys Leu Pro Asp Tyr Asp Ala Val Leu Tyr Gly Arg Ala Arg Ala Leu
100 105 110

Leu Ala Lys Leu Ala Gly Arg Pro Ala Glu Ala Val Ala Arg Tyr Arg 115 120 125

Glu Leu His Gly Glu Asn Ala Ala Asp Glu Arg Ile Leu Leu Asp Leu 130 135 140

Ala Ala Ala Glu Phe Asp Asp Phe Arg Leu Lys Ser Ala Glu Arg His 145 150 155 160

Phe Ala Glu Ala Glu Lys Leu Asp Leu Pro Ala Pro Val Leu Glu Asn 165 170 175

Val Gly Arg Phe Arg Lys Lys Ala Glu Gly Leu Thr Gly Trp Arg Phe 180 185 190

Ser Gly Gly Ile Ser Pro Ala Val Asn Arg Asn Ala Asn Asn Ala Ala 195 200 205

Pro	Gln 210	Tyr	Cys	Arg	Gln	Asn 215	Gly	Gly	Arg	Gln	11e 220	Cys	Ser	Val	Ser
Arg 225	Ala	Glu	Arg	Ala	Ala 230	Gly	Leu	Asn	Туг	Glu 235	Ile	Glu	Ala	Glu	Lys 240
Leu	Thr	Ala	Leu	Ala 245	Asp	Asn	His	Tyr	Leu 250	Leu	Phe	Arg	Ser	Asn 255	Ile
Gly	Gly	Thr	Ser 260	Туг	Tyr	Phe	Ser	Lys 265	Lys	Ser	Ala	Туг	Asp 270	Asp	Gly
Phe	Gly	Arg 275	Ala	Tyr	Leu	Gly	Trp 280	Gln	Tyr	Lys	Asn	Ala 285	Arg	Gln	Thr
Ala	Gly 290	Ile	Leu	Pro	Phe	Tyr 295	Gln	Val	Gln	Leu	Ser 300	Gly	Ser	Asp	Gly
Phe 305	Asp	Ala	Lys	Thr	Lys 310	Arg	Val	Asn	Asn	Arg 315	Arg	Leu	Pro	Pro	Tyr 320
Met	Leu	Ala	His	Gly 325	Val	Gly	Val	Gln	Leu 330	Ser	His	Thr	Tyr	Arg 335	Pro
Asn	Pro	Gly	Trp 340	Gln	Phe	Ser	Val	Ala 345	Leu	Glu	His	Tyr	Arg 350	Gln	Arg
Tyr	Arg	Glu 355	Gln	Asp	Arg	Ala	Glu 360	Tyr	Asn	Asn	Gly	Arg 365	Gln	Asp	Gly
Phe	Tyr 370	Val	Ser	Ser	Ala	Lys 375	Arg	Leu	Gly	Glu	ser 380	Ala	Thr	Val	Phe
Gly 385	Gly	Trp	Gln	Phe	Val 390	Arg	Phe	Val	Pro	Lys 395	Arg	Glu	Thr	Val	Gly 400
Gly	Ala	Val	Asn	Asn 405	Ala	Ala	Туг	Arg	Arg 410	Asn	Gly	Val	Tyr	Ala 415	Gly
Trp	Ala	Gln	Glu 420	Trp	Arg	Gln	Leu	Gly 425	Gly	Leu	Asn	Ser	Arg 430	Val	Ser
Ala	ser	Tyr 435	Ala	Arg	Arg	Asn	Tyr 440	Lys	Gly	Val	Ala	Ala 445	Phe	Ser	Thr
Glu	Ala 450	Gln	Arg	Asn	Arg	Glu 455	Trp	Asn	Val	Ser	Leu 460	Ala	Leu	Ser	His

Asp Lys Leu Ser Tyr Lys Gly Ile Val Pro Ala Leu Asn Tyr Arg Phe 475 465 470 Gly Arg Thr Glu Ser Asn Val Pro Tyr Ala Lys Arg Arg Asn Ser Glu 485 490 Val Phe Val Ser Ala Asp Trp Arg Phe 500 <210> 119 <211> 756 <212> DNA <213> Neisseria meningitidis <220> <221> CDS <222> (1)..(756) <400> 119 atg gaa acg cat tcg ggc tgt ttt ttg cgg aag acg gta atg aaa gac 48 Met Glu Thr His Ser Gly Cys Phe Leu Arg Lys Thr Val Met Lys Asp 1 5 10 15 gat gtt ttg aaa cag cag gca cac gcg gcg ata cag aag aaa ctg ggc 96 Asp Val Leu Lys Gln Gln Ala His Ala Ala Ile Gln Lys Lys Leu Gly 20 . 25 tac gcg ttc cgc gat att tcg ctt ttg cgg cag gct ttg acg cac agg 144 Tyr Ala Phe Arg Asp Ile Ser Leu Leu Arg Gln Ala Leu Thr His Arg 35 40 age cat cat gcg aag cac aac gag cgg ttc gag ttt gtc ggc gat tcg 192 Ser His His Ala Lys His Asn Glu Arg Phe Glu Phe Val Gly Asp Ser 50 55 60 att ttg aat tat acg gtg gcg cgg atg ctg ttt gac gcg ttt ccg aag 240 Ile Leu Asn Tyr Thr Val Ala Arg Met Leu Phe Asp Ala Phe Pro Lys 65 70 75 ttg acc gag ggc gag ttg tcg cgg ttg cgg gca agt ctg gtc aat gag 288 Leu Thr Glu Gly Glu Leu Ser Arg Leu Arg Ala Ser Leu Val Asn Glu 85 90 95 ggc gtg ctg gcg gaa atg gcg gaa atg aat gtc ggc gac ggc ctg 336 Gly Val Leu Ala Glu Met Ala Ala Glu Met Asn Val Gly Asp Gly Leu

100 105 110

	ttg Leu	555				-						_			_	384
	ctg Leu 130		-		_			_				-	_		_	432
	gat Asp			_		-	_			_		_		_	-	480
	gtc Val		_	_	-				_	-		_				528
_	ttg Leu	_			_	_		_	-		-	•	-			576
_	atc Ile	_						-		_	_	_		-		624
	tgc Cys 210				-	_				_		-			_	672
-	cgc Arg	_				_	_	-				_	_			720
-	gaa Glu	-	_	-	_	_	_	_		_						756

<210> 120

<211> 252

<212> PRT

<213> Neisseria meningitidis

<400> 120

Met Glu Thr His Ser Gly Cys Phe Leu Arg Lys Thr Val Met Lys Asp 1 5 10 15

Asp Val Leu Lys Gln Gln Ala His Ala Ala Ile Gln Lys Lys Leu Gly

			20					25					30		
Tyr	Ala	Phe 35	Arg	Asp	Ile	Ser	Leu 40	Leu	Arg	Gln	Ala	Leu 45	Thr	His	Arg
Ser	His 50	His	Ala	Lys	His	Asn 55	Glu	Arg	Phe	Glu	Phe 60	Val	Gly	Asp	Ser
Ile 65	Leu	Asn	Tyr	Thr	Val 70	Ala	Arg	Met	Leu	Phe 75	Asp	Ala	Phe	Pro	Lys 80
Leu	Thr	Glu	Gly	Glu 85	Leu	Ser	Arg	Leu	Arg 90	Ala	Ser	Leu	Val	Asn 95	Glu
Gly	Val	Leu	Ala 100	Glu	Met	Ala	Ala	Glu 105	Met	Asn	Val	Gly	Asp 110	Gly	Leu
Tyr	Leu	Gly 115	Ala	Gly	Glu	Leu	Lys 120	Ser	Gly	Gly	Phe	Arg 125	Arg	Pro	Ser
Ile	Leu 130	Ala	Asp	Ala	Met	Glu 135	Ala	Met	Phe	Ala	Ala 140	Val.	Ser	Phe	Asp
Ala 145	Asp	Phe	Asn	Thr	Ala 150	Glu	Lys	Val	Val	Arg 155	His	Leu	Phe	Ala	Glu 160
Arg	Val	Arg	Arg	Val 165	Asp	Phe	Gln	Asn	Gln 170	Ala	Lys	Asp	Gly	Lys 175	Thr
Ala	Leu	Gln	Glu 180	Ala	Leu	Gln	Ala	Arg 185	Arg	Phe	Ala	Leu	Pro 190	Lys	Tyr
Arg	Ile	Glu 195	Glu	Gln	Ile	Gly	His 200	Ala	Asn	Asp	Ser	Met 205	Phe	Val	Ile
Ser	Cys 210	Asp	Leu	Gly	Glu	Leu 215	Gly	Phe	Val	Cys	Arg 220	Ala	Lys	Gly	Thr
ser 225	Arg	Lys	Ala	Ala	Glu 230	Gln	Glu	Ala	Ala	Lys 235	Glu	Ala	Leu	Lys	Trp 240
Leu	Glu	Glu	Lys	Leu 245	Pro	Leu	Lys	Lys	Lys 250	Lys	Lys				

<210> 121

<211> 570 <212> DNA <213> Neisseria meningitidis <220> <221> CDS <222> (1)..(570) <400> 121 atg gac aat cac gcc gaa gca cac tgg caa aac ggc tgg ctt caa agc 48 Met Asp Asn His Ala Glu Ala His Trp Gln Asn Gly Trp Leu Gln Ser 10 ata cgc cat acc ccg tcg ccc aat ttc agc ccg agg gaa acg ggg gaa 96 Ile Arg His Thr Pro Ser Pro Asn Phe Ser Pro Arg Glu Thr Gly Glu 20 25 acg gtt tcc ctg atc gtg ttg cac aac att tca ctg ccg ccg ttc gaa 144 Thr Val Ser Leu Ile Val Leu His Asn Ile Ser Leu Pro Pro Phe Glu 35 40 45 tac ggc acg gat gct gtg gaa aag ctg ttt gcc aac cgg ctc gac ccc 192 Tyr Gly Thr Asp Ala Val Glu Lys Leu Phe Ala Asn Arg Leu Asp Pro 50 55 aac gga cat ccg ttc ttc agc ctg ata cac act ttg cgc gta tcc agc 240 Asn Gly His Pro Phe Phe Ser Leu Ile His Thr Leu Arg Val Ser Ser 65 70 75 80 cat ttc tta atc aaa cgc gac ggc aaa acg gtg cag ttc gta tca tgc His Phe Leu Ile Lys Arg Asp Gly Lys Thr Val Gln Phe Val Ser Cys 85 90 ggc gat atg gcg tac cac gcg ggc gta tcc tcg ttt cgc gga cgg gaa 336 Gly Asp Met Ala Tyr His Ala Gly Val Ser Ser Phe Arg Gly Arg Glu 100 105 110 aaa tgc aac gca ttt tcc atc ggc atc gaa ttg gaa ggc tgc gat ttc 384 Lys Cys Asn Ala Phe Ser Ile Gly Ile Glu Leu Glu Gly Cys Asp Phe 115 120 125 gaa ccc ttt acc gaa gcg caa tac cgt tcg ctc gaa aca ttg ttg gaa 432 Glu Pro Phe Thr Glu Ala Gln Tyr Arg Ser Leu Glu Thr Leu Leu Glu

gca ctc tgc cgc cgc tac ccc gtt acc gca gta acc gga cat cag gac 480
Ala Leu Cys Arg Arg Tyr Pro Val Thr Ala Val Thr Gly His Gln Asp
145 150 160

243

atc gcg ccc ggc cgc aaa acc gac ccc ggc cac ttt ttc gac tgg cgg 528

Ile Ala Pro Gly Arg Lys Thr Asp Pro Gly His Phe Phe Asp Trp Arg

165 170 175

cgg ata cgg gag aaa ggg ttt ccc gta gac aga aat gcc gtc 570
Arg Ile Arg Glu Lys Gly Phe Pro Val Asp Arg Asn Ala Val
180 185 190

<210> 122

<211> 190

<212> PRT

<213> Neisseria meningitidis

<400> 122

Met Asp Asn His Ala Glu Ala His Trp Gln Asn Gly Trp Leu Gln Ser

1 5 10 15

Ile Arg His Thr Pro Ser Pro Asn Phe Ser Pro Arg Glu Thr Gly Glu
20 25 30

Thr Val Ser Leu Ile Val Leu His Asn Ile Ser Leu Pro Pro Phe Glu 35 40 45

Tyr Gly Thr Asp Ala Val Glu Lys Leu Phe Ala Asn Arg Leu Asp Pro 50 55 60

Asn Gly His Pro Phe Phe Ser Leu Ile His Thr Leu Arg Val Ser Ser 65 70 75 80

His Phe Leu Ile Lys Arg Asp Gly Lys Thr Val Gln Phe Val Ser Cys 85 90 95

Gly Asp Met Ala Tyr His Ala Gly Val Ser Ser Phe Arg Gly Arg Glu
100 105 110

Lys Cys Asn Ala Phe Ser Ile Gly Ile Glu Leu Glu Gly Cys Asp Phe
115 120 125

Glu Pro Phe Thr Glu Ala Gln Tyr Arg Ser Leu Glu Thr Leu Leu Glu 130 135 140

Ile Ala Pro Gly Arg Lys Thr Asp Pro Gly His Phe Phe Asp Trp Arg
165 170 175

Arg Ile Arg Glu Lys Gly Phe Pro Val Asp Arg Asn Ala Val 180 185 190

<210> 123 <211> 2274 <212> DNA <213> Neisseria meningitidis <220> <221> CDS <222> (1)..(2274) <400> 123 atg aca aca tta cat ttc tca ggc ttc ccg cgt gtc ggt gcc ttc cgc Met Thr Thr Leu His Phe Ser Gly Phe Pro Arg Val Gly Ala Phe Arg 1 5 10 15 gaa ttg aaa ttc gca caa gaa aaa tac tgg cgc aaa gaa atc agc gag Glu Leu Lys Phe Ala Gln Glu Lys Tyr Trp Arg Lys Glu Ile Ser Glu 20 25 30 caa gaa ttg ctg gct gtt gct aaa gac ttg cgc gag aaa aac tgg aaa Gln Glu Leu Leu Ala Val Ala Lys Asp Leu Arg Glu Lys Asn Trp Lys 35 40 cac cag gcc gct gcc aac gcc gat tac gtt gcc gta ggc gat ttc act 192 His Gln Ala Ala Asn Ala Asp Tyr Val Ala Val Gly Asp Phe Thr 50 55 60 ttc tac gac cac atc ctc gac ctg caa gtc gcc acc ggc gcg att ccc 240 Phe Tyr Asp His Ile Leu Asp Leu Gln Val Ala Thr Gly Ala Ile Pro 70 65 gcc cgc ttc ggc ttc gac agc caa aac cta tct ttg gaa caa ttc ttc 288 Ala Arg Phe Gly Phe Asp Ser Gln Asn Leu Ser Leu Glu Gln Phe Phe caa ctg gcg cgc ggt aac aaa gac caa ttc gct atc gaa atg acc aaa 336 Gln Leu Ala Arg Gly Asn Lys Asp Gln Phe Ala Ile Glu Met Thr Lys 100 105 110 tgg ttc gac acc aac tac cac tac ttg gtg cct gaa ttc cac gcc gat 384 Trp Phe Asp Thr Asn Tyr His Tyr Leu Val Pro Glu Phe His Ala Asp 115 120 125

	-			gcc Ala						_			_	_		432
_		-	_	ggc Gly	_		_		_		-		-		_	480
		_		gtc Val 165			-			-	-,	_		-	-	528
	_	_	_	cct Pro		_	_		_		-	_		_		576
_	-	-	-	gcc Ala		-						_			_	624
_		_	_	ctg Leu			-		-	-	-			-	_	672
	-		_	agc Ser		_	_	•			_	_	_			720
			-	gcc Ala 245	-		-	-	_	_			_		_	768
				atc Ile												816
	_			gac Asp		_			_		_				-	864
			_	gcc Ala		_			_	_	_		_			912
_				ctg Leu				-				_			_	960

_	_			ccg Pro 325		-	-		_	-	_		_			1008
			_	ctg Leu				_	_			_				1056
		_	_	gtc Val	-		-	-	_		_		_	_		1104
-	-	_	_	ctg Leu	-	_	_									1152
		_	_	atc Ile		_	-	_	_	_		_	_	_	-	1200
_		_		gca Ala 405	-							_	_	_		1248
				gca Ala		_		_								1296
				ccg Pro				_		_		_	_	_	_	1344
				gaa Glu												1392
				ttg Leu												1440
_	_	-		ggc Gly 485	-	-		_		_	_	_	_			1488
	_		_	agc Ser	-		-									1536

_	tac Tyr			_	_	_					Ile			_	_	1584
_	cgt Arg 530		-	_	_		_	- ·						_	U	1632
_	acc Thr			_	_			_	_				_			1680
	caa Gln				-	_		-			_				•	1728
	caa Gln		-	_	_	-		_		-	_	_	_	_		1776
_	Gly			_				_			_		_	_		1824
_	cct Pro 610			_	_			_			_					1872
	tct Ser		-	_						-	_	_				1920
	acc Thr		_	-						_		_		-		1968
-	gca Ala	_	-		_								_		_	2016
	gaa Glu															2064
	ccg Pro 690															2112

gaa gtg gag cac ctg ttg cgc aaa gcc atc gag gtt gta ccg gtt gaa Glu Val Glu His Leu Leu Arg Lys Ala Ile Glu Val Val Pro Val Glu 705 710 715 720	2160
cgt ctg tgg gtt aac ccg gac tgc ggc ctg aaa aca cgc ggc tgg aaa Arg Leu Trp Val Asn Pro Asp Cys Gly Leu Lys Thr Arg Gly Trp Lys 725 730 735	2208
gaa act ctg gaa caa ctc caa gtg atg atg aac gta acc cac aaa ttg Glu Thr Leu Glu Gln Leu Gln Val Met Met Asn Val Thr His Lys Leu 740 745 750	2256
cgt gcc gaa ttg gcg aaa Arg Ala Glu Leu Ala Lys 755	2274
<210> 124 <211> 758 <212> PRT <213> Neisseria meningitidis	
<400> 124	
Met Thr Thr Leu His Phe Ser Gly Phe Pro Arg Val Gly Ala Phe Arg  1 5 10 15	
Glu Leu Lys Phe Ala Gln Glu Lys Tyr Trp Arg Lys Glu Ile Ser Glu 20 25 30	
Gln Glu Leu Leu Ala Val Ala Lys Asp Leu Arg Glu Lys Asn Trp Lys 35 40 45	
His Gln Ala Ala Asn Ala Asp Tyr Val Ala Val Gly Asp Phe Thr 50 55 60	
Phe Tyr Asp His Ile Leu Asp Leu Gln Val Ala Thr Gly Ala Ile Pro 65 70 75 80	
Ala Arg Phe Gly Phe Asp Ser Gln Asn Leu Ser Leu Glu Gln Phe Phe 85 90 95	
Gln Leu Ala Arg Gly Asn Lys Asp Gln Phe Ala Ile Glu Met Thr Lys 100 105 110	
Trp Phe Asp Thr Asn Tyr His Tyr Leu Val Pro Glu Phe His Ala Asp 115 120 125	
Thr Glu Phe Lys Ala Asn Ala Lys His Tyr Val Gln Gln Leu Gln Glu	

130 135 140

Ala Gln Ala Leu Gly Leu Lys Ala Lys Pro Thr Val Val Gly Pro Leu 145 150 155 160

Thr Phe Leu Trp Val Gly Lys Glu Lys Gly Ala Val Glu Phe Asp Arg
165 170 175

Leu Ser Leu Leu Pro Lys Leu Leu Pro Val Tyr Val Glu Ile Leu Thr 180 185 190

Ala Leu Val Glu Ala Gly Ala Glu Trp Ile Gln Ile Asp Glu Pro Ala 195 200 205

Leu Thr Val Asp Leu Pro Lys Glu Trp Val Glu Ala Tyr Lys Asp Val 210 215 220

Tyr Ala Thr Leu Ser Lys Val Ser Ala Lys Ile Leu Leu Ser Thr Tyr 225 230 235 240

Phe Gly Ser Val Ala Glu His Ala Ala Leu Leu Lys Ser Leu Pro Val 245 250 255

Asp Gly Leu His Ile Asp Leu Val Arg Ala Pro Glu Gln Leu Asp Ala
260 265 270

Phe Ala Asp Tyr Asp Lys Val Leu Ser Ala Gly Val Ile Asp Gly Arg 275 280 285

Asn Ile Trp Arg Ala Asn Leu Asn Lys Val Leu Glu Thr Val Glu Leu 290 295 300

Leu Gln Ala Lys Leu Gly Asp Arg Leu Trp Ile Ser Ser Ser Cys Ser 305 310 315 320

Leu Leu His Thr Pro Phe Asp Leu Ser Val Glu Glu Lys Leu Lys Ala 325 330 335

Asn Lys Pro Asp Leu Tyr Ser Trp Leu Ala Phe Thr Leu Gln Lys Thr 340 345 350

Gln Glu Leu Arg Val Leu Lys Ala Ala Leu Asn Glu Gly Arg Asp Ser 355 360 365

Val Ala Glu Glu Leu Ala Ala Ser Gln Ala Ala Ala Asp Ser Arg Ala 370 375 380

Asn Ser Ser Glu Ile His Arg Ala Asp Val Ala Lys Arg Leu Ala Asp

385					390					395					400
Leu	Pro	Ala	Asn	Ala 405	Asp	Gln	Arg	Lys	Ser 410	Pro	Phe	Ala	Asp	Arg 415	Ile
Lys	Ala	Gln	Gln 420	Ala	Trp	Leu	Asn	Leu 425	Pro	Leu	Leu	Pro	Thr 430	Thr	Asr
Ile	Gly	Ser 435	Phe	Pro	Gln	Thr	Thr 440	Glu	Ile	Arg	Gln	Ala 445	Arg	Ala	Alā
Phe	Lys 450	Lys	Gly	Glu	Leu	ser 455	Ala	Ala	Asp	Tyr	Glu 460	Ala	Ala	Met	Lys
Lys 465	Glu	Ile	Ala	Leu	Val 470	Val	Glu	Glu	Gln	Glu 475	Lys	Leu	Asp	Leu	Asp 480
Val	Leu	Val	His	Gly 485	Glu	Ala	Glu	Arg	Asn 490	Asp	Met	Val	Glu	Tyr 495	Ph∈
Gly	Glu	Leu	Leu 500	Ser	Gly	Phe	Ala	Phe 505	Thr	Gln	Tyr	Gly	Trp 510	Val	Glr
Ser	Tyr	Gly 515	ser	Arg	Cys	Val	Lys 520	Pro	Pro	Ile	Ile	Phe 525	Gly	Asp	Val
Ser	Arg 530	Pro	Glu	Ala	Met	Thr 535	Val	Ala	Trp	Ser	Thr 540	Tyr	Ala	Gln	Ser
Leu 545	Thr	Lys	Arg	Pro	Met 550	Lys	Gly	Met	Leu	Thr 555	Gly	Pro	Val	Thr	I1∈
Leu	Gln	Trp	Ser	Phe 565	Val	Arg	Așn	Asp	Ile 570	Pro	Arg	Ser	Thr	Val 575	Суя
Lys	Gln	Ile	Ala 580	Leu	Ala	Leu	Asn	Asp 585	Glu	Val	Leu	Asp	Leu 590	Glu	Lys
Ala	Gly	Ile 595	Lys	Val	Ile	Gln	Ile 600	Asp	Glu	Pro	Ala	Ile 605	Arg	Glu	Gl
Leu	Pro 610	Leu	Lys	Arg	Ala	Asp 615	Trp	Asp	Ala	Tyr	Leu 620	Asn	Trp	Ala	GlΣ
Glu 625	Ser	Phe	Arg	Leu	Ser 630	Ser	Thr	Gly	Cys	Glu 635	Asp	Ser	Thr	Gln	Ile 640
Hic	Thr	His	Met	CVS	Tyr	Ser	G7 11	Phe	Asn	Asp	Tle	Tien	Pro	Ala	Tle

645 650 655

Ala Ala Met Asp Ala Asp Val Ile Thr Ile Glu Thr Ser Arg Ser Asp 660 665 670

Met Glu Leu Leu Thr Ala Phe Gly Glu Phe Lys Tyr Pro Asn Asp Ile 675 680 685

Gly Pro Gly Val Tyr Asp Ile His Ser Pro Arg Val Pro Thr Glu Ala 690 695 700

Glu Val Glu His Leu Leu Arg Lys Ala Ile Glu Val Val Pro Val Glu 705 710 715 720

Arg Leu Trp Val Asn Pro Asp Cys Gly Leu Lys Thr Arg Gly Trp Lys
725 730 735

Glu Thr Leu Glu Gln Leu Gln Val Met Met Asn Val Thr His Lys Leu 740 745 750

Arg Ala Glu Leu Ala Lys 755

<210> 125

<211> 1137

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(1137)

<400> 125

atg agc cgt tta tgg ttt ttt gcc gca aaa aac att ata atc cgc ctt 48
Met Ser Arg Leu Trp Phe Phe Ala Ala Lys Asn Ile Ile Ile Arg Leu
1 5 10 15

att tac cta ttg ccc aag gag aca caa atg gca ctc gta tcc atg cgc 96

Ile Tyr Leu Leu Pro Lys Glu Thr Gln Met Ala Leu Val Ser Met Arg

20 25 30

caa ctg ctt gat cat gct gcc gaa aac agc tac ggc ctg ccc gcg ttc 144
Gln Leu Leu Asp His Ala Ala Glu Asn Ser Tyr Gly Leu Pro Ala Phe
35 40 45

aac gtc aac aac ctc gaa caa atg cgc gcc att atg gaa gcc gcc gac 192

Asn	Val 50	Asn	Asn	Leu	Glu	Gln 55	Met	Arg	Ala	Ile	Met 60	Glu	Ala	Ala	Asp	
	gtc Val		, ,		_		_			-	_			-		240
	gcg Ala			_		_										288
_	ttt Phe	_				_					_				_	336
	gac Asp		_		_				_						_	384
_	gac Asp 130		-	_	_	-	_								_	432
	aac Asn	-		_		_										480
	gta Val		-	-												528
22	gaa Glu	_		_	_	_		_		_						576
	gac Asp		_			_	-	-	-	-		-		_		624
-	acc Thr 210		_	_	•	_			-	-			-			672
	tac Tyr				_	_				_		_	_		_	720
cgc	atc	aaa	gaa	atc	cac	caa	gcc	ctg	ccc	aat	aca	cac	atc	gtg	atg	768

Arg	Ile	Lys	Glu	Ile 245	His	Gln	Ala	Leu	Pro 250	Asn	Thr	His	Ile	Val 255	Met	ę
					_			_		ctg Leu		_			_	816
						-				gtg Val	_	_	_	_		864
_	_									gtc Val						912
_								_	_	cgc Arg 315			-	-		960
		_		~		_			_	agc Ser				-		1008
_	_			_		-	_			gcg Ala			_			1056
										gaa Glu						1104
	_	_		gaa Glu	_				_							1137
<21:	0> 1: 1> 3' 2> P' 3> No	79 RT	eria	men	ingi	tidis	5									
	0> 1: Ser		Leu	Trp 5	Phe	Phe	Ala	Ala	Lys 10	Asn	Ile	Ile	Ile	Arg 15	Leu	
Ile	Tyr	Leu	Leu 20	Pro	Lys	Glu	Thr	Gln 25	Met	Ala	Leu	Val	Ser 30	Met	Arg	

Gln Leu Leu Asp His Ala Ala Glu Asn Ser Tyr Gly Leu Pro Ala Phe Asn Val Asn Asn Leu Glu Gln Met Arg Ala Ile Met Glu Ala Ala Asp Gln Val Asn Ala Pro Val Ile Val Gln Ala Ser Ala Gly Ala Arg Lys Tyr Ala Gly Ala Pro Phe Leu Arg His Leu Ile Leu Ala Ala Val Glu Glu Phe Pro His Ile Pro Val Val Met His Gln Asp His Gly Ala Ser Pro Asp Val Cys Gln Arg Ser Ile Gln Leu Gly Phe Ser Ser Val Met Met Asp Gly Ser Leu Met Glu Asp Gly Lys Thr Pro Ser Ser Tyr Glu Tyr Asn Val Asn Ala Thr Arg Thr Val Val Asn Phe Ser His Ala Cys Gly Val Ser Val Glu Gly Glu Ile Gly Val Leu Gly Asn Leu Glu Thr Gly Glu Ala Gly Glu Glu Asp Gly Val Gly Ala Val Gly Lys Leu Ser His Asp Gln Met Leu Thr Ser Val Glu Asp Ala Val Arg Phe Val Lys Asp Thr Gly Val Asp Ala Leu Ala Ile Ala Val Gly Thr Ser His Gly Ala Tyr Lys Phe Thr Arg Pro Pro Thr Gly Asp Val Leu Arg Ile Asp Arg Ile Lys Glu Ile His Gln Ala Leu Pro Asn Thr His Ile Val Met His Gly Ser Ser Val Pro Gln Glu Trp Leu Lys Val Ile Asn Glu Tyr Gly Gly Asn Ile Gly Glu Thr Tyr Gly Val Pro Val Glu Glu Ile 

Val Glu Gly Ile Lys His Gly Val Arg Lys Val Asn Ile Asp Thr Asp 290 295 300 Leu Arg Leu Ala Ser Thr Gly Ala Val Arg Arg Tyr Leu Ala Glu Asn 305 310 315 Pro Ser Asp Phe Asp Pro Arg Lys Tyr Leu Ser Lys Thr Ile Glu Ala 325 330 335 Met Lys Gln Ile Cys Leu Asp Arg Tyr Leu Ala Phe Gly Cys Glu Gly 345 350 340 Gln Ala Gly Lys Ile Lys Pro Val Ser Leu Glu Lys Met Ala Asn Arg 355 360 365 Tyr Ala Lys Gly Glu Leu Asn Gln Ile Val Lys 375 <210> 127 <211> 444 <212> DNA <213> Neisseria meningitidis <220> <221> CDS <222> (1)..(444) <400> 127 gtg gat gct gca gca acg ctc ctg aca tac aaa tgc ccg gcg gaa aac 48 Val Asp Ala Ala Thr Leu Leu Thr Tyr Lys Cys Pro Ala Glu Asn 10 1 cgc cca aac aca aaa aaa att ggt aat ttt tcc tat tca agg cta caa Arg Pro Asn Thr Lys Lys Ile Gly Asn Phe Ser Tyr Ser Arg Leu Gln 20 25 30 ttc gac acg cac agg gca tct gcc cga ttt cac aat cat aat agc gga Phe Asp Thr His Arg Ala Ser Ala Arg Phe His Asn His Asn Ser Gly 40 35 gtt aaa aat atg aca gct aaa gga caa atg ttg caa gat ccc ttc ctg 192 Val Lys Asn Met Thr Ala Lys Gly Gln Met Leu Gln Asp Pro Phe Leu 50 55 aac qcc ctg cgt aaa qaq cat gtt ccg gtt tcg att tac tta gtt aac 240

Asn Ala Leu Arg Lys Glu His Val Pro Val Ser Ile Tyr Leu Val Asn

ggt atc aaa ttg caa ggt cag gtt gag tct ttc gat caa tac gtt gtt Gly Ile Lys Leu Gln Gly Gln Val Glu Ser Phe Asp Gln Tyr Val Val ctc ctq aga aac act tcc qtc acc caa atg gtt tac aaa cac gcc att Leu Leu Arg Asn Thr Ser Val Thr Gln Met Val Tyr Lys His Ala Ile tcc acc atc gta ccg gca cgc tcc gtc aac cta caa cat gaa aac aga Ser Thr Ile Val Pro Ala Arg Ser Val Asn Leu Gln His Glu Asn Arg ccc caa gcc gca ccg act tcg acc ctc gtc caa gtg gaa acc gtc cag Pro Gln Ala Ala Pro Thr Ser Thr Leu Val Gln Val Glu Thr Val Gln cag cct gcc gaa Gln Pro Ala Glu <210> 128 <211> 148 <212> PRT <213> Neisseria meningitidis <400> 128 Val Asp Ala Ala Thr Leu Leu Thr Tyr Lys Cys Pro Ala Glu Asn Arg Pro Asn Thr Lys Lys Ile Gly Asn Phe Ser Tyr Ser Arg Leu Gln Phe Asp Thr His Arg Ala Ser Ala Arg Phe His Asn His Asn Ser Gly Val Lys Asn Met Thr Ala Lys Gly Gln Met Leu Gln Asp Pro Phe Leu Asn Ala Leu Arg Lys Glu His Val Pro Val Ser Ile Tyr Leu Val Asn Gly Ile Lys Leu Gln Gly Gln Val Glu Ser Phe Asp Gln Tyr Val Val 

Leu Leu Arg Asn Thr Ser Val Thr Gln Met Val Tyr Lys His Ala Ile

100 105 110

Ser Thr Ile Val Pro Ala Arg Ser Val Asn Leu Gln His Glu Asn Arg 115 120 125

Pro Gln Ala Ala Pro Thr Ser Thr Leu Val Gln Val Glu Thr Val Gln 130 135 140

Gln Pro Ala Glu 145

<210> 129

<211> 1308

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(1308)

<400> 129

atg tac gct aaa aaa ggc ggt ttg gga ctg gtt aaa agc cgc cgt ttc 48
Met Tyr Ala Lys Lys Gly Gly Leu Gly Leu Val Lys Ser Arg Arg Phe
1 5 10 15

gca cct ctt ttc gct acg cag ttt ctc ggc gcg ttc aac gac aat gtg 96
Ala Pro Leu Phe Ala Thr Gln Phe Leu Gly Ala Phe Asn Asp Asn Val
20 25 30

ttc aaa acc gcg ctg ttt gtg atg att ggg ttt tac ggt ttg ggg caa 144
Phe Lys Thr Ala Leu Phe Val Met Ile Gly Phe Tyr Gly Leu Gly Gln
35 40 45

aac ggc ttc ctg cct gcc gga cag atg ttg aac ttg ggc gcg ttg ctg 192
Asn Gly Phe Leu Pro Ala Gly Gln Met Leu Asn Leu Gly Ala Leu Leu
50 55 60

ttt att ttg ccg tat ttc ctg ttt tcc tcg ctg tcg ggg cag ttg ggt 240
Phe Ile Leu Pro Tyr Phe Leu Phe Ser Ser Leu Ser Gly Gln Leu Gly
65 70 75 80

aac aaa ttc gac aag gcc gtt ttg gcg cgt tgg gcc aag gtg ctg gaa 288
Asn Lys Phe Asp Lys Ala Val Leu Ala Arg Trp Ala Lys Val Leu Glu
85 90 95

atg atc att atg gcg gtg gcg gca tac ggg ttt tat atc cgg tct gcc 336

Met	Ile	Ile	Met 100	Ala	Val	Ala	Ala	Туг 105	Gly	Phe	Tyr	Ile	Arg 110	ser	Ala	
_	_		_	-				_						acg Thr		384
		_	_			_		_		_			-	gac Asp		432
	_	_	_			-	_		_	_		_		gtc Val	_	480
	_			_		_					_		_	ccg Pro 175		528
		-			-	_	_	_	-	-	_			acg Thr	-	576
	_	_					_		_					aca Thr		624
		00			-						_	_	-	gaa Glu	-	672
			_		-			-					_	tgg Trp		720
		_			_			_		_	_			acc Thr 255		768
						_		_			_	_		gcc Ala	-	816
						_		_					_	ttc Phe	-	864
agg	gaa	cgg	ctg	agg	ttg	gct	tgg	gta	acg	gtt	ggt	gcg	ttg	ggt	ttg	912

Arg	Glu 290	Arg	Leu	Arg	Leu	Ala 295	Trp	Val	Thr	Val	Gly 300	Ala	Leu	Gly	Leu	
_	_	_		ttg Leu	_	_	-		_							960
_		_		ggc Gly 325												1008
		_		gtg Val	_	_	_									1056
	_			tat Tyr						_	_					1104
_	-	_	_	gtt Val	_											1152
_		•	-	gtt Val	_	_			_	_		-		_	-	1200
		_	_	tat Tyr 405	_		-	-	_				-		_	1248
-		_		aag Lys	_						_					1296
	aaa Lys															1308
<213 <213	0> 1: 1> 4: 2> P: 3> No	36 RT	eria	men:	ingil	cidis	5									
	0> 1: Tyr		Lys	Lys 5	Gly	Gly	Leu	Gly	Leu 10	Val	Lys	Ser	Arg	Arg 15	Phe	

Ala	Pro	Leu	Phe 20	Ala	Thr	Gln	Phe	Leu 25	Gly	Ala	Phe	Asn	Asp 30	Asn	Val
Phe	Lys	Thr 35	Ala	Leu	Phe	Val	Met 40	Ile	Gly	Phe	Tyr	Gly 45	Leu	Gly	Gln
Asn	Gly 50	Phe	Leu	Pro	Ala	Gly 55	Gln	Met	Leu	Asn	Leu 60	Gly	Ala	Leu	Leu
Phe 65	Ile	Leu	Pro	Tyr	Phe 70	Leu	Phe	Ser	Ser	Leu 75	Ser	Gly	Gln	Leu	Gly 80
Asn	Lys	Phe	Asp	Lys 85	Ala	Val	Leu	Ala	Arg 90	Trp	Ala	Lys	Val	Leu 95	Glu
Met	Ile	Ile	Met 100	Ala	Val	Ala	Ala	Tyr 105	Gly	Phe	Tyr	Ile	Arg 110	Ser	Ala
Pro	Leu	Leu 115	Leu	Ala	Cys	Leu	Phe 120	Cys	Met	Gly	Ala	Gln 125	Ser	Thr	Leu
Phe	Gly 130	Pro	Leu	Lys	Tyr	Ala 135	Ile	Leu	Pro	Asp	Tyr 140	Leu	Asp	Asp	Lys
Glu 145	Leu	Met	Met	Gly	Asn 150	Ser	Leu	Ile	Glu	Ser 155	Gly	Thr	Phe	Val	Ala 160
Ile	Leu	Phe	Gly	Gln 165	Ile	Leu	Gly	Thr	Ala 170	Val	Ala	Gly	Val	Pro 175	Pro
Tyr	Ile	Val	Gly 180	Ile	Leu	Val	Leu	Leu 185	Val	Ala	Val	Gly	Gly 190	Thr	Val
Gly	Ser	Leu 195	Phe	Met	Pro	Ser	Val 200	Pro	Ala	Lys	Ala	Ala 205	Asp	Thr	Gln
Ile	Glu 210	Trp	Asn	Ile	Val	Arg 215	Gly	Thr	Lys	Ser	Leu 220	Leu	Arg	Glu	Thr
Val 225	Arg	His	Lys	Pro	Val 230	Phe	Thr	Ala	Ile	Ile 235	Gly	Ile	Ser	Trp	Phe 240
Trp	Phe	Val	Gly	Ala 245	Val	туг	Thr	Thr	Gln 250	Leu	Pro	Thr	Phe	Thr 255	Gln
Ile	His	Leu	Gly 260	Gly	Asn	Asp	Asn	Val 265	Phe	Asn	Leu	Met	Leu 270	Ala	Leu

Phe Ser Ile Gly Ile Ala Ala Gly Ser Val Leu Cys Ala Lys Phe Ser 275 280 285

Arg Glu Arg Leu Arg Leu Ala Trp Val Thr Val Gly Ala Leu Gly Leu 290 295 300

Thr Val Cys Gly Leu Val Leu Val Trp Leu Thr His Gly His Arg Phe 305 310 315 320

Glu Gly Leu Asn Gly Ile Phe Trp Phe Leu Ser Gln Gly Trp Ala Tyr 325 330 335

Pro Val Met Ala Val Met Thr Leu Ile Gly Phe Phe Gly Gly Phe Phe 340 345 350

Ser Val Pro Leu Tyr Thr Trp Leu Gln Thr Ala Ser Ser Glu Thr Phe 355 360 365

Arg Ala Arg Ala Val Ala Ala Asn Asn Ile Val Asn Gly Ile Phe Met 370 375 380

Val Ser Ala Ala Val Leu Ser Ala Val Leu Phe Leu Phe Asp Ser 385 390 395 400

Ile Ser Leu Leu Tyr Leu Ile Val Ala Leu Gly Asn Ile Pro Leu Ser 405 410 415

Val Phe Leu Ile Lys Arg Glu Arg Arg Phe Leu Gly Ala Ala Ile 420 425 430

Arg Lys Lys Pro 435

<210> 131

<211> 876

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(876)

<400> 131

atg aat tac gca aaa gaa atc aat gcg tta aat aac agc ctt tcc gat 48 Met Asn Tyr Ala Lys Glu Ile Asn Ala Leu Asn Asn Ser Leu Ser Asp

1				5					10					15		
_	aaa Lys		_													96
			20					25					30			
	caa Gln															144
		35					40					45				
	cat His															192
	50					55					60					
_	gac Asp															240
65	rop	1119		1110	70	110	van	<b>1</b> ,5	1119	75		0111	0.1.4		80	
_	gaa	-	_	_		_				_	_			_	_	288
Leu	Glu	ALA	ALA	85	nis	ьеи	THE	GTÀ	90	Asp	Ата	ser	PIO	95	GIU	
	cgc															336
Leu	Arg	GTII	100	AIa	пур	Asp	TAT	105	Asp	per	GTĀ	116	110	ALG	116	
-	gcc															384
var	Ala	115	Arg	GTÀ	Asp	GIU	120	PIO	GTÅ	тЪт	GIU	125	пур	PIO	FIIE	
	gcc	_	_			-										432
TYL	Ala 130	GIU	Asp	ьеи	Val	шуs 135		пеп	Arg	ser	140	AIa	Asp	rne	Asp	
	tct															480
145	Ser	val	ALA	ALA	150	PIO	GIU	val	urs	155	GLU	ALA	пуъ	SET	160	
	gcc	-	_			-	_	_						-		528
GIN	Ala	Asp	ьеи	165	ASI	ьеи	гуѕ	Arg	цуs 170	TTE	Asp	Ala	σтλ	175	ASII	
	gtc							_	-	_	_		_	_		576
HlS	Val	тте	Thr 180	GΙΝ	rne	hue	hue	185	val	ĠΤſſ	Arg	туr	190	arg	rne	
_	gac	_	_		_	_			-		_		_			624
-1	Asp	$A \perp Q$	$\sim y \approx$	vаı	トルピし	шeu	GT À	エエロ	wab	val	$\sigma_{\perp}u$	イエム	vа⊥	ETO	$a \perp \lambda$	

200 205 195 att ttg cct gtt acc aac ttc aag cag ctc ggc aaa atg gcg caa gta 672 Ile Leu Pro Val Thr Asn Phe Lys Gln Leu Gly Lys Met Ala Gln Val 210 215 220 acc aac qtc aaa atc cca aqc tgg ctg tcg caa atg tat gaa ggt ttg 720 Thr Asn Val Lys Ile Pro Ser Trp Leu Ser Gln Met Tyr Glu Gly Leu 230 225 qac qac qac caa qqc acq cqc aac ctc qtc qcc agt atc qcc atc 768 Asp Asp Asp Gln Gly Thr Arg Asn Leu Val Ala Ala Ser Ile Ala Ile 255 245 250 gat atg gtc aaa gtc ctg tcc cgc gaa ggc gtg aaa gat ttc cac ttc 816 Asp Met Val Lys Val Leu Ser Arg Glu Gly Val Lys Asp Phe His Phe 270 260 265 tac acg ctc aac cgc agc gag ctg act tac gcc atc tgc cat att tta 864 Tyr Thr Leu Asn Arg Ser Glu Leu Thr Tyr Ala Ile Cys His Ile Leu 280 275 285 876 ggc gtg cgc cct Gly Val Arg Pro 290 <210> 132 <211> 292 <212> PRT <213> Neisseria meningitidis <400> 132 Met Asn Tyr Ala Lys Glu Ile Asn Ala Leu Asn Asn Ser Leu Ser Asp . 10 Leu Lys Gly Asp Ile Asn Val Ser Phe Glu Phe Phe Pro Lys Asn 20 25 30

Glu Gln Met Glu Thr Met Leu Trp Asp Ser Ile His Arg Leu Gln Thr 35 40 45 Leu His Pro Lys Phe Val Ser Val Thr Tyr Gly Ala Asn Ser Gly Glu

50 55 60

Arg Asp Arg Thr His Gly Ile Val Lys Arg Ile Lys Gln Glu Thr Gly 65 70 75 80

Leu Glu Ala Ala Pro His Leu Thr Gly Ile Asp Ala Ser Pro Asp Glu 85 90 95

Leu Arg Gln Ile Ala Lys Asp Tyr Trp Asp Ser Gly Ile Arg Arg Ile
100 105 110

Val Ala Leu Arg Gly Asp Glu Pro Pro Gly Tyr Glu Lys Lys Pro Phe 115 120 125

Tyr Ala Glu Asp Leu Val Lys Leu Leu Arg Ser Val Ala Asp Phe Asp 130 135 140

Gln Ala Asp Leu Ile Asn Leu Lys Arg Lys Ile Asp Ala Gly Ala Asn 165 170 175

His Val Ile Thr Gln Phe Phe Phe Asp Val Glu Arg Tyr Leu Arg Phe
180 185 190

Arg Asp Arg Cys Val Met Leu Gly Ile Asp Val Glu Ile Val Pro Gly
195 200 205

Ile Leu Pro Val Thr Asn Phe Lys Gln Leu Gly Lys Met Ala Gln Val 210 215 220

Thr Asn Val Lys Ile Pro Ser Trp Leu Ser Gln Met Tyr Glu Gly Leu 225 230 235 . 240

Asp Asp Asp Gln Gly Thr Arg Asn Leu Val Ala Ala Ser Ile Ala Ile 245 250 255

Asp Met Val Lys Val Leu Ser Arg Glu Gly Val Lys Asp Phe His Phe 260 265 270

Tyr Thr Leu Asn Arg Ser Glu Leu Thr Tyr Ala Ile Cys His Ile Leu 275 280 285

Gly Val Arg Pro 290

<210> 133

<211> 1371

<212> DNA

<213> Neisseria meningitidis

<220> <221> CDS <222> (1)..(1371) <400> 133 atg agt aat cca ttt tcc tct tta ggt ttg ggt acg gaa ctc gtt tcc 48 Met Ser Asn Pro Phe Ser Ser Leu Gly Leu Gly Thr Glu Leu Val Ser 10 qca ctq acc qcg caa qqt tac qaa aac ccq aca ccc atc caa gcc gcc Ala Leu Thr Ala Gln Gly Tyr Glu Asn Pro Thr Pro Ile Gln Ala Ala gcc att ccc aaa gca ctc gcc ggt cat gat ttg cta gcc gcc gcg caa 144 Ala Ile Pro Lys Ala Leu Ala Gly His Asp Leu Leu Ala Ala Gln 40 35 acc ggc aca ggc aaa acc gcc gcc ttt atg ctg ccc agt ctg gaa cgc 192 Thr Gly Thr Gly Lys Thr Ala Ala Phe Met Leu Pro Ser Leu Glu Arg ctc aaa cgt tac gcc acc gcc agc acc tcg ccc gcg atg cac ccc gtg 240 Leu Lys Arg Tyr Ala Thr Ala Ser Thr Ser Pro Ala Met His Pro Val 65 70 75 80 cgt atg ctc gtc ctc acc ccc acg cgc gaa ctt gcc gac caa atc gac 288 Arg Met Leu Val Leu Thr Pro Thr Arg Glu Leu Ala Asp Gln Ile Asp 85 90 caa aac gtg cag ggc tac atc aaa aac ctg ccg ctg cgc cac acc gtc 336 Gln Asn Val Gln Gly Tyr Ile Lys Asn Leu Pro Leu Arg His Thr Val 100 105 ttg ttc ggc ggt atg aat atg gac aaa cag acc gcc gac ctg cgt gcc 384 Leu Phe Gly Gly Met Asn Met Asp Lys Gln Thr Ala Asp Leu Arg Ala 115 120 125 gge tge gaa ate gte gte gee ace gte gga egg etg ete gae eae gtg 432 Gly Cys Glu Ile Val Val Ala Thr Val Gly Arg Leu Leu Asp His Val 130 135 aaa cag aaa aac atc cat ttg aac aaa gtc gaa atc gtc gtt ttg gac Lys Gln Lys Asn Ile His Leu Asn Lys Val Glu Ile Val Val Leu Asp 145 150 155 160

gaa gcc gac cgt atg ctg gat atg ggt ttt atc gac gac atc cgc aaa Glu Ala Asp Arg Met Leu Asp Met Gly Phe Ile Asp Asp Ile Arg Lys 165 170 175

atc	atg	cag	atg	ctg	ccc	cgc	caa	cgc	caa	acc	ctg	ctc	ttt	tcc	gcc	576
Ile	Met	Gln	Met	Leu	Pro	Arg	Gln	Arg	Gln	Thr	Leu	Leu	Phe	Ser	Ala	
			180					185					190			
acc	ttc	tcc	gcc	ccg	ata	cgc	aaa	ctg	gcg	caa	gac	ttc	atg	aac	gcg	624
Thr	Phe	Ser	Ala	Pro	Ile	Arg	Lys	Leu	Ala	Gln	Asp	Phe	Met	Asn	Ala	
		195					200					205				
ccc	gaa	acc	gtc	gaa	gtc	gcc	gcg	caa	gac	acc	acc	aac	gcc	aac	gtc	672
Pro	Glu	Thr	Val	Glu	Val	Ala	Ala	Gln	Asp	Thr	Thr	Asn	Ala	Asn	Val	
	210					215					220					
gag	cag	cac	atc	atc	gcc	gtc	gat	acc	att	cag	aag	cgc	aac	ctg	ctc	720
Glu	Gln	His	Ile	Ile	Ala	Val	Asp	Thr	Ile	Gln	Lys	Arg	Asn	Leu	Leu	
225					230				,	235					240	
gaa	cgg	ctg	att	gtc	gat	ttg	cat	atg	aac	cag	gtc	atc	gtg	ttc	tgc	768
Glu	Arg	Leu	Ile	Val	Asp	Leu	His	Met	Asn	Gln	Val	Ile	Val	Phe	Cys	
				245					250					255		
aaa	acc	aaa	caa	agc	gtc	gac	cgc	gta	acg	cgc	gaa	ctg	gtg	cgc	cgc	816
Lys	Thr	Lys	Gln	Ser	Val	Asp	Arg	Val	Thr	Arg	Glu	Leu	Val	Arg	Arg	
			260					265					270			
	ctg		-	_					-	-				_		864
Asn	Leu		Ala	Gln	Ala	Ile		Glу	Asp	Arg	Ser		Gln	Ser	Arg	
		275					280					285				
,																0.4.0
	gaa							-	-		_	_			_	912
Leu	Glu	Thr	Leu	Asn	Ala		Lys	Asp	GТĀ	Asn		Arg	Val	Leu	Val	
	290					295					300					
		1-	<b>.</b>												1- 1	0.60
	acc							_								960
	Thr	Asp	тте	Ата		Arg	GTĀ	ьеu	Asp		Ата	GLu	ьeu	Pro		
305					310					315					320	
	_ 4		<b>.</b>									<b>.</b>				1000
_	atc			_	_		-	-		-	_		-		-	1008
vaı	Ile	ASII	туг		Mec	Pro	ALA	GTU		GLU	Asp	туг	var		Arg	
				325					330					335		
a+~	~~~	c~~	200	~~~	c.c.c	aa~	~~~	aa~	W= C	~~~	~+ ~	aa~	<b>5++</b>	+~~	ata	1056
	Gly ggg	-	_		-				-						-	TOOD
TTG	σтλ	ALG	340	атЛ	нгд	ALA	GΤλ	345	нар	σтλ	val	AId		ಾರ್	nen	
			240					247					350			
ato	gac	สลล	tcc	asa	cad	222	ato	+++	asa	tcc	att	222	asa.	cta	acc	1104
_	Asp	_		_	-		_		-					_		7104
1100	FroP	<b>ч.н.и</b>		JIU		درلاس	1200	T 11C	JIU	~ C T	T T G	Y	JIU	u		

355 360 365

ggc aac aag ctg ctc atc gag cgc atc gag ggc ttc gag ccg caa tgg 1152 Gly Asn Lys Leu Leu Ile Glu Arg Ile Glu Gly Phe Glu Pro Gln Trp 370 375 380 tgg gaa cag ggc ggc gca aaa ccg gaa aaa ccc gaa atg cgc gaa cca 1200 Trp Glu Gln Gly Gly Ala Lys Pro Glu Lys Pro Glu Met Arg Glu Pro 385 390 aga caa cgc aac cgc tac gaa tcc gcc aaa gcg caa cgc gaa aaa aac 1248 Arg Gln Arg Asn Arg Tyr Glu Ser Ala Lys Ala Gln Arg Glu Lys Asn 405 410 415 acc cgg ccg gaa aat gcg gca aac gat gcg gcc gcg gct tgc gga aaa 1296 Thr Arg Pro Glu Asn Ala Ala Asn Asp Ala Gly Ala Ala Cys Gly Lys 420 425 430 att gcc gga cgc agc cgc cga agc cgc cgg gaa cac cgg acg tgc gcc 1344 Ile Ala Gly Arg Ser Arg Arg Ser Arg Glu His Arg Thr Cys Ala 435 440 445 ctg ctc caa ccg cgt tac ggc gta aaa 1371

<210> 134

450

<211> 457

<212> PRT

<213> Neisseria meningitidis

Leu Leu Gln Pro Arg Tyr Gly Val Lys

455

<400> 134

Met Ser Asn Pro Phe Ser Ser Leu Gly Leu Gly Thr Glu Leu Val Ser 1 5 10 15

Ala Leu Thr Ala Gln Gly Tyr Glu Asn Pro Thr Pro Ile Gln Ala Ala 20 25 30

Ala Ile Pro Lys Ala Leu Ala Gly His Asp Leu Leu Ala Ala Gln
35 40 45

Thr Gly Thr Gly Lys Thr Ala Ala Phe Met Leu Pro Ser Leu Glu Arg
50 55 60

Leu Lys Arg Tyr Ala Thr Ala Ser Thr Ser Pro Ala Met His Pro Val 65 70 75 80

Arg Met Leu Val Leu Thr Pro Thr Arg Glu Leu Ala Asp Gln Ile Asp Gln Asn Val Gln Gly Tyr Ile Lys Asn Leu Pro Leu Arg His Thr Val Leu Phe Gly Gly Met Asn Met Asp Lys Gln Thr Ala Asp Leu Arg Ala Gly Cys Glu Ile Val Val Ala Thr Val Gly Arg Leu Leu Asp His Val Lys Gln Lys Asn Ile His Leu Asn Lys Val Glu Ile Val Val Leu Asp Glu Ala Asp Arg Met Leu Asp Met Gly Phe Ile Asp Asp Ile Arg Lys Ile Met Gln Met Leu Pro Arg Gln Arg Gln Thr Leu Leu Phe Ser Ala Thr Phe Ser Ala Pro Ile Arg Lys Leu Ala Gln Asp Phe Met Asn Ala Pro Glu Thr Val Glu Val Ala Ala Gln Asp Thr Thr Asn Ala Asn Val Glu Gln His Ile Ile Ala Val Asp Thr Ile Gln Lys Arg Asn Leu Leu Glu Arg Leu Ile Val Asp Leu His Met Asn Gln Val Ile Val Phe Cys Lys Thr Lys Gln Ser Val Asp Arg Val Thr Arg Glu Leu Val Arg Arg Asn Leu Ser Ala Gln Ala Ile His Gly Asp Arg Ser Gln Gln Ser Arg Leu Glu Thr Leu Asn Ala Phe Lys Asp Gly Asn Leu Arg Val Leu Val Ala Thr Asp Ile Ala Ala Arg Gly Leu Asp Ile Ala Glu Leu Pro Phe Val Ile Asn Tyr Glu Met Pro Ala Gln Pro Glu Asp Tyr Val His Arg 

Ile Gly Arg Thr Gly Arg Ala Gly Ala Asp Gly Val Ala Ile Ser Leu 340 345 350

Met Asp Glu Ser Glu Gln Lys Met Phe Glu Ser Ile Lys Glu Leu Thr 355 360 365

Gly Asn Lys Leu Leu Ile Glu Arg Ile Glu Gly Phe Glu Pro Gln Trp 370 375 380

Trp Glu Gln Gly Gly Ala Lys Pro Glu Lys Pro Glu Met Arg Glu Pro 385 390 395 400

Arg Gln Arg Asn Arg Tyr Glu Ser Ala Lys Ala Gln Arg Glu Lys Asn 405 410 415

Thr Arg Pro Glu Asn Ala Ala Asn Asp Ala Gly Ala Ala Cys Gly Lys
420 425 430

Ile Ala Gly Arg Ser Arg Arg Ser Arg Glu His Arg Thr Cys Ala 435 440 445

Leu Leu Gln Pro Arg Tyr Gly Val Lys 450 455

<210> 135

<211> 1374

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(1374)

<400> 135

atg aaa cac atc cac att atc ggt atc ggc ggc acg ttt atg ggt ggg 48
Met Lys His Ile His Ile Ile Gly Ile Gly Gly Thr Phe Met Gly Gly

1 5 10 15

att gcc gcc att gcc aaa gaa gca ggg ttt gaa gtc agc ggt tgc gat 96

Ile Ala Ala Ile Ala Lys Glu Ala Gly Phe Glu Val Ser Gly Cys Asp

20 25 30

gcg aag atg tat ccg ccg atg agc acc cag ctc gaa gcc ttg ggc ata 144
Ala Lys Met Tyr Pro Pro Met Ser Thr Gln Leu Glu Ala Leu Gly Ile
35 40 45

22			_	Gly		_				_	_	_			_	192
-	_		_	atc Ile			_	_	_	_	223	_	_		-	240
-			_	aac Asn 85	-		_						_			288
_	_	-		gtg Val	_					_						336
_				acg Thr					-		-		_	_	_	384
	_			gca Ala	_											432
	_	_		gcc Ala			_		_	_	-		-	_		480
_		_		ttt Phe 165		-			-	-	-		-			528
		_		cgc Arg							_	_	_		_	576
	_			ctg Leu	_		_		-	_			_	-	_	624
			_	acc Thr												672
_				gtc Val	_				-		_	_		_		720

_	_			tgc Cys 245			_		_				_	_		768
		_	_	Gly	-	•		_	_		_		_	-	_	816
	-			aaa Lys				_	_		_	_	_			864
		_	_	aac Asn			-	-		-	-		_		_	912
0.0	_	-		cag Gln	_	_	-	-	-	-	-	_				960
_		_		atg Met 325				55								1008
	-	_		gcc Ala			_		_		-		_			1056
	_	_	_	cgc Arg	-				_			_	_		_	1104
				acg Thr												1152
				gaa Glu												1200
				gcc Ala 405										100		1248
_				ttc Phe		_						-				1296

gaa gca ggc gac cat att ttg gtg atg agc aac ggc ggt ttc ggc gga 1344 Glu Ala Gly Asp His Ile Leu Val Met Ser Asn Gly Gly Phe Gly Gly 435 440 445

ata cac acc aaa ctg ctg gac gct ttg aga 1374
Ile His Thr Lys Leu Leu Asp Ala Leu Arg
450 455

<210> 136

<211> 458

<212> PRT

<213> Neisseria meningitidis

<400> 136

Met Lys His Ile His Ile Ile Gly Ile Gly Gly Thr Phe Met Gly Gly
1 5 10 15

Ile Ala Ala Ile Ala Lys Glu Ala Gly Phe Glu Val Ser Gly Cys Asp 20 25 30

Ala Lys Met Tyr Pro Pro Met Ser Thr Gln Leu Glu Ala Leu Gly Ile 35 40 45

Gly Val Tyr Glu Gly Phe Asp Thr Ala Gln Leu Asp Glu Phe Lys Ala
50 55 60

Asp Val Tyr Val Ile Gly Asn Val Ala Lys Arg Gly Met Asp Val Val 65 70 75 80

Glu Ala Ile Leu Asn Arg Gly Leu Pro Tyr Ile Ser Gly Pro Gln Trp 85 90 95

Leu Ala Glu Asn Val Leu His His His Trp Val Leu Gly Val Ala Gly
100 105 110

Thr His Gly Lys Thr Thr Thr Ala Ser Met Leu Ala Trp Val Leu Glu 115 120 125

Tyr Ala Gly Leu Ala Pro Gly Phe Leu Ile Gly Gly Val Pro Glu Asn 130 135 140

Phe Ser Val Ser Ala Arg Leu Pro Gln Thr Pro Arg Gln Asp Pro Asn 145 150 155 160

Ser Gln Ser Pro Phe Phe Val Ile Glu Ala Asp Glu Tyr Asp Thr Ala 165 170 175

Fue	Pne	Asp	ьуs 180	Arg	ser	туѕ	rne	185	HLS	туг	Arg	PLO	190	THE	ALA
Val	Leu	Asn 195	Asn	Leu	Glu	Phe	Asp 200	His	Ala	Asp	Ile	Phe 205	Ala	Asp	Leu
Gly	Ala 210	Ile	Gln	Thr	Gln	Phe 215	His	His	Leu	Val	Arg 220	Thr	Val	Pro	Ser
Glu 225	Gly	Leu	Ile	Val	Cys 230	Asn	Gly	Arg	Gln	Gln 235	Ser	Leu	Gln	Asp	Thr 240
Leu	Asp	Lys	Gly	Cys 245	Trp	Thr	Pro	Val	Glu 250	Lys	Phe	Gly	Thr	Glu 255	His
Gly	Trp	Gln	Ala 260	Gly	Glu	Ala	Asn	Ala 265	Asp	Gly	Ser	Phe	Asp 270	Val _.	Leu
Leu	Asp	Gly 275	Lys	Lys	Ala	Gly	His 280	Val	Ala	Trp	Ser	Leu 285	Met	Gly	Gly
His	Asn 290	Arg	Met	Asn	Ala	Leu 295	Ala	Val	Ile	Ala	Ala 300	Ala	Arg	His	Ala
Gly 305	Val	Asp	Ile	Gln	Thr 310	Ala	Cys	Glu	Ala	Leu 315	Ser	Thr	Phe	Lys	Asn 320
Val	Lys	Arg	Arg	Met 325	Glu	Ile	Lys	Gly	Thr 330	Ala	Asn	Gly	Ile	Thr 335	Val
Tyr	Asp	Asp	Phe 340	Ala	His	His	Pro	Thr 345	Ala	Ile	Glu	Thr	Thr 350	Ile	Gln
Gly	Leu	Arg 355	Gln	Arg	Val	Gly	Gly 360	Ala	Arg	Ile	Leu	Ala 365	Val	Leu	Glu
Pro	Arg 370	Ser	Asn	Thr	Met	Lys 375	Leu	Gly	Thr	Met	Lys 380	Ala	Ala	Leu	Pro
Ala 385	Ser	Leu	Lys	Glu	Ala 390	Asp	Gln	Val	Phe	Cys 395	Туг	Ala	Gly	Gly	Ala 400
Asp	Trp	Asp	Val	Ala 405	Glu	Ala	Leu	Ala	Pro 410	Leu	Gly	Gly	Arg	Leu 415	His
Val	Gly	Lys	Asp 420	Phe	Asp	Ala	Phe	Val 425	Ala	Glu	Ile	Val	Lys 430	Asn	Ala

Glu Ala Gly Asp His Ile Leu Val Met Ser Asn Gly Gly Phe Gly Gly 435 440 445

Ile His Thr Lys Leu Leu Asp Ala Leu Arg
450 455

<210> 137

<211> 876

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(876)

<400> 137

ttg acc gtc cga acg aaa aag acg gcg cat tat acc cta ttc cat tcc 48
Leu Thr Val Arg Thr Lys Lys Thr Ala His Tyr Thr Leu Phe His Ser
1 5 10 15

gac cga aaa ccg aac atg act act ctc aaa ccc gcc ctg ccc gct tat 96
Asp Arg Lys Pro Asn Met Thr Thr Leu Lys Pro Ala Leu Pro Ala Tyr
20 25 30

ctg gac aac atc cgc atc atc ctc acg cgc acc agc cat ccc gcc aac 144
Leu Asp Asn Ile Arg Ile Ile Leu Thr Arg Thr Ser His Pro Ala Asn
35 40 45

atc ggc tct gcc gcg cgc gcg atg aaa aca atg ggt ctg cac aaa ctg 192
Ile Gly Ser Ala Ala Arg Ala Met Lys Thr Met Gly Leu His Lys Leu
50 55 60

acc atc gtc gcc cca aat ctg atg gca acg ccg atg acg gaa aac ccg 240
Thr Ile Val Ala Pro Asn Leu Met Ala Thr Pro Met Thr Glu Asn Pro
65 70 75 80

ccc gtg ttt gac ccg gag cat cct caa tcg ttt aaa tta ccg gaa gaa 288
Pro Val Phe Asp Pro Glu His Pro Gln Ser Phe Lys Leu Pro Glu Glu
85 90 95

agc ttc atc ctc gct tcc ggc gcg gca gac gtt ttg gaa aat gcc acc 336 Ser Phe Ile Leu Ala Ser Gly Ala Ala Asp Val Leu Glu Asn Ala Thr 100 105 110

att gcc gct tct ttg gac gaa gcc ctt gcc gac acc acc atc gcc tgc 384
Ile Ala Ala Ser Leu Asp Glu Ala Leu Ala Asp Thr Thr Ile Ala Cys

WO 01/85772	PCT/GB01/02003

gcc ctg acc agc cgc cgc cgc gaa att act gcg ccg ctg caa acc ccg Ala Leu Thr Ser Arg Arg Glu Ile Thr Ala Pro Leu Gln Thr Pro cgc gat ttg gta tcc gaa tta ctg cag acc gca aac cga ggc gag aaa Arq Asp Leu Val Ser Glu Leu Leu Gln Thr Ala Asn Arg Gly Glu Lys gtg gca ctg gtt ttc ggc aac gag act ttc ggc ttg agc atc gaa gaa Val Ala Leu Val Phe Gly Asn Glu Thr Phe Gly Leu Ser Ile Glu Glu qtc caa qcc tqc aac cqa ctq atq acc atc aac gqc aat ccc gac tat Val Gln Ala Cys Asn Arg Leu Met Thr Ile Asn Gly Asn Pro Asp Tyr ttc tcg ctc aac ctc gcc caa gcc gtg cag gtc gtg tgc tac gaa atc Phe Ser Leu Asn Leu Ala Gln Ala Val Gln Val Val Cys Tyr Glu Ile ttc agc caa acc ggt tcg ccc atg acc cat ctt caa caa gaa gac cac Phe Ser Gln Thr Gly Ser Pro Met Thr His Leu Gln Gln Glu Asp His gct gcg acc cac gag caa atc aaa ggc atg gtc gcc cac atg gaa agc Ala Ala Thr His Glu Gln Ile Lys Gly Met Val Ala His Met Glu Ser gtg atg aac gac atc ggc ttt ttc aac cgc cgc aac ggc gag cgt ctg Val Met Asn Asp Ile Gly Phe Phe Asn Arg Arg Asn Gly Glu Arg Leu atg cgc cgt atg cag agc ctg ttc gga cgc gcc aac acg caa acc gaa Met Arg Arg Met Gln Ser Leu Phe Gly Arg Ala Asn Thr Gln Thr Glu gac atc gat atc ctg cgc ggt ttt ttc aat acc gtc agc cat cgt atc Asp Ile Asp Ile Leu Arg Gly Phe Phe Asn Thr Val Ser His Arg Ile 

His Lys Lys Asp  <210> 138

cat aaa aaa qac

<211> 292

<212> PRT

<213> Neisseria meningitidis

<400> 138

Leu Thr Val Arg Thr Lys Lys Thr Ala His Tyr Thr Leu Phe His Ser 1 5 10 15

Asp Arg Lys Pro Asn Met Thr Thr Leu Lys Pro Ala Leu Pro Ala Tyr
20 25 30

Leu Asp Asn Ile Arg Ile Ile Leu Thr Arg Thr Ser His Pro Ala Asn 35 40 45

Ile Gly Ser Ala Ala Arg Ala Met Lys Thr Met Gly Leu His Lys Leu 50 55 60

Thr Ile Val Ala Pro Asn Leu Met Ala Thr Pro Met Thr Glu Asn Pro 65 70 75 80

Pro Val Phe Asp Pro Glu His Pro Gln Ser Phe Lys Leu Pro Glu Glu 85 90 95

Ser Phe Ile Leu Ala Ser Gly Ala Ala Asp Val Leu Glu Asn Ala Thr 100 105 110

Ile Ala Ala Ser Leu Asp Glu Ala Leu Ala Asp Thr Thr Ile Ala Cys
115 120 125

Ala Leu Thr Ser Arg Arg Glu Ile Thr Ala Pro Leu Gln Thr Pro 130 135 140

Arg Asp Leu Val Ser Glu Leu Leu Gln Thr Ala Asn Arg Gly Glu Lys 145 150 155 160

Val Ala Leu Val Phe Gly Asn Glu Thr Phe Gly Leu Ser Ile Glu Glu
165 170 175

Val Gln Ala Cys Asn Arg Leu Met Thr Ile Asn Gly Asn Pro Asp Tyr 180 185 190

Phe Ser Leu Asn Leu Ala Gln Ala Val Gln Val Val Cys Tyr Glu Ile 195 200 205

Phe Ser Gln Thr Gly Ser Pro Met Thr His Leu Gln Gln Glu Asp His 210 215 220

Ala Ala Thr His Glu Gln Ile Lys Gly Met Val Ala His Met Glu Ser

225 230 235 240

Val Met Asn Asp Ile Gly Phe Phe Asn Arg Arg Asn Gly Glu Arg Leu 245 250 255

Met Arg Arg Met Gln Ser Leu Phe Gly Arg Ala Asn Thr Gln Thr Glu 260 265 270

Asp Ile Asp Ile Leu Arg Gly Phe Phe Asn Thr Val Ser His Arg Ile 275 280 285

His Lys Lys Asp 290

<210> 139

<211> 708

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(708)

<400> 139

ttg cgg cag ctt gga tgt ttg att ggt ttt ttc agt gtt gga atc att 48
Leu Arg Gln Leu Gly Cys Leu Ile Gly Phe Phe Ser Val Gly Ile Ile
1 5 10 15

atg aat ttg aaa tta gtg ttt gaa tcg ggc gat ccc gtc ctg atc ggt 96
Met Asn Leu Lys Leu Val Phe Glu Ser Gly Asp Pro Val Leu Ile Gly
20 25 30

gtg ttt gtg ttg atg ctg ttg atg agt atc gta acg tgg tgt ttg gtt 144
Val Phe Val Leu Met Leu Met Ser Ile Val Thr Trp Cys Leu Val
35 40 45

gtc ttg cgc tgc atc aag ctg tat cgg gcg cgc aaa ggg aat gcc gcc 192
Val Leu Arg Cys Ile Lys Leu Tyr Arg Ala Arg Lys Gly Asn Ala Ala
50 55 60

gtc aaa cgg cat atg cgc gat act ttg tcg ctg aac gac gcg gtc gaa 240 Val Lys Arg His Met Arg Asp Thr Leu Ser Leu Asn Asp Ala Val Glu 65 70 75 80

aaa gtg cgc gcc gtc gat gcg cct ttg tcc aaa ctg gcg caa gag gca 288 Lys Val Arg Ala Val Asp Ala Pro Leu Ser Lys Leu Ala Gln Glu Ala

85 90 95

ttg	cag	tct	tac	cgc	aac	tac	cgc	cga	aac	gaa	gcg	tcc	gaa	ctg	gcg	336
Leu	Gln	Ser	Tyr	Arg	Asn	Tyr	Arg	Arg	Asn	Glu	Ala	Ser	Glu	Leu	Ala	
			100					105					110			
cag	gct	ttg	ccg	ttg	aac	gag	tat	ttg	gtc	att	caa	atc	cgc	aac	agt	384
Gln	Ala	Leu	Pro	Leu	Asn	Glu	Tyr	Leu	Val	Ile	Gln	Ile	Arg	Asn	Ser	
		115				•	120					125				
atg	gcg	cag	att	atg	cgc	cgg	ttt	gat	tac	ggg	atg	acc	gcg	ctt	gcc	432
Met	Ala	Gln	Ile	Met	Arg	Arg	Phe	Asp	Tyr	Gly	Met	Thr	Ala	Leu	Ala	
	130					135					140					
tcc	atc	ggc	gcg	acc	gcg	ccg	ttt	atc	ggg	ttg	ttc	ggc	acg	gtt	tgg	480
Ser	Ile	Gly	Ala	Thr	Ala	Pro	Phe	Ile	Gly	Leu	Phe	Gly	Thr	Val	Trp	
145					150					155					160	
ggg	att	tac	cac	gcc	ctg	atc	aat	atc	ggg	caa	agc	ggg	cag	atg	agt	528
Gly	Ile	Tyr	His	Ala	Leu	Ile	Asn	Ile	Gly	Gln	Ser	Gly	Gln	Met	Ser	
				165					170					175		
	gcg		-	_		_				-	-			-		576
Ile	Ala	Ala	Val	Ala	Gly	Pro	Ile	Gly	Glu	Ala	Leu	Val	Ala	Thr	Ala	
			180					185					190			
	ggt															624
Ala	Gly		Phe	Val	Ala	Ile		Ala	Val	Leu	Ala	_	Asn	Phe	Leu	
		195					200					205				
	cgc					_		_	_	-	_		_			672
Asn	Arg	GТУ	Thr	ьуs	тте		Thr	GIn	Asp	ьeu		Ала	Met	Ala	Hls	
	210					215					220					
~~+	++~	a	at a	~~~	a+~	a++	2 2 t	a	22~	a-+	200					708
-	ttg		_	_	_				_	_	-					/08
225	Leu	птѕ	val	Arg	ьеи 230	шец	ASII	GTII	тЛя	235	Set					
223					∠3∪					∠30						

<210> 140

<211> 236

<212> PRT

<213> Neisseria meningitidis

<400> 140

Leu Arg Gln Leu Gly Cys Leu Ile Gly Phe Phe Ser Val Gly Ile Ile 1 5 10 15

Met Asn Leu Lys Leu Val Phe Glu Ser Gly Asp Pro Val Leu Ile Gly 20 25 30

Val Phe Val Leu Met Leu Met Ser Ile Val Thr Trp Cys Leu Val 35 40 45

Val Leu Arg Cys Ile Lys Leu Tyr Arg Ala Arg Lys Gly Asn Ala Ala
50 55 60

Val Lys Arg His Met Arg Asp Thr Leu Ser Leu Asn Asp Ala Val Glu 65 70 75 80

Lys Val Arg Ala Val Asp Ala Pro Leu Ser Lys Leu Ala Gln Glu Ala 85 90 95

Leu Gln Ser Tyr Arg Asn Tyr Arg Asn Glu Ala Ser Glu Leu Ala 100 105 110

Gln Ala Leu Pro Leu Asn Glu Tyr Leu Val Ile Gln Ile Arg Asn Ser 115 120 125

Met Ala Gln Ile Met Arg Arg Phe Asp Tyr Gly Met Thr Ala Leu Ala 130 135 140

Ser Ile Gly Ala Thr Ala Pro Phe Ile Gly Leu Phe Gly Thr Val Trp
145 150 155 160

Gly Ile Tyr His Ala Leu Ile Asn Ile Gly Gln Ser Gly Gln Met Ser 165 170 175

Ile Ala Ala Val Ala Gly Pro Ile Gly Glu Ala Leu Val Ala Thr Ala 180 185 190

Ala Gly Leu Phe Val Ala Ile Pro Ala Val Leu Ala Tyr Asn Phe Leu
195 200 205

Asn Arg Gly Thr Lys Ile Leu Thr Gln Asp Leu Asp Ala Met Ala His 210 215 220

Asp Leu His Val Arg Leu Leu Asn Gln Lys Asp Ser 225 230 235

<210> 141

<211> 812

<212> DNA

<213> Neisseria meningitidis

<220> <221> CDS <222> (1)..(810) <400> 141 atg act atg cac gcc ctc ccc cgc tac gcc gtt ttt ggc aac ccc gtc 48 Met Thr Met His Ala Leu Pro Arg Tyr Ala Val Phe Gly Asn Pro Val gcc cac agc aaa tcg ccg caa att cat caa caa ttt gcc ctt cag gaa 96 Ala His Ser Lys Ser Pro Gln Ile His Gln Gln Phe Ala Leu Gln Glu 20 ggc gtt gac att gaa tac gaa cgc att tgc gcc gac atc ggc ggt ttc 144 Gly Val Asp Ile Glu Tyr Glu Arg Ile Cys Ala Asp Ile Gly Gly Phe 35 40 45 gcg cag gcg gtt tcg aca ttt ttt gaa aca ggc ggt tgc ggg gca aac 192 Ala Gln Ala Val Ser Thr Phe Phe Glu Thr Gly Gly Cys Gly Ala Asn gtt acc gta ccg ttc aag cag gaa gcg ttt cat ctg gcg qac qag cat 240 Val Thr Val Pro Phe Lys Gln Glu Ala Phe His Leu Ala Asp Glu His 65 70 75 8.0 tct gaa cgc gca ttg gct gcc ggc gcg gtc aac acg ctg att ttt ctg 288 Ser Glu Arg Ala Leu Ala Ala Gly Ala Val Asn Thr Leu Ile Phe Leu 85 90 aaa aac gga aaa ctg cgc ggc gac aat acc gac ggt atc ggt ttg gcc 336 Lys Asn Gly Lys Leu Arg Gly Asp Asn Thr Asp Gly Ile Gly Leu Ala 100 105 110 aac gac atc acg cag gtc aaa aac att gcc atc gaa ggc aaa acc atc 384 Asn Asp Ile Thr Gln Val Lys Asn Ile Ala Ile Glu Gly Lys Thr Ile 115 120 125 ttg ctt ttg ggc gcg ggc gcg gtg cgc gtg att cct gtt ttg 432 Leu Leu Gly Ala Gly Gly Ala Val Arg Gly Val Ile Pro Val Leu 135 aaa gaa cac cgt cct gcc cgt atc gtc att gcc aac cgt acc cgc gcc 480 Lys Glu His Arg Pro Ala Arg Ile Val Ile Ala Asn Arg Thr Arg Ala 145 150 160 aaa gcc gag gaa ttg gcg cag ctt ttc ggc att gaa gcc gtc ccg atg 528 Lys Ala Glu Glu Leu Ala Gln Leu Phe Gly Ile Glu Ala Val Pro Met

165 170 175

gcg gat gtg aac ggc ggt ttt gat atc atc aac ggc acg tcg ggc 576 Ala Asp Val Asn Gly Gly Phe Asp Ile Ile Ile Asn Gly Thr Ser Gly 180 185 190 ggt cta aac ggt cag att ccc gat att ccg ccc gat att ttt caa aac 624 Gly Leu Asn Gly Gln Ile Pro Asp Ile Pro Pro Asp Ile Phe Gln Asn 200 tgc gcg ctt gcc tac gat atg gtg tac ggc tgc gcg gca aaa ccg ttt 672 Cys Ala Leu Ala Tyr Asp Met Val Tyr Gly Cys Ala Ala Lys Pro Phe 210 215 220 tta gat ttt gca cga caa tcg ggt gcg aaa aaa act gcc gac gga ctg 720 Leu Asp Phe Ala Arg Gln Ser Gly Ala Lys Lys Thr Ala Asp Gly Leu 225 230 235 240 ggt atg cta gtc ggt caa gcg gcg gct tcc tac gcc ctc tgg cgc gga 768 Gly Met Leu Val Gly Gln Ala Ala Ser Tyr Ala Leu Trp Arg Gly 245 250 ttt acg ccc gat atc cgc ccc gtt atc gaa tac atg aaa gcc ct 812

ttt acg ccc gat atc cgc ccc gtt atc gaa tac atg aaa gcc ct
Phe Thr Pro Asp Ile Arg Pro Val Ile Glu Tyr Met Lys Ala
260 265 270

<210> 142

<211> 270

<212> PRT

<213> Neisseria meningitidis

<400> 142

Met Thr Met His Ala Leu Pro Arg Tyr Ala Val Phe Gly Asn Pro Val 1 5 10 15

Ala His Ser Lys Ser Pro Gln Ile His Gln Gln Phe Ala Leu Gln Glu
20 25 30

Gly Val Asp Ile Glu Tyr Glu Arg Ile Cys Ala Asp Ile Gly Gly Phe  $35 \hspace{1.5cm} 40 \hspace{1.5cm} 45$ 

Ala Gln Ala Val Ser Thr Phe Phe Glu Thr Gly Gly Cys Gly Ala Asn

Val Thr Val Pro Phe Lys Gln Glu Ala Phe His Leu Ala Asp Glu His 65 70 75 80

Ser Glu Arg Ala Leu Ala Ala Gly Ala Val Asn Thr Leu Ile Phe Leu 85 90 95 95

Lys Asn Gly Lys Leu Arg Gly Asp Asn Thr Asp Gly Ile Gly Leu Ala 100 105 105 110 110

Asn Asp Ile Thr Gln Val Lys Asn Ile Ala Ile Glu Gly Lys Thr Ile 115 120 125

Leu Leu Gly Ala Gly Gly Ala Val Arg Gly Val Ile Pro Val Leu 130 135 140

Lys Ala Glu Glu Leu Ala Gln Leu Phe Gly Ile Glu Ala Val Pro Met 165 170 175

Ala Asp Val Asn Gly Gly Phe Asp Ile Ile Ile Asn Gly Thr Ser Gly
180 185 190

Gly Leu Asn Gly Gln Ile Pro Asp Ile Pro Pro Asp Ile Phe Gln Asn 195 200 205

Cys Ala Leu Ala Tyr Asp Met Val Tyr Gly Cys Ala Ala Lys Pro Phe 210 215 220

Leu Asp Phe Ala Arg Gln Ser Gly Ala Lys Lys Thr Ala Asp Gly Leu 225 230 235 240

Gly Met Leu Val Gly Gln Ala Ala Ala Ser Tyr Ala Leu Trp Arg Gly 245 250 255

Phe Thr Pro Asp Ile Arg Pro Val Ile Glu Tyr Met Lys Ala 260 265 270

<210> 143

<211> 1515

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(1515)

<400> 143

_				aga Arg 5				_	-	-		_		-		48
_		_	_	tat Tyr			_					_	_	_	-	96
_	_	_	_	gtg Val	_		_		_	_	_			_	_	144
_			_	gac Asp		_	_	_	_			_				192
_	_			ccg Pro		_	_	-		_	_	_	_			240
			_	gcg Ala 85												288
_	_	-	_	tat Tyr	-			_						-	-	336
_			_	gcg Ala			_									384
_	_			gaa Glu			_	_				_	_	_	_	432
				ttt Phe	_	-			_	_	_	_	_			480
				gaa Glu 165												528
				cgg Arg												576

_				_	_		_		-		_			gcc Ala	-	624
_	_		_									_	-	gtc Val	-	672
					-		_			_				gaa Glu		720
_	_			_	_				_	_		_		aat Asn 255		768
														gac Asp		816
		_			_			_						cag Gln		864
			_	_			_		_	_	_		-	gac Asp		912
	_					23	_			_	_			ccg Pro		960
														cgc Arg 335		1008
	_					_	_		_	-			-	caa Gln	_	1056
	_	_	_	_			-						-	gac Asp		1104
			_	_	-		_	-	_	_				gtg Val		1152

	ggc		_					 _		_	-	_		 1200
	gcg Ala													1248
	gcg Ala	_				_	_	 	_		_		_	1296
	tct Ser		_	_	_				_		_		_	1344
	gcg Ala 450		_		-	_		_	_	_	_	_	_	1392
_	aag Lys	_	_			9 9				_		,	_	1440
	agg Arg	_	_	_			_			_	_		_	 1488
	ttt Phe		_		-									1515

<210> 144

<211> 505

<212> PRT

<213> Neisseria meningitidis

<400> 144

Met Leu Tyr Phe Arg Tyr Gly Phe Leu Val Val Trp Cys Ala Ala Gly
1 5 10 15

Val Ser Ala Ala Tyr Gly Ala Asp Ala Pro Ala Ile Leu Asp Asp Lys
20 25 30

Ala Leu Leu Gln Val Gln Arg Ser Val Ser Asp Lys Trp Ala Glu Ser 35 40 45

Asp	Trp 50	ГÀЗ	Val	Asp	Asn	Asp 55	Ala	Pro	Arg	Val	Val 60	Asp	Gly	Asp	Phe
Leu 65	Leu	Ala	His	Pro	Lys 70	Met	Leu	Glu	His	Ser 75	Leu	Arg	Asp	Val	Leu 80
Asn	Gly	Asn	Gln	Ala 85	Asp	Leu	Ile	Ala	Ser 90	Leu	Ala	Asp	Leu	Туг 95	Ala
Lys	Leu	Pro	Asp 100	Tyr	Asp	Ala	Val	Leu 105	Tyr	Gly	Arg	Ala	Arg 110	Ala	Leu
Leu	Ala	Lys 115	Leu	Ala	Gly	Arg	Pro 120	Ala	Glu	Ala	Val	Ala 125	Arg	Tyr	Arg
Glu	Leu 130	His	Gly	Glu	Asn	Ala 135	Ala	Asp	Glu	Arg	Ile 140	Leu	Leu	Asp	Leu
Ala 145	Ala	Ala	Glu	Phe	Asp 150	Asp	Phe	Arg	Leu	Lys 155	Ser	Ala	Glu	Arg	His 160
Phe	Ala	Glu	Ala	Glu 165	Lys	Leu	Asp	Leu	Pro 170	Ala	Pro	Val	Leu	Glu 175	Asn
Val	Gly	Arg	Phe 180	Arg	Lys	Lys	Ala	Glu 185	Gly	Leu	Thr	Gly	Trp 190	Arg	Phe
Ser	Gly	Gly 195	Ile	Ser	Pro	Ala	Val 200	Asn	Arg	Asn	Ala	Asn 205	Asn	Ala	Ala
Pro	Gln 210	Tyr	Cys	Arg	Gln	Asn 215	Gly	Gly	Arg	Gln	Ile 220	Cys	ser	Val	Ser
Arg 225	Ala	Glu	Arg	Ala	Ala 230	Gly	Leu	Asn	Tyr	Glu 235	Ile	Glu	Ala	Glu	Lуs 240
Leu	Thr	Ala	Leu	Ala 245	Asp	Asn	His	Tyr	Leu 250	Leu	Phe	Arg	Ser	Asn 255	Ile
Gly	Gly	Thr	Ser 260	Tyr	Tyr	Phe	Ser	Lуs 265	Lys	Ser	Ala	Tyr	Asp 270	Asp	Gly
Phe	Gly	Arg 275	Ala	Tyr	Leu	Gly	Trp 280	Gln	Tyr	Lys	Asn	Ala 285	Arg	Gln	Thr
Ala	Gly 290	Ile	Leu	Pro	Phe	Tyr 295	Gln	Val	Gln	Leu	Ser 300	Gly	Ser	Asp	Gly

Phe Asp Ala Lys Thr Lys Arg Val Asn Asn Arg Arg Leu Pro Pro Tyr 305 310 315 320

Met Leu Ala His Gly Val Gly Val Gln Leu Ser His Thr Tyr Arg Pro 325 330 335

Asn Pro Gly Trp Gln Phe Ser Val Ala Leu Glu His Tyr Arg Gln Arg 340 345 350

Tyr Arg Glu Gln Asp Arg Ala Glu Tyr Asn Asn Gly Arg Gln Asp Gly 355 360 365

Phe Tyr Val Ser Ser Ala Lys Arg Leu Gly Glu Ser Ala Thr Val Phe 370 375 380

Gly Gly Trp Gln Phe Val Arg Phe Val Pro Lys Arg Glu Thr Val Gly 385 390 395 400

Gly Ala Val Asn Asn Ala Ala Tyr Arg Arg Asn Gly Val Tyr Ala Gly \$405\$

Trp Ala Gln Glu Trp Arg Gln Leu Gly Gly Leu Asn Ser Arg Val Ser 420 425 430

Ala Ser Tyr Ala Arg Arg Asn Tyr Lys Gly Val Ala Ala Phe Ser Thr 435 440 445

Glu Ala Gln Arg Asn Arg Glu Trp Asn Val Ser Leu Ala Leu Ser His 450 455 460

Asp Lys Leu Ser Tyr Lys Gly Ile Val Pro Ala Leu Asn Tyr Arg Phe 465 470 475 480

Gly Arg Thr Glu Ser Asn Val Pro Tyr Ala Lys Arg Arg Asn Ser Glu 485 490 495

Val Phe Val Ser Ala Asp Trp Arg Phe 500 505

<210> 145

<211> 840

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(840)

<400> 145

atg gat aaa gaa cga att tta acc ccc gca gtc gtg ttt tcc gtc gca Met Asp Lys Glu Arg Ile Leu Thr Pro Ala Val Phe Ser Val Ala 10 ctg ctg cat ttg gca atg gtg gca ttg ctc tgg cag gcg cac aag ctg Leu Leu His Leu Ala Met Val Ala Leu Leu Trp Gln Ala His Lys Leu ccc gtg ata gag tca ggc aat gtt att gaa ttt gtc gat ttg ggc gat 144 Pro Val Ile Glu Ser Gly Asn Val Ile Glu Phe Val Asp Leu Gly Asp 35 40 45 ttt ggc gga ggg gac ggc gca ccc gaa ggt gca ggc gcg cct gcc gcg 192 Phe Gly Gly Gly Asp Gly Ala Pro Glu Gly Ala Gly Ala Pro Ala Ala 55 ccc gaa ccg caa ccc gtg ccc gag ccg ccc aaa cct gtc gag ccg ccc 240 Pro Glu Pro Gln Pro Val Pro Glu Pro Pro Lys Pro Val Glu Pro Pro 65 70 75 80 aag ccg gtt ttg aag ccg gtg gtt acg aaa aag gcg gat gcg gat att 288 Lys Pro Val Leu Lys Pro Val Val Thr Lys Lys Ala Asp Ala Asp Ile 85 90 cag cag cct aag gaa gag ccg aaa cct gaa gaa aag ccg aaa ccc gaa 336 Gln Gln Pro Lys Glu Glu Pro Lys Pro Glu Glu Lys Pro Lys Pro Glu 100 gaa aaa ccg aaa cca gag cct aag ccg gaa gcg aag cct gtc ccg aaa 384 Glu Lys Pro Lys Pro Glu Pro Lys Pro Glu Ala Lys Pro Val Pro Lys 115 120 125 ccg gcg gaa aaa ccg gtc gag aag ccg tct gaa aaa cct gcc gaa cat 432 Pro Ala Glu Lys Pro Val Glu Lys Pro Ser Glu Lys Pro Ala Glu His 130 135 140 ccc ggc aat gct tct gcc aaa gca gac agc gag cag ggc aat ggg gaa 480 Pro Gly Asn Ala Ser Ala Lys Ala Asp Ser Glu Gln Gly Asn Gly Glu 145 150 160 gat aag gga acc ggt atc aaa gga gac gga acg ggg cgc gga gaa ggc 528 Asp Lys Gly Thr Gly Ile Lys Gly Asp Gly Thr Gly Arg Gly Glu Gly 170 165 175 age ggt aaa ggt age ggt gte aaa gge gaa cae ggg gaa gga gee 576

Ser Gly Lys Gly Ser Gly Gly Val Lys Gly Glu His Gly Glu Gly Ala ggc agc agc aaa ggc aat cct tta cgc gcc aac ggc agc att ccg cgc Gly Ser Ser Lys Gly Asn Pro Leu Arg Ala Asn Gly Ser Ile Pro Arg ccg gct tat ccc acg ctt tct atg gag aat gat gag cag ggt acg gtt Pro Ala Tyr Pro Thr Leu Ser Met Glu Asn Asp Glu Gln Gly Thr Val qtt ttg agc gtt ttg gtt tct ccg ggc ggt cat gtt gag tcc gtt aaa Val Leu Ser Val Leu Val Ser Pro Gly Gly His Val Glu Ser Val Lys atc gtg aaa agc agt ggt ttt tcc cgg ttg gac aat gcg gca cgc aag Ile Val Lys Ser Ser Gly Phe Ser Arg Leu Asp Asn Ala Ala Arg Lys gcg gcg caa aac ggg cat ttt caa gcc aat gcc tgg acg gag ttt aaa Ala Ala Gln Asn Gly His Phe Gln Ala Asn Ala Trp Thr Glu Phe Lys gtc ccc gtc aag ttt gaa ttg aat Val Pro Val Lys Phe Glu Leu Asn <210> 146 <211> 280 <212> PRT <213> Neisseria meningitidis Met Asp Lys Glu Arq Ile Leu Thr Pro Ala Val Val Phe Ser Val Ala Leu Leu His Leu Ala Met Val Ala Leu Leu Trp Gln Ala His Lys Leu Pro Val Ile Glu Ser Gly Asn Val Ile Glu Phe Val Asp Leu Gly Asp Phe Gly Gly Gly Asp Gly Ala Pro Glu Gly Ala Gly Ala Pro Ala Ala Pro Glu Pro Gln Pro Val Pro Glu Pro Pro Lys Pro Val Glu Pro Pro 

Lys Pro Val Leu Lys Pro Val Val Thr Lys Lys Ala Asp Ala Asp Ile 85 90 95

Gln Gln Pro Lys Glu Glu Pro Lys Pro Glu Glu Lys Pro Lys Pro Glu
100 105 110

Glu Lys Pro Lys Pro Glu Pro Lys Pro Glu Ala Lys Pro Val Pro Lys
115 120 125

Pro Ala Glu Lys Pro Val Glu Lys Pro Ser Glu Lys Pro Ala Glu His 130 135 140

Pro Gly Asn Ala Ser Ala Lys Ala Asp Ser Glu Gln Gly Asn Gly Glu 145 150 155 160

Asp Lys Gly Thr Gly Ile Lys Gly Asp Gly Thr Gly Arg Gly Glu Gly
165 170 175

Ser Gly Lys Gly Ser Gly Gly Val Lys Gly Glu His Gly Glu Gly Ala 180 185 190

Gly Ser Ser Lys Gly Asn Pro Leu Arg Ala Asn Gly Ser Ile Pro Arg 195 200 205

Pro Ala Tyr Pro Thr Leu Ser Met Glu Asn Asp Glu Gln Gly Thr Val 210 215 220

Val Leu Ser Val Leu Val Ser Pro Gly Gly His Val Glu Ser Val Lys 225 230 235 240

Ile Val Lys Ser Ser Gly Phe Ser Arg Leu Asp Asn Ala Ala Arg Lys 245 250 255

Ala Ala Gln Asn Gly His Phe Gln Ala Asn Ala Trp Thr Glu Phe Lys
260 265 270

Val Pro Val Lys Phe Glu Leu Asn 275 280

<210> 147

<211> 1572

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS <222> (1)..(1572)

<400> 147 atg ttc aga cgg tat ctt ccg aac aga cag atg aat atg gtt tcc aaa 48 Met Phe Arg Arg Tyr Leu Pro Asn Arg Gln Met Asn Met Val Ser Lys 5 15 ctg gac aaa tac tgg cag cac ccc gcc ctc tac tgg cct ttg ctc atc 96 Leu Asp Lys Tyr Trp Gln His Pro Ala Leu Tyr Trp Pro Leu Leu Ile 20 25 30 ctt ttt gcc gcc gcc acc ccc ttt acc ttc gca ccc tac tac cac ttt 144 Leu Phe Ala Ala Ala Thr Pro Phe Thr Phe Ala Pro Tyr Tyr His Phe 40 35 tgg ctg atg ccc ttg att ttc ggt gcc ttc gtc cgc ctc atc gaa ctg 192 Trp Leu Met Pro Leu Ile Phe Gly Ala Phe Val Arg Leu Ile Glu Leu 50 55 cgt ccg cgt ttt gct gtc tct tcc gcc tac ctg ttc ggc ctg acc gca 240 Arg Pro Arg Phe Ala Val Ser Ser Ala Tyr Leu Phe Gly Leu Thr Ala 65 70 75 tac acq aca cag ttc tac tgg ata cac acc gcc ctg cac gac gtt tcc 288 Tyr Thr Thr Gln Phe Tyr Trp Ile His Thr Ala Leu His Asp Val Ser 85 ggc ctg ccc gac ctc tat gcc gta ccg ctg acc ttc cta ctc ccc gcc 336 Gly Leu Pro Asp Leu Tyr Ala Val Pro Leu Thr Phe Leu Leu Pro Ala 100 110 tac ctt gcc ctt tat ccg gca ctg tgt ttc tgg ctg tgg aaa aaa ttt 384 Tyr Leu Ala Leu Tyr Pro Ala Leu Cys Phe Trp Leu Trp Lys Lys Phe 115 120 125 acc ctg cct cgg ggc ata aaa atc ggt ttg gta ctg ccc atc ctg tgg 432 Thr Leu Pro Arg Gly Ile Lys Ile Gly Leu Val Leu Pro Ile Leu Trp 130 135 aca ctg acc gag ttt gcc cgc gaa cgt ttc ctg acc gga ttc ggc tgg 480 Thr Leu Thr Glu Phe Ala Arq Glu Arq Phe Leu Thr Gly Phe Gly Trp 145 150 155 160 ggc gca atc ggc tac tcc caa atc acc ccg gac agc ccg ctc gcc ggc 528 Gly Ala Ile Gly Tyr Ser Gln Ile Thr Pro Asp Ser Pro Leu Ala Gly 165 170 175

	-			ggc				_			-	-		_		576
		- ·		ctg Leu	-	_		-	-				-	_		624
	_	_		cca Pro		_	_	_			_					672
		_	_	caa Gln		-			-		_		_	_	-	720
	_	-	_	ctt Leu 245					_						-	768
			_	atc Ile												816
			_	gac Asp		-		_		-					_	864
_	_			ctg Leu					_					_		912
				ggc Gly	_			-	_			_				960
				ggt Gly 325												1008
_	_			cag Gln	_						_					1056
_				gaa Glu			_	_			_					1104

		_	_		_				_		-			Gly		1152
			_	_	_	_						-		aac Asn		1200
_		_	_				_	_	_		-	-	_	aaa Lys 415	_	1248
_				_		_	_		_					aaa Lys		1296
	_			_					_	~			_	atg Met		1344
		_		_	_	_	_					-		gcc Ala		1392
								_		-			-	acg Thr	_	1440
	-	~	_							_		-	-	ccc Pro- 495		1488
														cta Leu		1536
_	ctg Leu						-			_						1572

<210> 148

<211> 524

<212> PRT

<213> Neisseria meningitidis

<400> 148

Met Phe Arg Arg Tyr Leu Pro Asn Arg Gln Met Asn Met Val Ser Lys

PCT/GB01/02003

Leu Asp Lys Tyr Trp Gln His Pro Ala Leu Tyr Trp Pro Leu Leu Ile Leu Phe Ala Ala Ala Thr Pro Phe Thr Phe Ala Pro Tyr Tyr His Phe Trp Leu Met Pro Leu Ile Phe Gly Ala Phe Val Arg Leu Ile Glu Leu Arg Pro Arg Phe Ala Val Ser Ser Ala Tyr Leu Phe Gly Leu Thr Ala Tyr Thr Thr Gln Phe Tyr Trp Ile His Thr Ala Leu His Asp Val Ser - 90 95 · Gly Leu Pro Asp Leu Tyr Ala Val Pro Leu Thr Phe Leu Leu Pro Ala Tyr Leu Ala Leu Tyr Pro Ala Leu Cys Phe Trp Leu Trp Lys Lys Phe Thr Leu Pro Arg Gly Ile Lys Ile Gly Leu Val Leu Pro Ile Leu Trp Thr Leu Thr Glu Phe Ala Arg Glu Arg Phe Leu Thr Gly Phe Gly Trp Gly Ala Ile Gly Tyr Ser Gln Ile Thr Pro Asp Ser Pro Leu Ala Gly Phe Ala Pro Phe Gly Gly Ile His Met Val Thr Leu Ala Thr Ala Phe Leu Gly Val Trp Leu Val Leu Ala Ser Asp Asn Thr Ala Arg Ser Gly Lys Arg Leu Leu Pro Ile Ile Leu Ile Ala Ala Leu Leu Ala Ala Gly Tyr Thr Ala Arg Gln Thr Asp Phe Thr Arg Pro Asp Gly Ser Arg Ser Thr Val Ala Leu Leu Gln Gly Asn Ile Asp Gln Thr Leu Lys Trp Arg 

Glu Asp Gln Val Ile Pro Thr Ile Gln Lys Tyr Tyr Glu Gln Val Gly

260 265 270

Lys Thr Thr Ala Asp Ile Val Ile Leu Pro Glu Thr Ala Ile Pro Val 275 280 285

Met Arg Gln Asn Leu Pro Glu Asn Ile Leu Ala Lys Phe Ala Glu Gln 290 295 300

Ala Gln Asn Asn Gly Ser Ala Leu Ala Val Gly Ile Ser Gln Tyr Thr 305 310 315 320

Ser Asp Gly Asn Gly Tyr Glu Asn Ala Val Ile Asn Leu Thr Gly Tyr 325 330 . 335

Gln Glu Asn Asn Gln Asp Gly Ile Pro Tyr Tyr Ala Lys Asn His Leu 340 345 350

Val Pro Phe Gly Glu Tyr Lys Pro Leu Pro Phe Leu Thr Thr Pro Leu 355 360 365

Tyr Lys Met Met Asn Met Pro Leu Ser Asp Phe Arg Lys Gly Gly 370 375 380

Lys Gln Ser Ala Leu Leu Met Lys Asn Gln Lys Ile Ala Phe Asn Ile 385 390 395 400

Cys Tyr Glu Asp Gly Phe Gly Asp Glu Leu Ile Ala Ala Ala Lys Asp
405 410 415

Ala Thr Leu Leu Ala Asn Ala Ser Asn Met Ala Trp Tyr Gly Lys Ser 420 425 430

Asn Ala Met Tyr Gln His Leu Gln Gln Ser Gln Ala Arg Ala Met Glu 435 440 445

Leu Gly Arg Tyr Met Val Arg Ala Thr Asn Thr Gly Ala Thr Ala Ile 450 455 460

Ile Ser Pro Lys Gly Asn Ile Ile Ala Gln Ala Gln Pro Asp Thr Glu 465 470 475 480

Thr Val Leu Glu Gly His Ile Lys Gly Tyr Val Gly Glu Thr Pro Tyr
485 490 495

Met Lys Thr Gly Ser Ser Trp Trp Leu Met Gly Ile Leu Thr Leu Ala 500 505 510

Ala Leu Ile Leu Phe Ile Phe Arg Asn Lys Glu His

515 520

<210> 149 <211> 558 <212> DNA <213> Neisseria meningitidis <220> <221> CDS <222> (1)..(558) <400> 149 ttg gat ctc tac aaa ctc ggt tac aaa cat acc cgt acc gat geg 48 Leu Asp Leu Tyr Lys Leu Gly Tyr Lys Gln His Thr Arg Thr Asp Ala 10 1 gaa ggc tat atc gag aaa ctg cac att acc ccc gcc aat gcc cat gag 96 Glu Gly Tyr Ile Glu Lys Leu His Ile Thr Pro Ala Asn Ala His Glu tgc aaa cac ctg ccg ccg ttg ttg gaa gga ctg ccc aaa ggt acg acc 144 Cys Lys His Leu Pro Pro Leu Leu Glu Gly Leu Pro Lys Gly Thr Thr 35 40 45 gtc tat gcc gac aaa ggc tac gac agt gcg gaa aac cgg caa cat ctg 192 Val Tyr Ala Asp Lys Gly Tyr Asp Ser Ala Glu Asn Arg Gln His Leu 50 55 60 gaa gaa cat cag ttg ttg gac ggc att atg cgc aaa gcc tgc cgc aac 240 Glu Glu His Gln Leu Leu Asp Gly Ile Met Arg Lys Ala Cys Arg Asn 65 70 75 cgt ccg ctg tcg gaa acg caa acc aaa cgc aac cgg tat ttg tcg aag 288 Arg Pro Leu Ser Glu Thr Gln Thr Lys Arg Asn Arg Tyr Leu Ser Lys 85 90 95 acc cgt tat agt gga tta aat tta aat cag gac aag gcg acg aag ccg 336 Thr Arg Tyr Ser Gly Leu Asn Leu Asn Gln Asp Lys Ala Thr Lys Pro 100 105 110 cag aca gta caa ata gta cgg caa ggc gag gca acg ccg tac tgg ttt Gln Thr Val Gln Ile Val Arg Gln Gly Glu Ala Thr Pro Tyr Trp Phe 115 120 125 aaa ttt aat cca cta tat gtg gtc gaa cag agc ttc ggt acg ctg cac 432 Lys Phe Asn Pro Leu Tyr Val Val Glu Gln Ser Phe Gly Thr Leu His

130 135 140

cgt aaa ttc cgc tat gcg cgg gca gcc tat ttc gga ctg att aaa gtg 480 Arg Lys Phe Arg Tyr Ala Arg Ala Ala Tyr Phe Gly Leu Ile Lys Val 145 150 155

agt gcg caa agc cat ctg aag gcg atg tgt ttg aac ctg ttg aaa gcc 528 Ser Ala Gln Ser His Leu Lys Ala Met Cys Leu Asn Leu Lys Ala 165 170

gcc aac aag cta agt gcg ccc gct gcc gcc
Ala Asn Lys Leu Ser Ala Pro Ala Ala
180
185

<210> 150

<211> 186

<212> PRT

<213> Neisseria meningitidis

<400> 150

Leu Asp Leu Tyr Lys Leu Gly Tyr Lys Gln His Thr Arg Thr Asp Ala 1 5 10 15

Glu Gly Tyr Ile Glu Lys Leu His Ile Thr Pro Ala Asn Ala His Glu 20 25 30

Cys Lys His Leu Pro Pro Leu Leu Glu Gly Leu Pro Lys Gly Thr Thr
35 40 45

Val Tyr Ala Asp Lys Gly Tyr Asp Ser Ala Glu Asn Arg Gln His Leu
50 55 60

Glu Glu His Gln Leu Leu Asp Gly Ile Met Arg Lys Ala Cys Arg Asn
65 70 75 80

Arg Pro Leu Ser Glu Thr Gln Thr Lys Arg Asn Arg Tyr Leu Ser Lys
85 90 95

Thr Arg Tyr Ser Gly Leu Asn Leu Asn Gln Asp Lys Ala Thr Lys Pro 100 105 110

Gln Thr Val Gln Ile Val Arg Gln Gly Glu Ala Thr Pro Tyr Trp Phe 115 120 125

Lys Phe Asn Pro Leu Tyr Val Val Glu Gln Ser Phe Gly Thr Leu His 130 135 140

Arg Lys Phe Arg Tyr Ala Arg Ala Ala Tyr Phe Gly Leu Ile Lys Val 145 150 155 160 Ser Ala Gln Ser His Leu Lys Ala Met Cys Leu Asn Leu Leu Lys Ala 165 170 Ala Asn Lys Leu Ser Ala Pro Ala Ala Ala 180 <210> 151 <211> 1332 <212> DNA <213> Neisseria meningitidis <220> <221> CDS <222> (1)..(1332) <400> 151 atg act gac ctg aac acc ctg ttt gcc aac ctc aaa caa cgc aat ccc Met Thr Asp Leu Asn Thr Leu Phe Ala Asn Leu Lys Gln Arg Asn Pro aat cag gag ccg ttc cat cag gcg gtt gaa gaa gtc ttc atg agt ctc Asn Gln Glu Pro Phe His Gln Ala Val Glu Val Phe Met Ser Leu 25 30 20 gat ccg ttt ttg gca aaa aat ccg aaa tac acc cag caa agc ctg ctg 144 Asp Pro Phe Leu Ala Lys Asn Pro Lys Tyr Thr Gln Gln Ser Leu Leu 40 35 gaa ege ate gte gaa eee gaa ege gte gtg atg tte ege gta ace tgg 192 Glu Arg Ile Val Glu Pro Glu Arg Val Val Met Phe Arg Val Thr Trp 50 55 cag gac gat aaa ggg caa gtc caa gtc aac cgg ggc tac cgc gtg caa 240 Gln Asp Asp Lys Gly Gln Val Gln Val Asn Arg Gly Tyr Arg Val Gln 70 75 65 80 atg agt tee gee ate ggt eet tae aaa gge gge etg ege tte eat eeg 288 Met Ser Ser Ala Ile Gly Pro Tyr Lys Gly Gly Leu Arg Phe His Pro 336 acc gtc gat ttg ggc gta ttg aaa ttc ctc gct ttt gaa caa gtg ttc Thr Val Asp Leu Gly Val Leu Lys Phe Leu Ala Phe Glu Gln Val Phe

299

105

110

		_	ttg Leu			_		_								384
		_	ccc Pro					-	_	-	_	_	_		_	432
	_		atg Met		-			-					-		_	480
_	_	-	ggc ggc	_			_									528
	22		tac Tyr 180				_						_	_		576
			ttg Leu													624
			tgc Cys	-			_				_			•		672
_	_		gaa Glu			_	_	_								720
			gcc Ala													768
	_		gac Asp 260					_				_	_		_	816
_	_		caa Gln			_	_		_			_	_	_	_	864
_			gcc Ala													912

			_			_	_	-	_		<del>-</del>	_		tgc Cys		960
			-							2				gca Ala 335		1008
	-		_	-	_	-				-	_	_		ttg Leu		1056
	_						-					-	_	ggc Gly		1104
-			-			-	-				_	_	_	agc Ser		1152
	-		-	-				-	-	_	-	-		cgc Arg	_	1200
			_		_			-		-	_			ggc Gly 415		1248
_		_		-			-						-	ggt Gly		1296
_		_	gcc Ala	_		-	_									1332

<210> 152

<211> 444

<212> PRT

<213> Neisseria meningitidis

<400> 152

Met Thr Asp Leu Asn Thr Leu Phe Ala Asn Leu Lys Gln Arg Asn Pro 1 5 10 15

Asn Gln Glu Pro Phe His Gln Ala Val Glu Glu Val Phe Met Ser Leu

WO 01/85772	PCT/GB01/02003

20 25 30

Asp Pro Phe Leu Ala Lys Asn Pro Lys Tyr Thr Gln Gln Ser Leu Leu 35 40 45

- Glu Arg Ile Val Glu Pro Glu Arg Val Val Met Phe Arg Val Thr Trp
  50 55 60
- Gln Asp Asp Lys Gly Gln Val Gln Val Asn Arg Gly Tyr Arg Val Gln 65 70 75 80
- Met Ser Ser Ala Ile Gly Pro Tyr Lys Gly Gly Leu Arg Phe His Pro 85 90 95
- Thr Val Asp Leu Gly Val Leu Lys Phe Leu Ala Phe Glu Gln Val Phe
  100 105 110
- Lys Asn Ala Leu Thr Thr Leu Pro Met Gly Gly Gly Lys Gly Gly Ser 115 120 125
- Asp Phe Asp Pro Lys Gly Lys Ser Asp Ala Glu Val Met Arg Phe Cys 130 135 140
- Gln Ala Phe Met Thr Glu Leu Tyr Arg His Ile Gly Ala Asp Thr Asp 145 150 155 160
- Val Pro Ala Gly Asp Ile Gly Val Gly Gly Arg Glu Ile Gly Tyr Leu 165 170 175
- Phe Gly Gln Tyr Lys Lys Ile Arg Asn Glu Phe Ser Ser Val Leu Thr 180 185 190
- Gly Lys Gly Leu Glu Trp Gly Gly Ser Leu Ile Arg Pro Glu Ala Thr
  195 200 205
- Gly Tyr Gly Cys Val Tyr Phe Ala Gln Ala Met Leu Gln Thr Arg Asn 210 215 220
- Asp Ser Phe Glu Gly Lys Arg Val Leu Ile Ser Gly Ser Gly Asn Val 225 230 235 240
- Ala Gln Tyr Ala Ala Glu Lys Ala Ile Gln Leu Gly Ala Lys Val Leu 245 250 255
- Thr Val Ser Asp Ser Asn Gly Phe Val Leu Phe Pro Asp Ser Gly Met 260 265 270
- Ser Glu Ala Gln Leu Ala Ala Leu Ile Glu Leu Lys Glu Val Arg Arg

275 280 285

Glu Arg Val Ala Thr Tyr Ala Lys Glu Gln Gly Leu Gln Tyr Phe Glu 290 295 300

Asn Gln Lys Pro Trp Gly Val Ala Ala Glu Ile Ala Leu Pro Cys Ala 305 310 315 320

Thr Gln Asn Glu Leu Asp Glu Glu Ala Ala Lys Thr Leu Leu Ala Asn 325 330 335

Gly Cys Tyr Val Val Ala Glu Gly Ala Asn Met Pro Ser Thr Leu Gly 340 345 350

Ala Val Glu Gln Phe Ile Lys Ala Gly Ile Leu Tyr Ala Pro Gly Lys 355 360 365

Ala Ser Asn Ala Gly Gly Val Ala Thr Ser Gly Leu Glu Met Ser Gln 370 375 380

Asn Ala Ile Arg Leu Ser Trp Thr Arg Glu Glu Val Asp Gln Arg Leu 385 390 395 400

Phe Gly Ile Met Gln Ser Ile His Glu Ser Cys Leu Lys Tyr Gly Lys 405 410 415

Val Gly Asp Thr Val Asn Tyr Val Asn Gly Ala Asn Ile Ala Gly Phe 420 425 430

Val Lys Val Ala Asp Ala Met Leu Ala Gln Gly Phe 435 440

<210> 153

<211> 867

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(867)

<400> 153

atg aaa ccc ata cgg aaa gcc gtc ttc ccc gtc gca ggg atg gga aca 48
Met Lys Pro Ile Arg Lys Ala Val Phe Pro Val Ala Gly Met Gly Thr
1 5 10 15

												atg Met		96
_	_	_	_	_				-	_	_	-	gcc Ala 45		144
	_	_	_	_			-					aaa Lys		192
-	-			_	_	-						gag Glu		240
_												atc Ile		288
			_					_		_		ctg Leu	 _	 336
	_	-	_	_	_	_	_	_				gaa Glu 125		384
		_	-	-	_							ggc		432
	_	-	-			-	_	_			_	att Ile		480
-		_	_	_	_							atc Ile		528
_	-											gtc Val		576
												gga Gly 205		624

304 .

ctt acc ccg Leu Thr Pro 210			•		_			_	-	_			672
ggc aac gaa Gly Asn Glu 225	_			_									720
gaa ttt gtc Glu Phe Val		His			_								768
agc aaa ctg Ser Lys Leu													816
ccc gaa acc Pro Glu Thr 275				_	_		_	-			_		864
gaa Glu											,		867
													-
<210> 154 <211> 289 <212> PRT <213> Neiss	eria men	ingit	cidi:	5									
<211> 289 <212> PRT <213> Neiss <400> 154		-			Dhe	Dro	Vəl	Λla	¢1v	Ma+	¢] v	Th r	
<211> 289 <212> PRT <213> Neiss		. Tàs			Phe	Pro 10	Val	Ala	Gly	Met	Gly 15	Thr	
<211> 289 <212> PRT <213> Neiss <400> 154 Met Lys Pro	Ile Arg	Lys	Ala	Val		10			_		15		
<211> 289 <212> PRT <213> Neiss <400> 154 Met Lys Pro 1	Ile Arg	Lys Thr	Ala Lys	Val Ala	Ser 25	10 Pro	Lys	Glu ,	_ Met	Leu 30	15 Pro	Ile	
<211> 289 <212> PRT <213> Neiss <400> 154 Met Lys Pro 1 Arg Phe Leu Val Asp Lys	Ile Arg	Lys Thr	Ala Lys Gln	Val Ala Tyr 40	Ser 25 Ala	10 Pro Val	Lys Glu	Glu , Glu	Met Ala 45	Leu 30 Val	15 Pro	Ile Ala	
<211> 289 <212> PRT <213> Neiss <400> 154 Met Lys Pro  1  Arg Phe Leu  Val Asp Lys 35  Gly Cys Thr 50  Glu Asp His	Ile Arg	Lys Thr Ile	Ala Lys Gln Phe 55	Val Ala Tyr 40 Val	Ser 25 Ala Thr	10 Pro Val Gly	Lys Glu Arg	Glu , Glu Asn 60	Met Ala 45	Leu 30 Val Arg	15 Pro Glu Ser	Ile Ala Ile Met	
<211> 289 <212> PRT <213> Neiss <400> 154 Met Lys Pro	Pro Ala 20 Pro Leu Glu Met	Lys Thr Ile Val	Ala Lys Gln Phe 55 Ala	Val Ala Tyr 40 Val	Ser 25 Ala Thr	10 Pro Val Gly Leu	Lys Glu Arg Glu 75	Glu , Glu Asn 60	Met Ala 45 Lys	Leu 30 Val Arg	15 Pro Glu Ser	Ile Ala Ile Met 80	

Asn Ile Thr Cys Leu Tyr Ile Arg Gln Ala Glu Ala Leu Gly Leu Gly 100 105 110

His Ala Val Leu Cys Ala Arg Ala Ala Ile Gly Asp Glu Pro Phe Ala 115 120 125

Val Ile Leu Ala Asp Asp Leu Ile Asp Ala Gln Lys Gly Ala Leu Lys 130 135 140

Gln Met Val Glu Val Tyr Glu Arg Ser Gly Asn Ser Ile Leu Gly Val 145 150 155 160

Glu Thr Val Glu Pro Ser Gln Thr Gly Ser Tyr Gly Ile Val Glu Thr
165 170 175

Glu Gln Leu Lys Gln Phe Gln Arg Ile Thr Gly Ile Val Glu Lys Pro 180 185 190

Lys Pro Glu Asp Ala Pro Ser Asn Leu Ala Val Val Gly Arg Tyr Ile 195 200 205

Leu Thr Pro Arg Ile Phe Asp Leu Leu Thr Gly Leu Pro Arg Gly Ala 210 215 220

Gly Asn Glu Ile Gln Leu Thr Asp Gly Ile Ala Lys Leu Leu Asp His 225 230 235 240

Glu Phe Val Leu Ala His Pro Phe Glu Gly Thr Arg Tyr Asp Cys Gly
245 250 255

Ser Lys Leu Gly Tyr Leu Glu Ala Thr Val Ala Tyr Gly Leu Lys His 260 265 270

Pro Glu Thr Gly Glu Pro Phe Arg Arg Leu Leu Glu Lys Tyr Arg Thr 275 280 285

Glu

<210> 155

<211> 876

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(876)

ctg gac aac atc cgc atc atc ctc acg cgc acc agc cat ccc gcc aac 144
Leu Asp Asn Ile Arg Ile Ile Leu Thr Arg Thr Ser His Pro Ala Asn
35 40 45

atc ggc tct gcc gcg cgc gcg atg aaa aca atg ggt ctg cac aaa ctg 192

Ile Gly Ser Ala Ala Arg Ala Met Lys Thr Met Gly Leu His Lys Leu

50 55 60

acc atc gtc gcc cca aat ctg atg gca acg ccg atg acg gaa aac ccg 240
Thr Ile Val Ala Pro Asn Leu Met Ala Thr Pro Met Thr Glu Asn Pro
65 70 75 80

ccc gtg ttt gac ccg gag cat cct caa tcg ttt aaa tta ccg gaa gaa 288
Pro Val Phe Asp Pro Glu His Pro Gln Ser Phe Lys Leu Pro Glu Glu
85 90 95

agc ttc atc ctc gct tcc ggc gcg gca gac gtt ttg gaa aat gcc acc 336 Ser Phe Ile Leu Ala Ser Gly Ala Ala Asp Val Leu Glu Asn Ala Thr 100 105 110

att gec get tet ttg gac gaa gec ett gec gae ace ace ate gee tge 384

Ile Ala Ala Ser Leu Asp Glu Ala Leu Ala Asp Thr Thr Ile Ala Cys

115 120 125

gcc ctg acc agc cgc cgc cgc gaa att act gcg ccg ctg caa acc ccg 432
Ala Leu Thr Ser Arg Arg Glu Ile Thr Ala Pro Leu Gln Thr Pro
130 135 140

cgc gat ttg gta tcc gaa tta ctg cag acc gca aac cga ggc gag aaa 480 Arg Asp Leu Val Ser Glu Leu Leu Gln Thr Ala Asn Arg Gly Glu Lys 145 150 155 160

gtg gca ctg gtt ttc ggc aac gag act ttc ggc ttg agc atc gaa gaa 528 Val Ala Leu Val Phe Gly Asn Glu Thr Phe Gly Leu Ser Ile Glu Glu 165 170

gtc caa gcc tgc aac cga ctg atg acc atc aac ggc aat ccc gac tat 576

Val Gln Ala	Cys Asn 180	Arg Leu	Met Thr		Gly Asn	Pro Asp	Tyr
ttc tcg ctc Phe Ser Leu 195		-					
ttc agc caa Phe Ser Gln 210		-	_				
gct gcg acc Ala Ala Thr 225							_
gtg atg aac Val Met Asn	-						_
atg cgc cgt Met Arg Arg				Arg Ala	_		_
gac atc gat Asp Ile Asp 275	_				-	=	
cat aaa aaa His Lys Lys 290	-						876
<210> 156 <211> 292 <212> PRT <213> Neisse	eria men	ingitidi	s				
<400> 156 Leu Thr Val	Arg Thr		Thr Ala	His Tyr	Thr Leu	Phe His	Ser
Asp Arg Lys	Pro Asn 20	Met Thr	Thr Leu 25		Ala Leu	Pro Ala	Tyr
Leu Asp Asn 35	Ile Arg	Ile Ile	Leu Thr	Arg Thr	Ser His	Pro Ala	Asn
Ile Gly Ser	Ala Ala	Arg Ala	Met Lys	Thr Met	Gly Leu	His Lys	Leu

50 55 60

Thr Ile Val Ala Pro Asn Leu Met Ala Thr Pro Met Thr Glu Asn Pro 65 70 75 80

Pro Val Phe Asp Pro Glu His Pro Gln Ser Phe Lys Leu Pro Glu Glu 85 90 95

Ser Phe Ile Leu Ala Ser Gly Ala Ala Asp Val Leu Glu Asn Ala Thr 100 105 110

Ile Ala Ala Ser Leu Asp Glu Ala Leu Ala Asp Thr Thr Ile Ala Cys
115 120 125

Ala Leu Thr Ser Arg Arg Glu Ile Thr Ala Pro Leu Gln Thr Pro 130 135 140

Arg Asp Leu Val Ser Glu Leu Leu Gln Thr Ala Asn Arg Gly Glu Lys
145 150 155 160

Val Ala Leu Val Phe Gly Asn Glu Thr Phe Gly Leu Ser Ile Glu Glu
165 170 175

Val Gln Ala Cys Asn Arg Leu Met Thr Ile Asn Gly Asn Pro Asp Tyr 180 185 190

Phe Ser Leu Asn Leu Ala Gln Ala Val Gln Val Val Cys Tyr Glu Ile 195 200 205

Phe Ser Gln Thr Gly Ser Pro Met Thr His Leu Gln Gln Glu Asp His 210 225

Ala Ala Thr His Glu Gln Ile Lys Gly Met Val Ala His Met Glu Ser 225 230 235 240

Val Met Asn Asp Ile Gly Phe Phe Asn Arg Arg Asn Gly Glu Arg Leu 245 250 255

Met Arg Arg Met Gln Ser Leu Phe Gly Arg Ala Asn Thr Gln Thr Glu 260 265 270

Asp Ile Asp Ile Leu Arg Gly Phe Phe Asn Thr Val Ser His Arg Ile 275 280 285

His Lys Lys Asp 290

<210> 157 <211> 1008 <212> DNA <213> Neisseria meningitidis <220> <221> CDS <222> (1)..(1008) <400> 157 atg tcc atc aaa atc ctg att att tcc ccc agt tgg ata ggc gac tgc 48 Met Ser Ile Lys Ile Leu Ile Ile Ser Pro Ser Trp Ile Gly Asp Cys 5 gtg atg acc cag ccc ttg ttc cgc cgt ttg aag gaa ctt cac ccc ggt 96 Val Met Thr Gln Pro Leu Phe Arg Arg Leu Lys Glu Leu His Pro Gly 25 20 tgc acg att gat gtg ttc gca ccg aag tgg tcg atg gcg gtg ttt gag 144 Cys Thr Ile Asp Val Phe Ala Pro Lys Trp Ser Met Ala Val Phe Glu 35 45 40 cgt atg ccg gaa gtg aat gag att ctt gaa aat ccg ttc gga cac ggt 192 Arg Met Pro Glu Val Asn Glu Ile Leu Glu Asn Pro Phe Gly His Gly 50 55 60 gcg ttg gag ttg aaa cgc cgt tgg cgg gtc ggt agg gat ttg ggg cgg 240 Ala Leu Glu Leu Lys Arg Arg Trp Arg Val Gly Arg Asp Leu Gly Arg 65 75 cgc gga tac gat cag gtt atc gtg ttg ccc ggt tct ttg aaa tcg gca 288 Arg Gly Tyr Asp Gln Val Ile Val Leu Pro Gly Ser Leu Lys Ser Ala 85 90 95 atc atc gcg ctg gcg aca ggt atc ggt aaa agg acg ggt tat gtc ggt 336 Ile Ile Ala Leu Ala Thr Gly Ile Gly Lys Arg Thr Gly Tyr Val Gly 100 105 110 gaa agc cgt tat ttt ctg ttg aac gat ata cgc agg ctg gat aag gaa Glu Ser Arg Tyr Phe Leu Leu Asn Asp Ile Arg Arg Leu Asp Lys Glu 115 120 125 cgt ctg cct ttg atg gtg gac aga tat acg gct ctc gcg cat ccg agc 432 Arg Leu Pro Leu Met Val Asp Arg Tyr Thr Ala Leu Ala His Pro Ser 130 135 140 cag gag gat ttt gac ggg cat tcg gga ttc ccc gag ttt tcc att gat 480

Gln 145	Glu	Asp	Phe	Asp	Gly 150	His	Ser	Gly	Phe	Pro 155	Glu	Phe	Ser	Ile	Asp 160	
_	22			gaa Glu 165			-	~				-	-		-	528
_		-	_	gct Ala		_	_			-			_	_	-	576
_		_		agg Arg												624
			_	gtt Val		_		-	_			_	-	_		672
_		_		aac Asn	-			-		-	_	-		_	=	720
				ttg Leu 245												768
_	_		_	aac Asn	_	_		_	_		_		-	_	-	816
		_		gtg Val	-	-										864
_		_	-	gac Asp					-	_	_		_	_	_	912
_		_		aag Lys												960
		_		ccc Pro 325	-	_			_		_	_			_	1008

<210> 158

<211> 336

<212> PRT

<213> Neisseria meningitidis

<400> 158

Met Ser Ile Lys Ile Leu Ile Ile Ser Pro Ser Trp Ile Gly Asp Cys
1 5 10 15

Val Met Thr Gln Pro Leu Phe Arg Arg Leu Lys Glu Leu His Pro Gly
20 25 30

Cys Thr Ile Asp Val Phe Ala Pro Lys Trp Ser Met Ala Val Phe Glu 35 40 45

Arg Met Pro Glu Val Asn Glu Ile Leu Glu Asn Pro Phe Gly His Gly 50 55 60

Ala Leu Glu Leu Lys Arg Arg Trp Arg Val Gly Arg Asp Leu Gly Arg 65 70 75 80

Arg Gly Tyr Asp Gln Val Ile Val Leu Pro Gly Ser Leu Lys Ser Ala 85 90 95

Ile Ile Ala Leu Ala Thr Gly Ile Gly Lys Arg Thr Gly Tyr Val Gly
100 105 110

Glu Ser Arg Tyr Phe Leu Leu Asn Asp Ile Arg Arg Leu Asp Lys Glu
115 120 125

Arg Leu Pro Leu Met Val Asp Arg Tyr Thr Ala Leu Ala His Pro Ser 130 135 140

Gln Glu Asp Phe Asp Gly His Ser Gly Phe Pro Glu Phe Ser Ile Asp 145 150 155 160

Glu Arg Arg Glu Ile Ser Val Glu Thr Phe Gly Leu Asp Ile Gly
165 170 175

Lys Pro Val Leu Ala Phe Cys Pro Gly Ala Glu Phe Gly Pro Ala Lys 180 185 190

Arg Trp Pro Thr Arg Tyr Phe Ala Glu Leu Gly Lys His Tyr Ser Ala 195 200 205

Ala Gly Trp Gln Val Trp Leu Phe Gly Ser Gln Lys Asp Asp Glu Ile 210 215 220

Ala Glu Glu Ile Asn Cys Leu Ser Asp Gly Met Cys Val Asn Leu Cys 225 230 235 240 Gly Lys Thr Asp Leu Ser Gln Ala Met Asp Leu Leu Ser Leu Ala Asp 255 245 250 Thr Val Val Cys Asn Asp Ser Gly Leu Met His Leu Ala Ala Ala Leu 265 260 270 Gly Arg Lys Val Val Ala Val Tyr Gly Ser Ser Pro Thr His Thr 275 280 285 Pro Pro Leu Ser Asp Arg Ala Lys Ile Val Ser Leu His Leu Glu Cys 300 290 295 Ser Pro Cys Phe Lys Arg Glu Cys Pro Leu Gly His Thr Asp Cys Leu 305 310 315 320 Asn Arg Leu Tyr Pro Glu Lys Ile Val Gln Ala Val Glu Glu Ala Val 330 325 335 <210> 159 <211> 381 <212> DNA <213> Neisseria meningitidis <220> <221> CDS <222> (1)..(381) <400> 159 atg gaa cct tcc tcc tac gcg gca gaa aaa aga aga aaa ggc ggc atc Met Glu Pro Ser Ser Tyr Ala Ala Glu Lys Lys Gly Lys Gly Ile 1 5 agg cgc gtc atc aac gca ttc ggc tat tcg ata gac ggc atc gcc gcc 96 Arg Arg Val Ile Asn Ala Phe Gly Tyr Ser Ile Asp Gly Ile Ala Ala 20 25 30 gcc tac cgt tac gaa gcg gca ttc cgt cag gtt ttg tgg ctg aac gcg 144 Ala Tyr Arg Tyr Glu Ala Ala Phe Arg Gln Val Leu Trp Leu Asn Ala 35 40 ctg ctg gtg tgc gcg gca ttt ttt tgg gtt tcc gaa aag tcc ctc cgc

313

55

50

Leu Leu Val Cys Ala Ala Phe Phe Trp Val Ser Glu Lys Ser Leu Arg

ctg ccg ttg att atc gcg tct ttt gtg tcg gtc att gtc gaa ctg ttc Leu Pro Leu Ile Ile Ala Ser Phe Val Ser Val Ile Val Glu Leu Phe 65 70 75 aac act gcc gtc gaa gcc gcc gtc gat cat act tcg act gaa aaa cac 288 Asn Thr Ala Val Glu Ala Ala Val Asp His Thr Ser Thr Glu Lys His 85 90 95 gag ctg gct aaa cgc gcc aaa gac gca ggt tct gct gca caa ttg ttc 336 Glu Leu Ala Lys Arg Ala Lys Asp Ala Gly Ser Ala Ala Gln Leu Phe 100 105 110 gcg atg ctg atg tta gcg gcg gtt tgg ctg tcc gcc ctg ttc ggg 381 Ala Met Leu Met Leu Ala Ala Val Trp Leu Ser Ala Leu Phe Gly 115 120 125 <210> 160 <211> 127 <212> PRT <213> Neisseria meningitidis <400> 160 Met Glu Pro Ser Ser Tyr Ala Ala Glu Lys Lys Gly Lys Gly Ile 10 Arg Arg Val Ile Asn Ala Phe Gly Tyr Ser Ile Asp Gly Ile Ala Ala 20 25 Ala Tyr Arg Tyr Glu Ala Ala Phe Arg Gln Val Leu Trp Leu Asn Ala 40 Leu Leu Val Cys Ala Ala Phe Phe Trp Val Ser Glu Lys Ser Leu Arg

bed Led Val Cys Ala Ala Phe Phe Trp Val Ser Glu Lys Ser Led Arg

Leu Pro Leu Ile Ile Ala Ser Phe Val Ser Val Ile Val Glu Leu Phe 65 70 75 80

Asn Thr Ala Val Glu Ala Ala Val Asp His Thr Ser Thr Glu Lys His
85 90 95

Glu Leu Ala Lys Arg Ala Lys Asp Ala Gly Ser Ala Ala Gln Leu Phe 100 105 110

Ala Met Leu Met Leu Ala Ala Val Trp Leu Ser Ala Leu Phe Gly
115 120 125

<210> 161 <211> 990 <212> DNA <213> Neisseria meningitidis <220> <221> CDS <222> (1)..(990) <400> 161 atg aaa aaa gaa agc cgc ccc gcg ttt gac gcg gca gcc gta ttt gac 48 Met Lys Lys Glu Ser Arg Pro Ala Phe Asp Ala Ala Val Phe Asp 10 gcg gca gcc gta ccg gta tcc gac agc ggg ttt gcc gcc aat gca aat 96 Ala Ala Ala Val Pro Val Ser Asp Ser Gly Phe Ala Ala Asn Ala Asn 20 25 gtc cgc cgt ttt gtg gac gat gaa gtc ggg aaa ggg gat ttt tcc cgg Val Arg Arg Phe Val Asp Asp Glu Val Gly Lys Gly Asp Phe Ser Arg 35 40 45 gcg gaa tgg cag gat ttt ttt gac aaa gcg gct tac aag gcg gac atc 192 Ala Glu Trp Gln Asp Phe Phe Asp Lys Ala Ala Tyr Lys Ala Asp Ile 55 qtc aag att atg cac cgc ccc tcc aca tcg cgt ccg tqg tat gtg ttc 240 Val Lys Ile Met His Arg Pro Ser Thr Ser Arg Pro Trp Tyr Val Phe 70 65 75 cgc acg gga aat tcg ggc aag gcg aaa ttt cgc ggc gcg cgc cgg ttt 288 Arg Thr Gly Asn Ser Gly Lys Ala Lys Phe Arg Gly Ala Arg Arg Phe 85 90 tat gcg gaa aac cgc gcg ctt atc gat gtg gcg caa aaa tac ggc 336 Tyr Ala Glu Asn Arg Ala Leu Ile Asp Asp Val Ala Gln Lys Tyr Gly 100 105 gtg cct gcc gaa ctt atc gtg gcg gtt atc ggg att gaa acg aat tac 384 Val Pro Ala Glu Leu Ile Val Ala Val Ile Gly Ile Glu Thr Asn Tyr 115 120 125 ggc aaa aat acg ggc agt ttc cgt gtg gcg gac gca ttg gcg acc tta 432 Gly Lys Asn Thr Gly Ser Phe Arg Val Ala Asp Ala Leu Ala Thr Leu 130 135 140

		_		ccc Pro	_	_							-	_	_	480
, ,			_	ctg Leu 165	-		_	_			_	-		-		528
		_		gcg Ala		_	_		_	_			_		_	576
_				tgg Trp			-		_		_				-	624
				gtt Val		_	_									672
_	_		-	tgg Trp												720
_	2 2	_		gcg Ala 245	-	_	-	-				_			-	768
				gtg Val												816
-			_	gat Asp	_	_	_		_	_			_	_		864
_				ttt Phe	_			_		_						912
_		_		aat Asn		-		_					_			960
	-			ctt Leu 325												990

<210> 162

<211> 330

<212> PRT

<213> Neisseria meningitidis

<400> 162

Met Lys Lys Glu Ser Arg Pro Ala Phe Asp Ala Ala Ala Val Phe Asp 1 5 10 15

Ala Ala Val Pro Val Ser Asp Ser Gly Phe Ala Ala Asn Ala Asn 20 25 30

Val Arg Arg Phe Val Asp Asp Glu Val Gly Lys Gly Asp Phe Ser Arg
35 40 45

Ala Glu Trp Gln Asp Phe Phe Asp Lys Ala Ala Tyr Lys Ala Asp Ile 50 55 60

Val Lys Ile Met His Arg Pro Ser Thr Ser Arg Pro Trp Tyr Val Phe 65 70 75 80

Arg Thr Gly Asn Ser Gly Lys Ala Lys Phe Arg Gly Ala Arg Arg Phe 85 90 95

Tyr Ala Glu Asn Arg Ala Leu Ile Asp Asp Val Ala Gln Lys Tyr Gly
100 105 110

Val Pro Ala Glu Leu Ile Val Ala Val Ile Gly Ile Glu Thr Asn Tyr 115 120 125

Gly Lys Asn Thr Gly Ser Phe Arg Val Ala Asp Ala Leu Ala Thr Leu 130 135 140

Gly Phe Asp Tyr Pro Arg Arg Ala Gly Phe Phe Gln Lys Glu Leu Val 145 150 155 160

Glu Leu Leu Lys Leu Ala Lys Glu Glu Gly Gly Asp Val Phe Ala Phe
165 170 175

Lys Gly Ser Tyr Ala Gly Ala Met Gly Met Pro Gln Phe Met Pro Ser 180 185 190

Ser Tyr Arg Lys Trp Ala Val Asp Tyr Asp Gly Asp Gly His Arg Asp 195 200 205

Ile Trp Gly Asn Val Gly Asp Val Ala Ala Ser Ile Ala Asn Tyr Met 210 215 220

Lys Gln His Gly Trp Arg Thr Gly Gly Lys Ile Leu Val Ser Ala Thr 225 230 230 235 240

Leu Ala Pro Gly Ala Asp Val Gln Ala Ile Ile Gly Glu Lys Thr Ala 245 250 255

Leu Thr Arg Thr Val Ala Asp Leu Lys Ala Tyr Gly Ile Ile Pro Gly 260 265 270

Glu Glu Leu Ala Asp Asp Glu Lys Ala Val Leu Phe Lys Leu Glu Thr 275 280 285

Ala Pro Gly Val Phe Glu Tyr Tyr Leu Gly Leu Asn Asn Phe Tyr Thr 290 295 300

Val Trp Gln Tyr Asn His Ser Arg Met Tyr Val Thr Ala Val Arg Asp 305 310 315 320

Ile Ala Asn Ser Leu Gly Gly Pro Gly Leu 325 330

<210> 163

<211> 1773

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(1773)

<400> 163

atg agt atc gtg ctg cac ggc gtg gcg gcg ggc aaa ggc att gcc gtc 48
Met Ser Ile Val Leu His Gly Val Ala Ala Gly Lys Gly Ile Ala Val
1 5 10 15

ggt tgc gcc cac ctg att gcg cgc ggt acg gag gaa gtg ccg cag tat 96 Gly Cys Ala His Leu Ile Ala Arg Gly Thr Glu Glu Val Pro Gln Tyr 20 25 30

gat gtt gcg gag gcg gac acc gat gcc gaa gcc gaa cgt ttc gat gcc 144
Asp Val Ala Glu Ala Asp Thr Asp Ala Glu Ala Glu Arg Phe Asp Ala
35 40 45

gcc gtc aaa gcc acg cgc aaa gag ttg gaa cag ctc cgc agc gcg att 192 Ala Val Lys Ala Thr Arg Lys Glu Leu Glu Gln Leu Arg Ser Ala Ile

50 55 60

			٠													
			_	_		0 0	_					_	_	cac His	_	240
00					, 0					, 0						
				_	-		_	_	_	-		-	-	att		288
Met	Leu	Leu	Thr	Asp 85	Val	Thr	Leu	Ser	Arg 90	Glu	Pro	Val	Asp	Ile 95	Leu	
	_					_	, ,		_	_	_	_	_	agc	-	336
Arg	Glu	Gln	_	Ile	Asn	Ala	Glu	_	Ala	Leu	Lys	Gln		Ser	Asp	
			100					105					110			
aaa	ctc	gcc	gcc	caa	ttc	gac	aat	atg	gac	gat	gcc	tat	ttg	cgc	gaa	384
Lys	Leu	Ala	Ala	Gln	Phe	Asp	Asn	Met	Asp	Asp	Ala	Tyr	Leu	Arg	Glu	
		115					120					125				
cqc	aaq	caq	gat	atq	ctq	caa	gtc	gtc	cgc	cgc	atc	cac	aac	aac	ctg	432
Arg	Lys	Gln	Asp	Met	Leu	Gln	Val	Val	Arg	Arg	Ile	His	Asn	Asn	Leu	
-	130					135					140					
atc	aaa	cac	aac	aac	aaa	tta	a a a	at t	acc	aac	aac	cta	+++	gac	caa	480
														Asp		100
145	OL J	0111	1		150	Lou	O_L u			155				1 10 10	160	
- 10																
acc	gtt	ctg	att	gca	aac	gac	ctt	tcg	ccc	gcc	gac	acg	gtt	ttg	ttt	528
Thr	Val	Leu	Ile	Ala	Asn	Asp	Leu	Ser	Pro	Ala	Asp	Thr	Val	Leu	Phe	
				165					170					175		
aaa	gag	cag	cgc	att	gcc	gcc	ttc	gtt	acc	gat	gcc	ggc	ggc	ccc	acc	576
Lys	Glu	Gln	Arg	Ile	Ala	Ala	Phe	Val	Thr	Asp	Ala	Gly	Gly	Pro	Thr	
			180					185					190			
									, ,		,		•	,		<b>60</b> 4
														gtc		624
сту	HIS		ALA	тте	ьеu	σтλ	_	ser	ьеи	Asp	тте		ser	Val	Val	
		195				٠	200					205	**			
ggg	ctg	cac	aac	gcg	cgc	aaa	ctg	att	acc	gag	ggc	gaa	acg	gtc	att	672
Gly	Leu	His	Asn	Ala	Arg	Lys	Leu	Ile	Thr	Glu	Gly	Glu	Thr	Val	Ile	
	210					·215					220					
gtg	gac	ggt	atc	aac	ggc	gtq	ttg	att	atc	gcg	ccg	gat	gag	tcg	gtg	720
	_						_				_	-		Ser		
225					230					235		-			240	
			,													
							_	_	_			_		aaa		768
ьeu	Asn	GLU	Tyr	Arg	Arg	Arg	АТа	Arg	GLU	лАг	Arg	ser	Hls	Lys	Arg	

245 .250 .255

_	_		_					_	_	_	acc Thr	_			_	816
_											gaa Glu					864
_					_	_	~ -			_	ttc Phe 300	_	_			912
		-		_	_		_				gac Asp					960
		_			-			_			aaa Lys	_	-	-		1008
				-		_					cgc Arg					1056
	-	-				-					ctg Leu		-			1104
	_	_	_		_	-	_	-	_		cgc Arg 380		_	_	-	1152
-			-	-	-	-					cgg Arg	_	_		-	1200
_				-		-		-	_	_	ctc Leu				-	1248
			_	_		_	-	-		_	gcc Ala				-	1296
			_	_		_		_		-	gcg Ala	_		_		1344

435 440 445

_		_		_	-	•				_				gac Asp	_	1392
				_		•	_			_	_	_	_	agc Ser		1440
		_					_		_		_	_		cac His 495	_	1488
	_		_		_	_	_		-	-		-	-	Gly		1536
_			_					-	-		_		_	GJÀ aaa	_	1584
_	_			_						_		-		aac Asn		1632
	-		-		-	-	_		_	-	-			aaa Lys	-	1680
														cag Gln 575		1728
	_			gtc Val		_	-	_	-		_					1773

<210> 164

<211> 591

<212> PRT

<213> Neisseria meningitidis

<400> 164

Met Ser Ile Val Leu His Gly Val Ala Ala Gly Lys Gly Ile Ala Val 1 5 10 15

Gly	Cys	Ala	His 20	Leu	Ile	Ala	Arg	Gly 25	Thr	Glu	Glu	Val	Pro 30	Gln	Tyr
Asp	Val	Ala 35	Glu	Ala	Asp	Thr	Asp 40	Ala	Glu	Ala	Glu	Arg 45	Phe	Asp	Ala
Ala	Val 50	Lys	Ala	Thr	Arg	Lys 55	Glu	Leu	Glu	Gln	Leu 60	Arg	Ser	Ala	Ile
Pro 65	Glu	Asn	Ala	Pro	Thr 70	Glu	Leu	Gly	Ala	Phe 75	Ile	Ser	Leu	His	Leu 80
Met	Leu	Leu	Thr	Asp 85	Val	Thr	Leu	Ser	Arg 90	Glu	Pro	Val	Asp	Ile 95	Leu
Arg	Glu	Gln	Lys 100	Ile	Asn	Ala	Glu	Trp 105	Ala	Leu	Lys	Gln	Gln 110	Ser	Asp
Lys	Leu	Ala 115	Ala	Gln	Phe	Asp	Asn 120	Met	Asp	Asp	Ala	Tyr 125	Leu	Arg	Glu
Arg	Lys 130	Gln	Asp	Met	Leu	Gln 135	Val	Val	Arg	Arg	Ile 140	His	Asn	Asn	Leu
Ile 145	Gly	Gln	Gly	Asn	Glu 150	Leu	Glu	Val	Ala	Asp 155	Asn	Leu	Phe	Asp	Glu 160
Thr	Val	Leu	Ile	Ala 165	Asn	Asp	Leu	Ser	Pro 170	Ala	Asp	Thr	Val	Leu 175	Phe
Lys	Glu	Gln	Arg 180	Ile	Ala	Ala	Phe	Val 185	Thr	Asp	Ala	Gly	Gly 190	Pro	Thr
Gly	His	Thr 195	Ala	Ile	Leu	Gly	Arg 200	Ser	Leu	Asp	Ile	Pro 205	Ser	Val	Val
Gly	Leu 210	Hìs	Asn	Ala	Arg	Lys 215	Leu	Ile	Thr	Glu	Gly 220	Glu	Thr	Val	Ile
Val 225	Asp	Gly	Ile	Asn	Gly 230	Val	Leu	Ile	Ile	Ala 235	Pro	Asp	Glu	Ser	Val 240
Leu	Asn	Glu	Tyr	Arg 245	Arg	Arg	Ala	Arg	Glu 250	Tyr	Arg	Ser	His	Lys 255	Arg
Asp	Leu	Asn	Lys 260	Leu	Lys	Lys	Thr	Ala 265	Ala	Ala	Thr	Ala	Asp 270	Gly	Val

Cys Ile Glu Leu Val Gly Asn Ile Glu Ser Ala Glu Asp Val Lys Pro Leu His Asn Leu Gly Ala Asp Gly Ile Gly Leu Phe Arg Ser Glu Phe Leu Tyr Leu Asn Arg Asp Thr Met Pro Ser Glu Asp Glu Gln Tyr Glu Val Tyr Ser Ala Ile Val Lys Lys Met Lys Gly Lys Ser Val Thr Ile Arg Thr Val Asp Leu Gly Val Asp Lys Asn Pro Arg Trp Phe Gly Lys Asn Ser Thr Pro Asn Gly Ser Leu Asn Pro Ala Leu Gly Met Thr Gly Ile Arg Leu Cys Leu Ala Glu Pro Val Met Phe Arg Thr Gln Met Arg Ala Ile Leu Arg Ala Ala Ala His Gly Pro Val Arg Met Met Trp Pro Met Ile Thr Ser Val Ser Glu Val Arg Gln Cys Leu Ile His Leu Asp Thr Ala Gln Arg Gln Leu Ala Glu Arg Gly Asp Ala Phe Gly Lys Val Gly Ile Gly Cys Met Ile Glu Ile Pro Ser Ala Ala Leu Thr Val Gly Ser Ile Leu Lys Leu Val Asp Phe Ile Ser Val Gly Thr Asn Asp Leu Ile Gln Tyr Ile Leu Ser Val Asp Arg Gly Asp Asp Ser Val Ser His Leu Tyr Gln Pro Gly His Pro Ala Val Leu Lys Met Leu Gln His Val Ile Arg Thr Ala Asn Arg Met Asp Lys Asp Val Ser Val Cys Gly Glu Met Ala Gly Asp Thr Ala Phe Thr Arg Val Leu Leu Gly Met Gly Leu 

Arg Arg Phe Ser Met Asn Pro Asn Asn Ile Leu Pro Val Lys Asn Ile 535 540 530 Ile Leu His Ser Asn Val Gly Gln Leu Glu Ser Asp Ile Val Lys Val 545 550 555 560 Ile Arg Cys Glu Asp Glu Glu Lys Ser Glu Lys Leu Ile Lys Gln Met 565 570 Asn Ser Val Ser Val Glu Glu Glu Ala Asp Phe Lys Gly Arg Lys 580 585 590 <210> 165 <211> 381 <212> DNA <213> Neisseria meningitidis <220> <221> CDS <222> (1)..(381) <400> 165 atg qaa cct tcc tcc tac qcq qca qaa aaa aaa gga aaa ggc ggc atc Met Glu Pro Ser Ser Tyr Ala Ala Glu Lys Lys Gly Lys Gly Ile 5 10 agg cgc gtc atc aac gca ttc ggc tat tcg ata gac ggc atc gcc gcc 96 Arg Arg Val Ile Asn Ala Phe Gly Tyr Ser Ile Asp Gly Ile Ala Ala 2.0 25 30 qcc tac cgt tac gaa gcg gca ttc cgt cag gtt ttg tgg ctg aac gcg 144 Ala Tyr Arg Tyr Glu Ala Ala Phe Arg Gln Val Leu Trp Leu Asn Ala 35 40 ctg ctg gtg tgc gcg gca ttt ttt tgg gtt tcc gaa aag tcc ctc cgc 192 Leu Leu Val Cys Ala Ala Phe Phe Trp Val Ser Glu Lys Ser Leu Arg 50 ctg ccg ttg att atc gcg tct ttt gtg tcg gtc att gtc gaa ctg ttc Leu Pro Leu Ile Ile Ala Ser Phe Val Ser Val Ile Val Glu Leu Phe 65 70 75 80 aac act gcc gtc gaa gcc gcc gtc gat cat act tcg act gaa aaa cac 288 Asn Thr Ala Val Glu Ala Ala Val Asp His Thr Ser Thr Glu Lys His 85 90

gag ctg gct aaa cgc gcc aaa gac gca ggt tct gct gca caa ttg ttc 336 Glu Leu Ala Lys Arg Ala Lys Asp Ala Gly Ser Ala Ala Gln Leu Phe 100 105 110

gcg atg ctg atg tta gcg gcg gtt tgg ctg tcc gcc ctg ttc ggg 381
Ala Met Leu Met Leu Ala Ala Val Trp Leu Ser Ala Leu Phe Gly
115 120 125

<210> 166

<211> 127

<212> PRT

<213> Neisseria meningitidis

<400> 166

Met Glu Pro Ser Ser Tyr Ala Ala Glu Lys Lys Gly Lys Gly Gly Ile
1 5 10 15

Arg Arg Val Ile Asn Ala Phe Gly Tyr Ser Ile Asp Gly Ile Ala Ala 20 . 25 . 30

Ala Tyr Arg Tyr Glu Ala Ala Phe Arg Gln Val Leu Trp Leu Asn Ala 35 40 45

Leu Leu Val Cys Ala Ala Phe Phe Trp Val Ser Glu Lys Ser Leu Arg 50 55 60

Leu Pro Leu Ile Ile Ala Ser Phe Val Ser Val Ile Val Glu Leu Phe 65 70 75 80

Asn Thr Ala Val Glu Ala Ala Val Asp His Thr Ser Thr Glu Lys His
85 90 95

Glu Leu Ala Lys Arg Ala Lys Asp Ala Gly Ser Ala Ala Gln Leu Phe 100 105 110

Ala Met Leu Met Leu Ala Ala Val Trp Leu Ser Ala Leu Phe Gly
115 120 125

<210> 167

<211> 1257

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(1257)

<400> 167 atg agt atg gca ctt gcc caa aaa ctt gcc gcc gac agc att gcg gcg 48 Met Ser Met Ala Leu Ala Gln Lys Leu Ala Ala Asp Ser Ile Ala Ala 10 gtt gcc gaa gga cgc aac ctt cag gac gtg ttg gcg caa atc cgc acc Val Ala Glu Gly Arq Asn Leu Gln Asp Val Leu Ala Gln Ile Arq Thr 20 25 gcg cat ccc gac ctt acg gcg cag gaa aac ggc gcg ttg cag gac atc 144 Ala His Pro Asp Leu Thr Ala Gln Glu Asn Gly Ala Leu Gln Asp Ile 35 40 45 gcc tac ggc tgc cag cgt tat ttg ggc agt ttg aaa cat atg ctc gcg 192 Ala Tyr Gly Cys Gln Arg Tyr Leu Gly Ser Leu Lys His Met Leu Ala cag atg ctg aaa aag ccg att ggc aat ccg cag ctc gaa agt ctg ctt 240 Gln Met Leu Lys Lys Pro Ile Gly Asn Pro Gln Leu Glu Ser Leu Leu 65 70 ttg gcg gcg ttg tac caa ctg cat tac acg cgc aac gcg ccg cat gct 288 Leu Ala Ala Leu Tyr Gln Leu His Tyr Thr Arg Asn Ala Pro His Ala 85 90 gtg gtc aac gaa gct gtt gaa agc atc gcc aaa atc gga cgc ggg cag 336 Val Val Asn Glu Ala Val Glu Ser Ile Ala Lys Ile Gly Arg Gly Gln 100 tac cgt tcg ttt gcc aac gcg att ttg cgc cgc ttt ttg cgc gaa cgc 384 Tyr Arg Ser Phe Ala Asn Ala Ile Leu Arg Arg Phe Leu Arg Glu Arg 115 120 125 gac aag ctt gcg gct tcc tgc aaa aaa gac gat gtg gcg aaa cac aac 432 Asp Lys Leu Ala Ala Ser Cys Lys Lys Asp Asp Val Ala Lys His Asn 130 135 140 ctg ccg ctg tgg gtg gct tac ttg aaa aac cat tat ccg aaa cac 480 Leu Pro Leu Trp Trp Val Ala Tyr Leu Lys Asn His Tyr Pro Lys His 145 150 155 160 tgg cac aac atc gcc gcc gcg ctg caa tcc cat ccg ccg atg acg ttg 528 Trp His Asn Ile Ala Ala Leu Gln Ser His Pro Pro Met Thr Leu 170 165 175

cgc gtc aac cgc cga cac ggc aac gcc gaa agc tat ttg gaa aaa ctg

Arg	Val	Asn	Arg 180	Arg	His	Gly	Asn	Ala 185	Glu	Ser	Tyr	Leu	Glu 190	Lys	Leu	
_		_				_	_		_	gac Asp	_			_	_	624
_	_	_	_		_			_	_	ccc Pro				_	2.5	672
			_							cag Gln 235						720
	_		_		-			_	-	gcg Ala	_	_		_		768
	_	_				_	_	_		gat Asp	_	-	_		-	816
										gtg Val						864
				-	_	_				tgt Cys	_	_			-	912
_					-		_			gac Asp 315					_	960
										cgc Arg			_			1008
	_	_	-	_		_				acc Thr	_	_	_	_	_	1056
										aaa Lys						1104
ctg	ctt	gcc	acc	tgt	tcc	gtg	ttc	gtc	gaa	gaa	aac	gac	ggg	caa	ttg	1152

Leu Leu Ala Thr Cys Ser Val Phe Val Glu Glu Asn Asp Gly Gln Leu 370 375 380

caa aaa ttc ctc aac cgc cat gcc gat gcc gaa ccg atc gaa tcg cgg 1200 Gln Lys Phe Leu Asn Arg His Ala Asp Ala Glu Pro Ile Glu Ser Arg 385 390 395 400

gtg ctt tta ccg aac aaa cac caa gat ggc ttt tat tac gcg ctt att 1248
Val Leu Leu Pro Asn Lys His Gln Asp Gly Phe Tyr Tyr Ala Leu Ile
405 410 415

caa aag cat

Gln Lys His

<210> 168

<211> 419

<212> PRT

<213> Neisseria meningitidis

<400> 168

Met Ser Met Ala Leu Ala Gln Lys Leu Ala Ala Asp Ser Ile Ala Ala 1 5 10 15

Val Ala Glu Gly Arg Asn Leu Gln Asp Val Leu Ala Gln Ile Arg Thr
20 25 30

Ala His Pro Asp Leu Thr Ala Gln Glu Asn Gly Ala Leu Gln Asp Ile 35 40 45

Ala Tyr Gly Cys Gln Arg Tyr Leu Gly Ser Leu Lys His Met Leu Ala
50 55 60

Gln Met Leu Lys Lys Pro Ile Gly Asn Pro Gln Leu Glu Ser Leu Leu 65 70 75 80

Leu Ala Ala Leu Tyr Gln Leu His Tyr Thr Arg Asn Ala Pro His Ala 85 90 95

Val Val Asn Glu Ala Val Glu Ser Ile Ala Lys Ile Gly Arg Gly Gln
100 105 110

Tyr Arg Ser Phe Ala Asn Ala Ile Leu Arg Arg Phe Leu Arg Glu Arg
115 120 125

Asp Lys Leu Ala Ala Ser Cys Lys Lys Asp Asp Val Ala Lys His Asn 130 135 140

ьеи 145	Pro	ьеи	Trp	Trp	150	AIa	тўr	ьeu	ьуѕ	155	HLS	TYE	Pro	туѕ	160
Trp	His	Asn	Ile	Ala 165	Ala	Ala	Leu	Gln	Ser 170	His	Pro	Pro	Met	Thr 175	Leu
Arg	Val	Asn	Arg 180	Arg	His	Gly	Asn	Ala 185	Glu	Ser	Tyr	Leu	Glu 190	Lys	Leu
Ala	Ala	Glu 195	Gly	Ile	Ala	Ala	Lys 200	Ala	Leu	Asp	Glu	Tyr 205	Ala	Val	Thr
Leu	Glu 210	Glu	Ala	Val	Pro	Val 215	Asn	Arg	Leu	Pro	Gly 220	Phe	Ser	Asp	Gly
Ile 225	Val	Ser	Val	Gln	Asp 230	Phe	Gly	Ala	Gln	Gln 235	Ala	Ala	Tyr	Leu	Leu 240
Asn	Pro	Lys	Asp	Gly 245	Glu	Arg	Ile	Leu	Asp 250	Ala	Cys	Ala	Ala	Pro 255	Gly
Gly	Lys	Thr	Gly 260	His	Ile	Leu	Glu	Leu 265	Ala	Asp	Суѕ	Arg	Val 270	Thr	Ala
Leu	Asp	Ile 275	Asp	Ala	Gly	Arg	Leu 280	Lys	Arg	Val	Glu	Asp 285	Asn	Ile	Ala
Arg	Leu 290	Gly	Phe	Gln	Thr	Ala 295	Ser	Ala	Ala	Cys	Ala 300	Asp	Ala	Arg	Asp
Leu 305	Ala	Ala	Trp	Tyr	Asp 310	Gly	Lys	Pro	Phe	Asp 315	Thr	Ile	Leu	Ala	Asp 320
				325					330	Arg				335	
			340			•		345		Thr			350		
		355					360			Lys		365			
	370					375				Glu	380				
Gln 385	Lys	Phe	Leu	Asn	Arg 390	His	Ala	Asp	Ala	Glu 395	Pro	Ile	Glu	Ser	Arg 400

Val Leu Leu Pro Asn Lys His Gln Asp Gly Phe Tyr Tyr Ala Leu Ile 405 410 415

Gln Lys His

<210> 169 <211> 804 <212> DNA <213> Neisseria meningitidis <220> <221> CDS <222> (1)..(804) <400> 169 atg aat atg aaa aaa tgg att gcc gcc ctt gcc tgt tcc gcg ctc 48 Met Asn Met Lys Lys Trp Ile Ala Ala Leu Ala Cys Ser Ala Leu gcg ctg tct gcc tgc ggc ggt cag ggt aaa gat gcc gcc gcg ccc gcc 96 Ala Leu Ser Ala Cys Gly Gly Gln Gly Lys Asp Ala Ala Ala Pro Ala 20 25 30 gca aat ccc gac aaa gtg tac cgc gtg gct tcc aac gcc gag ttt gcc 144 Ala Asn Pro Asp Lys Val Tyr Arg Val Ala Ser Asn Ala Glu Phe Ala 40 35 ccc ttt gaa tct tta gac tcg aaa ggc aat gtc gaa ggt ttc gat gtg 192 Pro Phe Glu Ser Leu Asp Ser Lys Gly Asn Val Glu Gly Phe Asp Val 50 55 gat ttg atg aac gcg atg gcg aag gcg ggc aat ttt aaa atc gaa ttc 240 Asp Leu Met Asn Ala Met Ala Lys Ala Gly Asn Phe Lys Ile Glu Phe 65 70 75 80 aaa cac cag ccg tgg gac agc ctt ttc ccc gcc ttg aac aac ggc gat 288 Lys His Gln Pro Trp Asp Ser Leu Phe Pro Ala Leu Asn Asn Gly Asp 85 90 gcg gac gtt gtg atg tcg ggc gta acc att acc gac gac cgc aaa cag 336 Ala Asp Val Val Met Ser Gly Val Thr Ile Thr Asp Asp Arg Lys Gln 100 110 105 tct atg gac ttc agc gac ccg tat ttt gaa atc acc caa gtc gtc ctc

Ser Met Asp Phe Ser Asp Pro Tyr Phe Glu Ile Thr Gln Val Val Leu

115 120 125

, ,						4	<b>.</b>	4	<b>.</b>		1_	<u> </u>			- 4	420
-	_										-			aac Asn		432
val	130	цур	GLY	цур	пур	135	DCT	DCI	DCI	Oru	140	шец	шур	TIDII	1100	
	100					200										
aac	aaa	gtc	ggc	gtg	gta	acc	ggc	tac	acg	ggc	gat	ttc	tcc	gta	tcc	480
Asn	Lys	Val	Gly	Val	Val	Thr	Gly	Tyr	Thr	Gly	Asp	Phe	Ser	Val	Ser	
145					150					155					160	
aaa	ctc	ttg	ggc	aac	gac	aac	ccg	aaa	atc	gcg	cgc	ttt	gaa	aac	gtt	528
Lys	Leu	Leu	Gly		Asp	Asn	Pro	Lys		Ala	Arg	Phe	Glu	Asn	Val	
				165					170					175		
						1				~~~			+		~+~	57 <i>C</i>
	_				_	_	-				_	_		gtg Val	_	576
PIO	пец	TTE	180	пур	GLU	пеп	GLU	185	GTA	GTA	Бец	Asp	190	val	val.	
			100					100					100			
agc	σac	agc	gca	atc	atc	acc	aat	tat	ata	aaa	aac	aat	ccq	acc	aaa	624
_		_		_									-	Thr		
	-	195					200	_				205				
ggg	atg	gac	ttc	gtt	acc	ctg	ccc	gac	ttc	acc	acc	gaa	cac	tac	ggc	672
Gly	Met	Asp	Phe	Val	Thr	Leu	Pro	Asp	Phe	Thr	Thr	Glu	His	Tyr	Gly	
	210					215					220					
		_	_			_	_	_		_		_		aac	_	720
	Ala	Val	Arg	Lys	_	Asp	Glu	Ala	Thr		Lys	Met	Leu	Asn	_	
225					230					235					240	
aca	++~	222	222	at a	cac	a a a	add	aac	a a a	tac	asc.	222	atc	tac	acc	768
														Tyr		, 00
		-10	-1-	245	119	0	~~_	0_1	250	1	-1			255		
aaa	tat	ttt	gca	aaa	gaa	gac	gga	cag	gcc	gca	aaa					804
Lys	Туг	Phe	Ala	Lys	Glu	Asp	Gly	Gln	Ala	Ala	Lys					
			260					265								

<210> 170

<211> 268

<212> PRT

<213> Neisseria meningitidis

<400> 170

Met Asn Met Lys Lys Trp Ile Ala Ala Ala Leu Ala Cys Ser Ala Leu 1 5 10 15

Ala Leu Ser Ala Cys Gly Gly Gln Gly Lys Asp Ala Ala Ala Pro Ala Ala Asn Pro Asp Lys Val Tyr Arg Val Ala Ser Asn Ala Glu Phe Ala Pro Phe Glu Ser Leu Asp Ser Lys Gly Asn Val Glu Gly Phe Asp Val Asp Leu Met Asn Ala Met Ala Lys Ala Gly Asn Phe Lys Ile Glu Phe Lys His Gln Pro Trp Asp Ser Leu Phe Pro Ala Leu Asn Asn Gly Asp Ala Asp Val Val Met Ser Gly Val Thr Ile Thr Asp Asp Arg Lys Gln Ser Met Asp Phe Ser Asp Pro Tyr Phe Glu Ile Thr Gln Val Val Leu Val Pro Lys Gly Lys Lys Ile Ser Ser Ser Glu Asp Leu Lys Asn Met Asn Lys Val Gly Val Val Thr Gly Tyr Thr Gly Asp Phe Ser Val Ser Lys Leu Leu Gly Asn Asp Asn Pro Lys Ile Ala Arg Phe Glu Asn Val Pro Leu Ile Ile Lys Glu Leu Glu Asn Gly Gly Leu Asp Ser Val Val Ser Asp Ser Ala Val Ile Ala Asn Tyr Val Lys Asn Asn Pro Thr Lys Gly Met Asp Phe Val Thr Leu Pro Asp Phe Thr Thr Glu His Tyr Gly Ile Ala Val Arg Lys Gly Asp Glu Ala Thr Val Lys Met Leu Asn Asp Ala Leu Lys Lys Val Arg Glu Ser Gly Glu Tyr Asp Lys Ile Tyr Ala Lys Tyr Phe Ala Lys Glu Asp Gly Gln Ala Ala Lys 

<210> 171 <211> 864 <212> DNA <213> Neisseria meningitidis <220> <221> CDS <222> (1)..(864) <400> 171 atq aaa qca aaa atc ctq act tcc qtt qca ctq ctt qcc tqt tcc qqc 48 Met Lys Ala Lys Ile Leu Thr Ser Val Ala Leu Leu Ala Cys Ser Gly 5 10 age ctg ttt gee caa aeg etg gea aee gte aae ggt eag aaa ate gae Ser Leu Phe Ala Gln Thr Leu Ala Thr Val Asn Gly Gln Lys Ile Asp 20 agt tee gte att gat geg cag gtt gee gea tte egt geg gaa aac age 144 Ser Ser Val Ile Asp Ala Gln Val Ala Ala Phe Arg Ala Glu Asn Ser 35 40 cgt gcc gaa gac acg ccg caa ctg cgc caa tcc ctg ctg gaa aac gaa 192 Arg Ala Glu Asp Thr Pro Gln Leu Arg Gln Ser Leu Leu Glu Asn Glu gtg gtc aac acc gtg gtc gca cag gaa gtg aaa cgc ctg aaa ctc gac 240 Val Val Asn Thr Val Val Ala Gln Glu Val Lys Arg Leu Lys Leu Asp 65 70 75 80 cgg tcg gca gag ttt aaa aat gcg ctt gcc aaa ttg cgt gcc gaa gcg 288 Arg Ser Ala Glu Phe Lys Asn Ala Leu Ala Lys Leu Arg Ala Glu Ala 85 90 aaa aag teg gge gae gae aag aaa eeg tee tte aaa aee gtt tgg eag 336 Lys Lys Ser Gly Asp Asp Lys Lys Pro Ser Phe Lys Thr Val Trp Gln 100 105 110 gcg gta aaa tat ggc ttg aac ggc gag gca tac gcg ctg cat atc gcc 384 Ala Val Lys Tyr Gly Leu Asn Gly Glu Ala Tyr Ala Leu His Ile Ala 120 115 125 aaa acc caa ccg gtt tcc gag cag gaa gta aaa gcc gca tat gac aat 432 Lys Thr Gln Pro Val Ser Glu Gln Glu Val Lys Ala Ala Tyr Asp Asn 130 135 140

	_			tac Tyr			_	_	-	_	-	_		_		480
_		-	_	gaa Glu 165	_		_				-	_	-	-	-	528
				ttc Phe	_	_	_	_							-	576
_			_	acc Thr			_	_				_	_		_	624
_	-	_	-	gtt Val	_	_			-	-		_	-	_		672
		-		acg Thr	_	_		_				_				720
_			_	aac Asn 245	_	_	_		_						_	768
_	_			cag Gln						_		-			-	816
_	-	-		gca Ala	_	_		_	_					_		864

<210> 172

<211> 288

<212> PRT

<213> Neisseria meningitidis

<400> 172

Met Lys Ala Lys Ile Leu Thr Ser Val Ala Leu Leu Ala Cys Ser Gly
1 5 10 15

Ser Leu Phe Ala Gln Thr Leu Ala Thr Val Asn Gly Gln Lys Ile Asp 20 25 30

Ser	Ser	Val 35	Ile	Asp	Ala	Gln	Val 40	Ala	Ala	Phe	Arg	Ala 45	Glu	Asn	Ser
Arg	Ala 50	Glu	Asp	Thr	Pro	Gln 55	Leu	Arg	Gln	Ser	Leu 60	Leu	Glu	Asn	Glu
Val 65	Val	Asn	Thr	Val	Val 70	Ala	Gln	Glu	Val	<b>L</b> уs 75	Arg	Leu	Lys	Leu	Asp 80
Arg	Ser	Ala	Glu	Phe 85	Lys	Asn	Ala	Leu	Ala 90	Lys	Leu	Arg	Ala	Glu 95	Ala
Lys	Lys	Ser	Gly 100	Asp	Asp	Lys	Lys	Pro 105	Ser	Phe	Lys	Thr	Val 110	Trp	Gln
Ala	Val	Lys 115	Tyr	Gly	Leu	Asn	Gly 120	Glu	Ala	Tyr	Ala	Leu 125	His	Ile	Ala
Lys	Thr 130	Gln	Pro	Val	Ser	Glu 135	Gln	Glu	Val	Lys	Ala 140	Ala	Tyr	Asp	Asn
Ile 145	Ser	Gly	Phe	Tyr	Lys 150	Gly	Thr	Gln	Glu	Val 155	Gln	Leu	Gly	Glu	Ile 160
Leu	Thr	Asp	Lys	Glu 165	Glu	Asn	Ala	Lys	Lуs 170	Ala	Val	Ala	Asp	Leu 175	Lys
Ala	Lys	Lys	Gly 180	Phe	Asp	Ala	Val	Leu 185	Lys	Gln	Tyr	Ser	Leu 190	Asn	Asp
Arg	Thr	Lys 195	Gln	Thr	Gly	Ala	Pro 200	Val	Gly	Tyr	Val	Pro 205	Leu	Lys	Asp
Leu	Glu 210	Gln	Gly	Val	Pro	Pro 215	Leu	Tyr	Gln	Ala	Ile 220	Lys	Asp	Leu	Lys
Lys 225	Gly	Glu	Phe	Thr	Ala 230	Thr	Pro	Leu	Lys	Asn 235	Gly	Asp	Phe	Tyr	Gly 240
Val	Tyr	Tyr	Val	Asn 245	Asp	Ser	Arg	Glu	Val 250	Lys	Val	Pro	Ser	Phe 255	Asp
Glu	Met	Lys	Gly 260	Gln	Ile	Ala	Gly	Asn 265	Leu	Gln	Ala	Glu	Arg 270	Ile	Asp
Arg	Ala	Val 275	Gly	Ala	Leu	Leu	Gly 280	Lys	Ala	Asn	Ile	Lys 285	Pro	Ala	Lys

<210> 173 <211> 1794 <212> DNA <213> Neisseria meningitidis <220> <221> CDS <222> (1)..(1794) <400> 173 ttg ccc cga att gcc atg ccc tat ttc gcc ctg ttt gac gat gcc gta Leu Pro Arq Ile Ala Met Pro Tyr Phe Ala Leu Phe Asp Asp Ala Val 1 10 15 age ggt cgc gca aaa cgc tat caa aat cat gtg gaa age cgt ttt ttc 96 Ser Gly Arg Ala Lys Arg Tyr Gln Asn His Val Glu Ser Arg Phe Phe 20 25 30 cgt ccc gaa gaa ctc gat gct ttg gac ggc gcg ctg caa tcg ggc tgg 144 Arg Pro Glu Glu Leu Asp Ala Leu Asp Gly Ala Leu Gln Ser Gly Trp 35 caa aaa ggg ctg cat gcc gtg ttg ttt gca gac tac gga ttc ggt ttg 192 Gln Lys Gly Leu His Ala Val Leu Phe Ala Asp Tyr Gly Phe Gly Leu 50 55 60 ccg ctg acg ggg gtc gag tcc gaa cgc ggc ggc aac ctt gcc ctg cac Pro Leu Thr Gly Val Glu Ser Glu Arg Gly Gly Asn Leu Ala Leu His 65 70 75 tgg ttt gcc gac tgc gcc gac acc gat gcc gca agc tgg ctt gcc cga Trp Phe Ala Asp Cys Ala Asp Thr Asp Ala Ala Ser Trp Leu Ala Arg 85 cac tca gac ggc ctc ccc gcc ggc att tcc acg ccg caa tcc tcc gta 336 His Ser Asp Gly Leu Pro Ala Gly Ile Ser Thr Pro Gln Ser Ser Val 100 105 110 tcc gaa gcc gat tac ctc gac cat atc cgc caa atc cac gaa gcc atc 384 Ser Glu Ala Asp Tyr Leu Asp His Ile Arg Gln Ile His Glu Ala Ile 115 120 cga cgc ggc gac acc tat caa atc aac tac act acc cgc ctg cac ctg 432 Arg Arg Gly Asp Thr Tyr Gln Ile Asn Tyr Thr Thr Arg Leu His Leu 130 135 140

	_			aat Asn		_					_	_	-	_		480
_			_	gtt Val 165						-	_					528
		_	_	tgt Cys		_		-							-	576
_				agc Ser		-	-	_					_		-	624
	_			gac Asp	-	-	-	_			_			-	-	672
		-	-	gaa Glu			_		-	_	_	_	-		-	720
				gcc Ala 245					-	-	_		_	_		768
	•	_	_	ttc Phe		_	_	00	_	_		_				816
				ccg Pro												864
				agc Ser												912
			_	ctc Leu	_		_	-	_	-			_	-	_	960
				aac Asn 325												1008

		_	_		-		_	_		-	_			gac Asp		1056
							-					-		gac Asp	_	1104
_		-	_	_			_	_				_	_	ttc Phe		1152
	_	_	-		_									gtg Val		1200
		_	-	_			-							aaa Lys 415		1248
	_		_			_		-		•		_		aat Asn ,	_	1296
					_	_	-		-				-	atc Ile		1344
•	_		-		-			_	_		_			tta Leu		1392
														ctg Leu		1440
														gtc Val 495		1488
_														agc Ser		1536
				-			_							aac Asn		1584

	_			cgc Arg					-				_			1632
				ata Ile	_	_		_		_	•	-	_			1680
	_			aat Asn 565		_		_								1728
_		_	_	gaa Glu	_		-				_	-	-		-	1776
	_			ctt Leu												1794
	)> 1' L> 59	98														
<212 <213			eria	men:	Lngit	cidis	5									
<213 <400	3> Ne 0> 1	eisse 74		men: Ala 5	-			Phe	Ala 10	Leu	Phe	Asp	Asp	Ala 15	Val	
<213 <400 Leu 1	3> Ne )> 1' Pro	eisse 74 Arg	Ile	Ala	Met	Pro	Туг		10			-		15		
<213 <400 Leu 1 Ser	3> N6 0> 1' Pro	eisse 74 Arg Arg	Ile Ala 20	Ala 5	Met Arg	Pro Tyr	Tyr Gln	Asn 25	10 His	Val	Glu	Ser	Arg 30	15 Phe	Phe	
<213 <400 Leu  1 Ser	3> Ne Gly	eisse 74 Arg Arg Glu 35	Ile Ala 20 Glu	Ala 5 Lys	Met Arg Asp	Pro Tyr Ala	Tyr Gln Leu 40	Asn 25 Asp	10 His	Val Ala	Glu Leu	Ser Gln 45	Arg 30 Ser	15 Phe Gly	Phe Trp	
<213 <400 Leu  1 Ser Arg	3> No Pro Gly Pro Lys 50	Arg Arg Glu 35	Ile Ala 20 Glu Leu	Ala 5 Lys Leu	Met Arg Asp	Pro Tyr Ala Val 55	Tyr Gln Leu 40	Asn 25 Asp Phe	10 His Gly Ala	Val Ala Asp	Glu Leu Tyr 60	Ser Gln 45	Arg 30 Ser	15 Phe Gly	Phe Trp Leu	
<213 <400 Leu  1 Ser Arg Gln Pro 65	3> Ne Pro Gly Pro Lys 50	eisse 74 Arg Arg Glu 35 Gly	Ile Ala 20 Glu Leu Gly	Ala 5 Lys Leu His	Met Arg Asp Ala Glu 70	Pro Tyr Ala Val 55 Ser	Tyr Gln Leu 40 Leu Glu	Asn 25 Asp Phe	10 His Gly Ala Gly	Val Ala Asp Gly 75	Glu Leu Tyr 60 Asn	Ser Gln 45 Gly Leu	Arg 30 Ser Phe	15 Phe Gly Gly Leu	Phe Trp Leu His	

Ser Glu Ala Asp Tyr Leu Asp His Ile Arg Gln Ile His Glu Ala Ile Arg Arg Gly Asp Thr Tyr Gln Ile Asn Tyr Thr Thr Arg Leu His Leu Gln Ala Tyr Gly Asn Pro Val Lys Leu Tyr Gln Arg Leu Arg Gln Pro Val Pro Tyr Ala Val Leu Ser His Leu Pro Asp Ala Gln Gly Gln Ser Ala Trp Thr Leu Cys Phe Ser Pro Glu Leu Phe Leu Lys Ile Gly Ser Asp Gly Thr Ile Ser Thr Glu Pro Met Lys Gly Thr Ala Pro Ile Leu Gly Asp Gly Gln Asp Glu Arg Arg Ala Ala Glu Leu Gln Ala Asp Pro Lys Asn Arg Ala Glu Asn Val Met Ile Val Asp Leu Leu Arg Asn Asp Leu Gly Lys Ile Ala Gln Thr Gly Thr Val Cys Val Pro Glu Pro Phe Lys Val Ser Arg Phe Gly Ser Val Trp Gln Met Thr Ser Thr Ile Gln Ala Gln Ala Leu Pro His Thr Ser Phe Ala Asp Ile Leu Arg Ala Ala Phe Pro Cys Gly Ser Ile Thr Gly Ala Pro Lys Lys Met Ser Met Gln Ile Ile Glu Ser Leu Glu Ala Glu Ala Arg Gly Leu Tyr Thr Gly Ser Ile Gly Tyr Leu Asn Pro Cys Ser Gly Gly Leu Gly Phe Glu Gly Thr Phe Asn Val Val Ile Arg Thr Leu Ser Leu Thr Pro Leu Ser Asp Gly Ile Tyr Gln Gly Val Tyr Gly Val Gly Ser Gly Ile Val Ile Asp Ser 

Asp Pro Ala Ala Glu Tyr Arg Glu Cys Gly Trp Lys Ala Arg Phe Leu Asn Glu Leu Arg Pro Asp Phe Gly Ile Phe Glu Thr Leu Arg Val Glu Asn Gly Arg Cys Ala Leu Leu Asp Arg His Leu Cys Arg Leu Lys Thr Ser Ala Gln Ala Leu Asn Leu Pro Leu Pro Asp Gly Cys Glu Asn Gln Ile Lys Gln Tyr Ile Ala Arg Leu Pro Asp Gly Ala Phe Arg Ile Lys Ala Leu Leu Ala Ser Asp Gly Ile Ser Leu Ser Arg Ala Val Leu Asn Arg Leu Thr Asp Lys Gln Arg Val Ile Ile Ser Pro Thr Ile Leu Pro Ala Gln Asn Tyr Leu Arg Arg Phe Lys Thr Thr Cys Arg Thr Val Phe Asp Gln Ala Trp Gln Thr Ala Glu Thr Gln Gly Ala Phe Asp Ser Leu Phe Phe Asn Ser Asp Gly Ile Leu Leu Glu Gly Gly Arg Ser Asn Val Phe Val Lys His Arg Gly Gln Trp Leu Thr Pro Ser Leu Asp Leu Asp Ile Leu Asn Gly Ile Met Arg Gln Ala Val Leu Asp Glu Pro Gln Lys Tyr Leu Gln Thr Asn Gln Val Ile Glu Thr His Ile Thr Gln Lys Thr Leu Gln Glu Ala Glu Glu Ile Arg Leu Ser Asn Ala Leu Arg Gly Val 

Phe Ala Ala Leu Ala 

<210> 175 <211> 279 <212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(279)

<400> 175

ttg caa aac ttt cgg aaa ccc aat atg cag acc gtt acc atg tac aca 48
Leu Gln Asn Phe Arg Lys Pro Asn Met Gln Thr Val Thr Met Tyr Thr
1 5 10 15

ggt ccg ttt tgc ccc tac tgc acg atg gcg aaa agg ctg ctg cac gcg 96
Gly Pro Phe Cys Pro Tyr Cys Thr Met Ala Lys Arg Leu Leu His Ala
20 25 30

gca ggt gtc gga cat atc gac gaa atc cgt gtc gat gca agt ccc gaa 144
Ala Gly Val Gly His Ile Asp Glu Ile Arg Val Asp Ala Ser Pro Glu
35 40 45

gcc ttt gcc gaa atg cag cag ctt tcc gga cag cgc agc gtg ccg cag 192
Ala Phe Ala Glu Met Gln Gln Leu Ser Gly Gln Arg Ser Val Pro Gln
50 55 60

att ttc atc ggc gaa acg cac gtc ggc gga ttt acc gac ctc tac cgc 240

Ile Phe Ile Gly Glu Thr His Val Gly Gly Phe Thr Asp Leu Tyr Arg

65 70 75 80

ctc cag cag gaa ggc ggg ctg gac gga ctg ctg aac cct

Leu Gln Glu Gly Gly Leu Asp Gly Leu Leu Asn Pro

85

90

<210> 176

<211> 93

<212> PRT

<213> Neisseria meningitidis

<400> 176

Leu Gln Asn Phe Arg Lys Pro Asn Met Gln Thr Val Thr Met Tyr Thr
1 5 10 15

Gly Pro Phe Cys Pro Tyr Cys Thr Met Ala Lys Arg Leu Leu His Ala
20 25 30

Ala Gly Val Gly His Ile Asp Glu Ile Arg Val Asp Ala Ser Pro Glu

35 40 45

Ala Phe Ala Glu Met Gln Gln Leu Ser Gly Gln Arg Ser Val Pro Gln 50 55 60

Ile Phe Ile Gly Glu Thr His Val Gly Gly Phe Thr Asp Leu Tyr Arg 65 70 75 80

Leu Gln Gln Glu Gly Gly Leu Asp Gly Leu Leu Asn Pro 85 90

<210> 177

<211> 2274

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(2274)

<400> 177

atg aca aca tta cat ttc tca ggc ttc ccg cgt gtc ggt gcc ttc cgc 48

Met Thr Thr Leu His Phe Ser Gly Phe Pro Arg Val Gly Ala Phe Arg

1 5 10 15

gaa ttg aaa ttc gca caa gaa aaa tac tgg cgc aaa gaa atc agc gag 96
Glu Leu Lys Phe Ala Gln Glu Lys Tyr Trp Arg Lys Glu Ile Ser Glu
20 25 30

caa gaa ttg ctg gct gtt gct aaa gac ttg cgc gag aaa aac tgg aaa 144 Gln Glu Leu Leu Ala Val Ala Lys Asp Leu Arg Glu Lys Asn Trp Lys 35 40 45

cac cag gcc gct gcc aac gcc gat tac gtt gcc gta ggc gat ttc act 192
His Gln Ala Ala Ala Asn Ala Asp Tyr Val Ala Val Gly Asp Phe Thr
50 55 60

ttc tac gac cac atc ctc gac ctg caa gtc gcc acc ggc gcg att ccc 240
Phe Tyr Asp His Ile Leu Asp Leu Gln Val Ala Thr Gly Ala Ile Pro
65 70 75 80

gcc cgc ttc ggc ttc gac agc caa aac cta tct ttg gaa caa ttc ttc 288
Ala Arg Phe Gly Phe Asp Ser Gln Asn Leu Ser Leu Glu Gln Phe Phe
85 90 95

caa ctg gcg cgc ggt aac aaa gac caa ttc gct atc gaa atg acc aaa 336

Gln	Leu	Ala	Arg 100	Gly	Asn	Lys	Asp	Gln 105	Phe	Ala	Ile	Glu	Met 110	Thr	Lys	
	ttc Phe	-						_			_					384
	gaa Glu 130			_						_		_			_	432
_	caa Gln	_	_		_		-		_		-			_	-	480
	ttc Phe	_		_			_			_	_	_		_	-	528
_	agc Ser															576
	ttg Leu															624
-	act Thr 210	_	_	_			_		_	-	_			-	-	- 672
	gcc Ala		_			_		_								720
	ggt Gly		_	_	_		_	_	_	_			_		_	768
	ggc Gly					_	_	_	_		_		_	-	_	816
	gcc Ala	_		-		-	_		_		_		_		_	864
aat	att	tgg	cgc	gcc	aac	ctg	aac	aaa	gtt	ttg	gaa	act	gtt	gag	ctt	912

Asn	Ile 290	Trp	Arg	Ala	Asn	Leu 295	Asn	Lys	Val	Leu	Glu 300	Thr	Val	Glu	Leu	
		_		_	ggc Gly 310	~	_	_				_		_	_	960
	_				ttt Phe	-	_		_	_	_		_			1008
			_	-	tac Tyr			_	-			_				1056
	_	_		_	ctg Leu		_	-	_		_		_	_		1104
-	_	_	_	_	gct Ala	_	_		_	_	_	_		-	_	1152
	_	-	-		cac His 390	_	-	_	-	-		-	_	-	_	1200
-		-		_	gac Asp		_					_	-	~		1248
				-	tgg Trp	_		_		-	_	_	_			1296
				_	caa Gln					_		_	_	_	-	1344
				_	ctg Leu		_	_	_		_			-		1392
	-		_	_	gtg Val 470	_	_					-	_	_	-	1440
gta	ctg	gta	cac	ggc	gaa	gcc	gag	cgt	aac	gac	atg	gtt	gaa	tac	ttc	1488

Val	Leu	Val	His	Gly 485	Glu	Ala	Glu	Arg	Asn 490	Asp	Met	Val	Glu	Tyr 495	Phe	
		_	_	_			-							gta Val		1536
_				_	_	_			_					gac Asp	_	1584
-	-		-		_		_	_					-	caa Gln	-	1632
~			-	_	_			_	-				~	acc Thr		1680
_														gtg Val 575		1728
			_	-	-	-		-	_	_	-	-	_	gaa Glu		1776
-				_				_	_		_		_	gaa Glu	2 2	1824
_		_		-	_	-		_	-		_			gcc Ala		1872
_			_	_					_	_	_	_		caa Gln		1920
			_							_		_		gcg Ala 655		1968
										-			_	tcc Ser	_	2016
atg	gaa	ctc	ttg	acc	gcg	ttc	ggc	gaa	ttc	aaa	tac	ccg	aac	gac	atc	2064

Met Glu Leu Leu Thr Ala Phe Gly Glu Phe Lys Tyr Pro Asn Asp Ile 675 680 685 ggc ccg ggg gtt tac gac atc cac agc ccg cgc gta ccg aca gaa gcc 2112 Gly Pro Gly Val Tyr Asp Ile His Ser Pro Arg Val Pro Thr Glu Ala 690 695 700 gaa gtg gag cac ctg ttg cgc aaa gcc atc gag gtt gta ccg gtt gaa 2160 Glu Val Glu His Leu Leu Arg Lys Ala Ile Glu Val Val Pro Val Glu 715 720 705 710 cgt ctg tgg gtt aac ccg gac tgc ggc ctg aaa aca cgc ggc tgg aaa 2208 Arg Leu Trp Val Asn Pro Asp Cys Gly Leu Lys Thr Arg Gly Trp Lys 725 730 735 gaa act ctg gaa caa ctc caa gtg atg atg aac gta acc cac aaa ttg 2256 Glu Thr Leu Glu Gln Leu Gln Val Met Asn Val Thr His Lys Leu 745 cgt gcc gaa ttg gcg aaa 2274 Arg Ala Glu Leu Ala Lys 755 <210> 178 <211> 758 <212> PRT <213> Neisseria meningitidis <400> 178 Met Thr Thr Leu His Phe Ser Gly Phe Pro Arg Val Gly Ala Phe Arg 5 10 Glu Leu Lys Phe Ala Gln Glu Lys Tyr Trp Arg Lys Glu Ile Ser Glu 20 25 Gln Glu Leu Leu Ala Val Ala Lys Asp Leu Arg Glu Lys Asn Trp Lys 35 40 His Gln Ala Ala Asn Ala Asp Tyr Val Ala Val Gly Asp Phe Thr 55 50 Phe Tyr Asp His Ile Leu Asp Leu Gln Val Ala Thr Gly Ala Ile Pro

85

Ala Arg Phe Gly Phe Asp Ser Gln Asn Leu Ser Leu Glu Gln Phe Phe

Gln	Leu	Ala	Arg 100	Gly	Asn	Lys	Asp	Gln 105	Phe	Ala	Ile	Glu	Met 110	Thr	Lys
Trp	Phe	Asp 115	Thr	Asn	Tyr	His	Tyr 120	Leu	Val	Pro	Glu	Phe 125	His	Ala	Asp
Thr	Glu 130	Phe	Lys	Ala	Asn	Ala 135	Lys	His	Tyr	Val	Gln 140	Gln	Leu	Gln	Glu
Ala 145	Gln	Ala	Leu	Gly	Leu 150	Lys	Ala	Lys	Pro	Thr 155	Val	Val	Gly	Pro	Leu 160
Thr	Phe	Leu	Trp	Val 165	Gly	Lys	Glu	Lys	Gly 170	Ala	Val	Glu	Phe	Asp 175	Arg
Leu	Ser	Leu	Leu 180	Pro	Lys	Leu	Leu	Pro 185	Val	Tyr	Val	Glu	Ile 190	Leu	Thr
Ala	Leu	Val 195	Glu	Ala	Gly	Ala	Glu 200	Trp	Ile	Gln	Ile	Asp 205	Glu	Pro	Ala
Leu	Thr 210	Val	Asp	Leu	Pro	Lys 215	Glu	Trp	Val	Glu	Ala 220	Tyr	Lys	Asp	Val
Tyr 225	Ala	Thr	Leu	Ser	Lys 230	Val	Ser	Ala	Lys	Ile 235	Leu	Leu	Ser	Thr	Tyr 240
Phe	Gly	Ser	Val	Ala 245	Glu	His	Ala	Ala	Leu 250	Leu	Lys	Ser	Leu	Pro 255	Val
Asp	Gly	Leu	His 260	Ile	Asp	Leu	Val	Arg 265	Ala	Pro	Glu	Gln	Leu 270	Asp	Ala
Phe	Ala	Asp 275	Туг	Asp	Lys	Val	Leu 280	Ser	Ala	Gly	Val	Ile 285	Asp	Gly	Arg
Asn	Ile 290	Trp	Arg	Ala	Asn	Leu 295	Asn	Lys	Val	Leu	Glu 300	Thr	Val	Glu	Leu
Leu 305	Gln	Ala	Lys	Leu	Gly 310	Asp	Arg	Leu	Trp	Ile 315	Ser	Ser	Ser	Cys	Ser 320
Leu	Leu	His	Thr	Pro 325	Phe	Asp	Leu	Ser	Val 330	Glu	Glu	Lys	Leu	Lys 335	Ala
Asn	Lys	Pro	Asp 340	Leu	Tyr	Ser	Trp	Leu 345	Ala	Phe	Thr	Leu	Gln 350	Lys	Thr

GIN	GLU	ьеи 355	Arg	vaı	Leu	туз	360	Ala	⊥eu	Asn	GLU	365	Arg	Asp	ser
Val	Ala 370	Glu	Glu	Leu	Ala	Ala 375	Ser	Gln	Ala	Ala	Ala 380	Asp	Ser	Arg	Ala
Asn 385	Ser	Ser	Glu	Ile	His 390	Arg	Ala	Asp	Val	Ala 395	Lys	Arg	Leu	Ala	Asp 400
Leu	Pro	Ala	Asn	Ala 405	Asp	Gln	Arg	Lys	Ser 410	Pro	Phe	Ala	Asp	Arg 415	Ile
ГÀЗ	Ala	Gln	Gln 420	Ala	Trp	Leu	Asn	Leu 425	Pro	Leu	Leu	Pro	Thr 430	Thr	Asn
Ile	Gly	ser 435	Phe	Pro	Gln	Thr	Thr 440	Glu	Ile	Arg	Gln	Ala 445	Arg	Ala	Ala
Phe	Lys 450	Lys	Gly	Glu	Leu	Ser 455	Ala	Ala	Asp	Tyr	Glu 460	Ala	Ala	Met	Lys
Lys 465	Glu	Ile	Ala	Leu	Val 470	Val	Glu	Glu	Gln	Glu 475	Lys	Leu	Asp	Leu	Asp 480
Val	Leu	Val	His	Gly 485	Glu	Ala	Glu	Arg	Asn 490	Asp	Met	Val	Glu	Tyr 495	Phe
Gly	Glu	Leu	Leu 500	Ser	Gly	Phe	Ala	Phe 505	Thr	Gln	Tyr	Gly	Trp 510	Val	Gln
Ser	Tyr	Gly 515	ser	Arg	Сув	Val	Lys 520	Pro	Pro	Ile	Ile	Phe 525	Gly	Asp	Val
Ser	Arg 530	Pro	Glu	Ala	Met	Thr 535	Val	Ala	Trp	Ser	Thr 540	Tyr	Ala	Gln	Ser
Leu 545	Thr	Lys	Arg	Pro	Met 550	Lys	Gly	Met	Leu	Thr 555	Gly	Pro	Val	Thr	Ile 560
Leu	Gln	Trp	Ser	Phe 565	Val	Arg	Asn	Asp	Ile 570	Pro	Arg	Ser	Thr	Val 575	Сув
Lys	Gln	Ile	Ala 580	Leu	Ala	Leu	Asn	Asp 585	Glu	Val	Leu	Asp	Leu 590	Glu	Lys
Ala	Gly	Ile 595	Lys	Val	Ile	Gln	Ile 600	Asp	Glu	Pro	Ala	Ile 605	Arg	Glu	Gly

Leu Pro Leu Lys Arg Ala Asp Trp Asp Ala Tyr Leu Asn Trp Ala Gly 610 615 620 Glu Ser Phe Arg Leu Ser Ser Thr Gly Cys Glu Asp Ser Thr Gln Ile 630 635 640 His Thr His Met Cys Tyr Ser Glu Phe Asn Asp Ile Leu Pro Ala Ile 645 650 Ala Ala Met Asp Ala Asp Val Ile Thr Ile Glu Thr Ser Arg Ser Asp 660 665 670 Met Glu Leu Leu Thr Ala Phe Gly Glu Phe Lys Tyr Pro Asn Asp Ile 675 680 685 Gly Pro Gly Val Tyr Asp Ile His Ser Pro Arg Val Pro Thr Glu Ala 690 695 700 Glu Val Glu His Leu Leu Arg Lys Ala Ile Glu Val Val Pro Val Glu 705 710 715 720 Arg Leu Trp Val Asn Pro Asp Cys Gly Leu Lys Thr Arg Gly Trp Lys 725 730 735 Glu Thr Leu Glu Gln Leu Gln Val Met Met Asn Val Thr His Lys Leu 740 745 750 Arg Ala Glu Leu Ala Lys 755 <210> 179 <211> 867 <212> DNA <213> Neisseria meningitidis <220> <221> CDS <222> (1)..(867) <400> 179 atg aaa ccc ata cgg aaa gcc gtc ttc ccc gtc gca ggg atg gga aca Met Lys Pro Ile Arg Lys Ala Val Phe Pro Val Ala Gly Met Gly Thr 1 15

350

cgc ttc ctg ccc gcc acc aag gca agc ccg aaa gaa atg ctg ccc atc Arg Phe Leu Pro Ala Thr Lys Ala Ser Pro Lys Glu Met Leu Pro Ile

20 . 25 30

_	gac Asp	_	_	_				-	_	_	_	_		-	-	144
	tgc Cys 50	_	-	_			_			-			_	_		192
_	gac Asp					_		_		_		, ,				240
-	cat His		_		_		_		-	_				_	_	288
	att Ile		-				_	_		_	-	_		_		336
	gcc Ala															384
	att Ile 130															432
	atg Met															480
	act Thr												_	_		528
	cag Gln												_			576
	ccc Pro								-	_			-			624
	acc Thr	_	_			-		-		-	_	_	_			672

210 215 220

ggc aac gaa atc cag ctt aca gac ggc atc gcc aag ctg ctc gat cac 720 Gly Asn Glu Ile Gln Leu Thr Asp Gly Ile Ala Lys Leu Leu Asp His 225 230 235 240

gaa ttt gtc cta gcg cac ccc ttt gaa ggc acg cgc tac gac tgc ggc 768 Glu Phe Val Leu Ala His Pro Phe Glu Gly Thr Arg Tyr Asp Cys Gly 245 250 255

agc aaa ctg ggc tat ctg gaa gcc acc gtc gcc tac ggc ctg aaa cac 816 Ser Lys Leu Gly Tyr Leu Glu Ala Thr Val Ala Tyr Gly Leu Lys His 260 265 270

ccc gaa acc ggc gaa ccc ttc cgc cgc ctt ttg gaa aaa tac cgt acc 864
Pro Glu Thr Gly Glu Pro Phe Arg Arg Leu Leu Glu Lys Tyr Arg Thr
275 280 285

gaa 867

<210> 180

<211> 289

<212> PRT

<213> Neisseria meningitidis

<400> 180

Met Lys Pro Ile Arg Lys Ala Val Phe Pro Val Ala Gly Met Gly Thr
1 5 10 15

Arg Phe Leu Pro Ala Thr Lys Ala Ser Pro Lys Glu Met Leu Pro Ile 20 25 30

Val Asp Lys Pro Leu Ile Gln Tyr Ala Val Glu Glu Ala Val Glu Ala 35 40 45

Gly Cys Thr Glu Met Val Phe Val Thr Gly Arg Asn Lys Arg Ser Ile
50 55 60

Glu Asp His Phe Asp Lys Ala Tyr Glu Leu Glu Thr Glu Leu Glu Met 65 70 75 80

Arg His Lys Asp Lys Leu Leu Glu His Val Arg Asn Ile Leu Pro Pro 85 90 95

Asn Ile Thr Cys Leu Tyr Ile Arg Gln Ala Glu Ala Leu Gly Leu Gly
100 105 110

His Ala Val Leu Cys Ala Arg Ala Ala Ile Gly Asp Glu Pro Phe Ala 115 120 125

Val Ile Leu Ala Asp Asp Leu Ile Asp Ala Gln Lys Gly Ala Leu Lys 130 135 140

Gln Met Val Glu Val Tyr Glu Arg Ser Gly Asn Ser Ile Leu Gly Val 145 150 155 160

Glu Thr Val Glu Pro Ser Gln Thr Gly Ser Tyr Gly Ile Val Glu Thr
165 170 175

Glu Gln Leu Lys Gln Phe Gln Arg Ile Thr Gly Ile Val Glu Lys Pro 180 185 190

Lys Pro Glu Asp Ala Pro Ser Asn Leu Ala Val Val Gly Arg Tyr Ile 195 200 205

Leu Thr Pro Arg Ile Phe Asp Leu Leu Thr Gly Leu Pro Arg Gly Ala 210 215 220

Gly Asn Glu Ile Gln Leu Thr Asp Gly Ile Ala Lys Leu Leu Asp His 225 230 235 240

Glu Phe Val Leu Ala His Pro Phe Glu Gly Thr Arg Tyr Asp Cys Gly
245 250 255

Ser Lys Leu Gly Tyr Leu Glu Ala Thr Val Ala Tyr Gly Leu Lys His 260 265 270

Pro Glu Thr Gly Glu Pro Phe Arg Arg Leu Leu Glu Lys Tyr Arg Thr 275 280 285

Glu

<210> 181

<211> 603

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(603)

<400> 181

atg aca ata atg aat atc aat act tcc gaa aat aaa gat gct gtt gcc Met Thr Ile Met Asn Ile Asn Thr Ser Glu Asn Lys Asp Ala Val Ala gaa cac acc gga caa tgg ttg gaa aaa gcc gtc atc ggt ctg aac ctg Glu His Thr Gly Gln Trp Leu Glu Lys Ala Val Ile Gly Leu Asn Leu tgt ccc ttt gcc aaa gcc ccc cac gtt aaa aac ctt gtc cgc atc gca Cys Pro Phe Ala Lys Ala Pro His Val Lys Asn Leu Val Arg Ile Ala atc agc gaa gcc aaa cac ctt gac agt ttt ttg gaa gac ttg gac gaa Ile Ser Glu Ala Lys His Leu Asp Ser Phe Leu Glu Asp Leu Asp Glu gaa ctg cag cga ctg ggc aat aca ccc gcc acc gaa ctg gaa act acc Glu Leu Gln Arg Leu Gly Asn Thr Pro Ala Thr Glu Leu Glu Thr Thr ctg ctg gtt cac ccg acc cta ttc ccc gat ttc gac gta ttc aac gat Leu Leu Val His Pro Thr Leu Phe Pro Asp Phe Asp Val Phe Asn Asp atg ctc gac att gcc gat gcc gtt gtc gaa aac ggc ttg gaa ggc Met Leu Asp Ile Ala Asp Ala Ala Val Val Glu Asn Gly Leu Glu Gly atc atc caa atc gcc ccg ttt cat ccc gat ttc caa ttt gaa ggc acg Ile Ile Gln Ile Ala Pro Phe His Pro Asp Phe Gln Phe Glu Gly Thr gat toa gac gac atc ggc aac tac acc aac cgt tot ccc tat ccg acg Asp Ser Asp Asp Ile Gly Asn Tyr Thr Asn Arg Ser Pro Tyr Pro Thr ctg cac ctc atc cgc gaa gac agc att gcc aaa gcc gca caa gcc ttt Leu His Leu Ile Arq Glu Asp Ser Ile Ala Lys Ala Ala Gln Ala Phe ccc gac gct tcg gca ata ttc gaa cgc aat atc gcc ctg ctg gaa aaa Pro Asp Ala Ser Ala Ile Phe Glu Arg Asn Ile Ala Leu Leu Glu Lys atg gga cat gag ggc tgg gca aaa ctc ggt atc aca tcc tgc cct tat Met Gly His Glu Gly Trp Ala Lys Leu Gly Ile Thr Ser Cys Pro Tyr 

ccg cac aat aag aaa aat att tca aaa Pro His Asn Lys Lys Asn Ile Ser Lys 195 200 603

<210> 182

<211> 201

<212> PRT

<213> Neisseria meningitidis

<400> 182

Met Thr Ile Met Asn Ile Asn Thr Ser Glu Asn Lys Asp Ala Val Ala 1 5 10 15

Glu His Thr Gly Gln Trp Leu Glu Lys Ala Val Ile Gly Leu Asn Leu 20 25 30

Cys Pro Phe Ala Lys Ala Pro His Val Lys Asn Leu Val Arg Ile Ala 35 40 45

Ile Ser Glu Ala Lys His Leu Asp Ser Phe Leu Glu Asp Leu Asp Glu 50 55 60

Glu Leu Gln Arg Leu Gly Asn Thr Pro Ala Thr Glu Leu Glu Thr Thr
65 70 75 80

Leu Leu Val His Pro Thr Leu Phe Pro Asp Phe Asp Val Phe Asn Asp 85 90 95

Met Leu Asp Ile Ala Asp Ala Ala Val Val Glu Asn Gly Leu Glu Gly
100 105 110

Ile Ile Gln Ile Ala Pro Phe His Pro Asp Phe Gln Phe Glu Gly Thr
115 120 125

Asp Ser Asp Asp Ile Gly Asn Tyr Thr Asn Arg Ser Pro Tyr Pro Thr 130 135 140

Pro Asp Ala Ser Ala Ile Phe Glu Arg Asn Ile Ala Leu Leu Glu Lys 165 170 175

Met Gly His Glu Gly Trp Ala Lys Leu Gly Ile Thr Ser Cys Pro Tyr 180 185 190

Pro His Asn Lys Lys Asn Ile Ser Lys 195 200

<210> 183 <211> 1338 <212> DNA <213> Neisseria meningitidis <220> <221> CDS <222> (1)..(1338) <400> 183 ttg cac acc ctt cta gct ttt atc ttc gcc atc ctg att ttg gtc agc 48 Leu His Thr Leu Leu Ala Phe Ile Phe Ala Ile Leu Ile Leu Val Ser ctg cac gaa ttc gga cac tac atc gtc gcc aga ttg tgc ggc gtc aag 96 Leu His Glu Phe Gly His Tyr Ile Val Ala Arg Leu Cys Gly Val Lys 20 25 30 gtt gtg cgt ttt tcc gtc ggc ttc ggc aaa ccg ttt ttc acc cga aag 144 Val Val Arg Phe Ser Val Gly Phe Gly Lys Pro Phe Phe Thr Arg Lys 35 40 cgc ggc gac acc gaa tgg tgc ctc gcc ccg att ccg ttg ggc ggt tac 192 Arg Gly Asp Thr Glu Trp Cys Leu Ala Pro Ile Pro Leu Gly Gly Tyr 50 55 gtc aaa atg gtc gac acg cgc gaa ggc gaa gta tca gaa gcc gat tta 240 Val Lys Met Val Asp Thr Arg Glu Gly Glu Val Ser Glu Ala Asp Leu 65 75 70 80 ccc tac gct ttt gac aaa cac ccc gcc aag cgc atc gcc atc gtc 288 Pro Tyr Ala Phe Asp Lys Gln His Pro Ala Lys Arg Ile Ala Ile Val 85 90 gcc gcc ggc ccg ctg acc aac ctc gca ctg gcg gtt ttg ctg tac gga 336 Ala Ala Gly Pro Leu Thr Asn Leu Ala Leu Ala Val Leu Leu Tyr Gly 100 105 110 ctg agc ttt tcc ttc ggc gtt acc gaa ctg cgc ccc tat gtc ggc aca 384 Leu Ser Phe Ser Phe Gly Val Thr Glu Leu Arg Pro Tyr Val Gly Thr 125 115 120 gtc gaa ccc gac acc att gcc gcc cgc gcc ggc ttc caa agc ggc gac 432

Val	Glu 130	Pro	Asp	Thr	Ile	Ala 135	Ala	Arg	Ala	Gly	Phe 140	Gln	Ser	Gly	Asp	
				_					-	~	gat Asp			_		480
		-		-				_	_	~ ~	aaa Lys	_	_	_		528
_	_	_	_	_					-	_	acc Thr		-	_	_	576
	_	_	_	•				_			caa Gln	5 5				624
_	_							-	_		ggc Gly 220		-			672
_		-	_		_		_		_		gac Asp		~		_	720
-	_					-				-	tgg Trp	-		_		768
_		-							_		tac Tyr	-	-	_		816
											gtc Val					864
											cag Gln 300		_			912
											tct Ser	_	_	-		960
ttc	ggc	atg	ggc	tgg	gaa	aaa	acc	gtt	tcc	cac	tcg	tgg	aca	acc	ctc	1008

Phe	Gly	Met	Gly	Trp 325	Glu	Lys	Thr	Val	Ser 330	His	Ser	Trp	Thr	Thr 335	Leu	
		ttc					_			_		_	_			1056
Lys	Phe	Phe	Gly 340	Lys	Leu	Ile	Ser	Gly 345	Asn	Ala	Ser	Val	350	His	Ile	
tcc	ggt	ccg	ctg	acc	att	gcc	gat	att	gcc	gga	cag	tcc	gcc	gaa	ctc	1104
Ser	Gly	Pro 355	Leu	Thr	Ile	Ala	Asp 360	Ile	Ala	Gly	Gln	Ser 365	Ala	Glu	Leu	
ggc	ttg	caa	agt	tat	ttg	gaa	ttt	ttg	gca	ctg	gtc	agc	atc	agc	ctc	1152
Gly	Leu 370	Gln	Ser	Tyr	Leu	Glu 375	Phe	Leu	Ala	Leu	Val 380	Ser	Ile	Ser	Leu	
ggc	gtg	ctg	aac	ctg	ctg	ccc	gtc	ccc	gtt	ttg	gac	ggc	ggc	cac	ctc	1200
Gly 385	Val	Leu	Asn	Leu	Leu 390	Pro	Val	Pro	Val	Leu 395	Asp	Gly	Gly	His	Leu 400	
		tat		-	_			_				_		_	-	1248
vai	Pne	Tyr	THE	405	GIU	ттр	TTE	Arg	410	цуѕ	PLO	ьeu	стЛ	415	Arg	
gtc	caa	aac	atc	ggt	tta	cac	ttc	aaa	ctt	qcc	ctc	atq	atq	cta	atq	1296
-		Asn			_	_				-		_	_	-	=	
			420					425					430			
atg	gcg	gtc	gcc	ttc	ttc	aac	gac	gtt	acc	cgg	ctg	ctc	ggt			1338
Met	Ala	Val	Ala	Phe	Phe	Asn	Asp	Val	Thr	Arg	Leu	Leu	Gly			
		435					440					445				
<210	1> 18	3.4														

<210> 184

<211> 446

<212> PRT

<213> Neisseria meningitidis

<400> 184

Leu His Thr Leu Leu Ala Phe Ile Phe Ala Ile Leu Ile Leu Val Ser
1 5 10 15

Leu His Glu Phe Gly His Tyr Ile Val Ala Arg Leu Cys Gly Val Lys
20 25 30

Val Val Arg Phe Ser Val Gly Phe Gly Lys Pro Phe Phe Thr Arg Lys
35 40 45

Arg Gly Asp Thr Glu Trp Cys Leu Ala Pro Ile Pro Leu Gly Gly Tyr

50 55 60

Val Lys Met Val Asp Thr Arg Glu Gly Glu Val Ser Glu Ala Asp Leu 65 70 75 80

- Pro Tyr Ala Phe Asp Lys Gln His Pro Ala Lys Arg Ile Ala Ile Val 85 90 95
- Ala Ala Gly Pro Leu Thr Asn Leu Ala Leu Ala Val Leu Leu Tyr Gly
  100 105 110
- Leu Ser Phe Ser Phe Gly Val Thr Glu Leu Arg Pro Tyr Val Gly Thr 115 120 125
- Val Glu Pro Asp Thr Ile Ala Ala Arg Ala Gly Phe Gln Ser Gly Asp 130 135 140
- Gln Thr Glu Ile Val Leu Asn Leu Glu Ala Gly Lys Val Ala Val Gly
  165 170 175
- Val Gln Thr Ala Ser Gly Ala Gln Thr Val Arg Thr Ile Asp Ala Ala 180 185 190
- Gly Thr Pro Glu Ala Gly Lys Ile Ala Lys Asn Gln Gly Tyr Ile Gly
  195 200 205
- Leu Met Pro Phe Lys Ile Thr Thr Val Ala Gly Gly Val Glu Lys Gly 210 215 220
- Ser Pro Ala Glu Lys Ala Gly Leu Lys Pro Gly Asp Arg Leu Thr Ala 225 230 235 240
- Ala Asp Gly Lys Pro Ile Ala Ser Trp Gln Glu Trp Ala Asn Leu Thr 245 250 255
- Arg Gln Ser Pro Gly Lys Lys Ile Thr Leu Thr Tyr Glu Arg Ala Gly 260 265 270
- Gln Thr His Thr Ala Asp Ile Arg Pro Asp Thr Val Glu Gln Pro Asp 275 280 285
- His Thr Leu Ile Gly Arg Val Gly Leu Arg Pro Gln Pro Asp Arg Ala 290 295 300
- Trp Asp Ala Gln Ile Arg Arg Ser Tyr Arg Pro Ser Val Val Arg Ala

305 310 315 320

Phe Gly Met Gly Trp Glu Lys Thr Val Ser His Ser Trp Thr Thr Leu 325 330 335

Lys Phe Phe Gly Lys Leu Ile Ser Gly Asn Ala Ser Val Ser His Ile 340 345 350

Ser Gly Pro Leu Thr Ile Ala Asp Ile Ala Gly Gln Ser Ala Glu Leu 355 360 365

Gly Leu Gln Ser Tyr Leu Glu Phe Leu Ala Leu Val Ser Ile Ser Leu 370 375 380

Gly Val Leu Asn Leu Leu Pro Val Pro Val Leu Asp Gly Gly His Leu 385 390 395 400

Val Phe Tyr Thr Ala Glu Trp Ile Arg Gly Lys Pro Leu Gly Glu Arg 405 410 415

Val Gln Asn Ile Gly Leu Arg Phe Gly Leu Ala Leu Met Met Leu Met 420 425 430

Met Ala Val Ala Phe Phe Asn Asp Val Thr Arg Leu Leu Gly
435 440 445

<210> 185

<211> 1476

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(1476)

<400> 185

atg aaa tac aaa gac ctg cgc gac ttc atc gcc atg ctc gag cag cag 48

Met Lys Tyr Lys Asp Leu Arg Asp Phe Ile Ala Met Leu Glu Gln Gln

1 10 15

ggc aaa ctc aaa cgc atc gcg cac ccc gtt tcc ccg cat ttg gaa atg 96
Gly Lys Leu Lys Arg Ile Ala His Pro Val Ser Pro His Leu Glu Met
20 25 30

acc gaa atc gcc gac cgc gtg ctg cgc gcc gaa ggg ccg gcg ttg ttg 144 Thr Glu Ile Ala Asp Arg Val Leu Arg Ala Glu Gly Pro Ala Leu Leu

35 40 45

				_	_					_				ccc Pro		192
_	_		-			-		_	_			-		atg Met		240
		-	5 5		_	_	~	_					-	gcg Ala 95		288
_		_		_	_						•			tcc Ser		336
_	_		-		-			_	_		_			gtg Val		384
								_		-	_			gat Asp		432
			_		_		_		_	_	_	-		ccg Pro	-	480
						_	_							cgc Arg 175		528
					_									ctg Leu		576
						-					_		_	gaa Glu		624
_					_	_	_			_	_	_		ctc Leu		672
								_	_					gat Asp		720

225	230	235		240
_		ga ctg ctg cgc gg ly Leu Leu Arg Gi 250		_
	-	at ttg caa gtg co sp Leu Gln Val Pi 265		_
		at cca aac gaa ad is Pro Asn Glu Th 80		
		at tac aac gag ca yr Tyr Asn Glu G		
3 3	2 2	cc atg cgc gaa aa hr Met Arg Glu As 315	-	
		cc gat gaa ccc go ro Asp Glu Pro Al 330		
		cg ctt ttg caa aa ro Leu Leu Gln Ly 345		-
<del>-</del>		cc gaa ggc tgc to ro Glu Gly Cys Se 60		5 5
	_	ac gcc gga cac go yr Ala Gly His Al 38		_
		gc cag ttt atg ta rg Gln Phe Met Ty 395		
		at gtg cgc gac to sp Val Arg Asp Ti 410		
		ac ccc gtg cgc ga sp Pro Val Arg As		_

420 425 430

gaa aac acg ccc atc gac tac ctc gac ttc gcc agc ccc gtc agc gga 1344
Glu Asn Thr Pro Ile Asp Tyr Leu Asp Phe Ala Ser Pro Val Ser Gly
435 440 445

ctt ggc ggc aaa atg ggt ttg gat gcg acc aac aag tgg ccg ggc gaa 1392 Leu Gly Gly Lys Met Gly Leu Asp Ala Thr Asn Lys Trp Pro Gly Glu 450 455 460

acc gac cgc gaa tgg gga cgg gtg att aaa aaa gac cct gcg gtt acg 1440
Thr Asp Arg Glu Trp Gly Arg Val Ile Lys Lys Asp Pro Ala Val Thr
465 470 480

gct aag att gat gag att tgg gag gaa ttg ggg ttg 1476
Ala Lys Ile Asp Glu Ile Trp Glu Glu Leu Gly Leu
485 490

<210> 186

<211> 492

<212> PRT

<213> Neisseria meningitidis

<400> 186

Met Lys Tyr Lys Asp Leu Arg Asp Phe Ile Ala Met Leu Glu Gln Gln 1 5 10 15

Gly Lys Leu Lys Arg Ile Ala His Pro Val Ser Pro His Leu Glu Met
20 25 30

Thr Glu Ile Ala Asp Arg Val Leu Arg Ala Glu Gly Pro Ala Leu Leu 35 40 45

Phe Glu His Pro Val Lys Pro Asp Gly Thr Arg Tyr Asp Tyr Pro Val 50 55 60

Leu Ala Asn Leu Phe Gly Thr Pro Glu Arg Val Ala Met Gly Met Gly 65 70 75 80

Ala Asp Ser Val Ser Lys Leu Arg Glu Ile Gly Gln Thr Leu Ala Tyr 85 90 95

Leu Lys Glu Pro Glu Pro Pro Lys Gly Ile Lys Asp Ala Phe Ser Lys
100 105 110

Leu Pro Leu Lys Asp Ile Trp Ser Met Ala Pro Asn Val Val Lys
115 120 125

Asn	Ala 130	Pro	Cys	Gln	Glu	11e 135	Val	Trp	Glu	Gly	Glu 140	Asp	Val	Asp	Leu
Tyr 145	Gln	Leu	Pro	Ile	Gln 150	His	Cys	Trp	Pro	Glu 155	Asp	Val	Ala	Pro	Leu 160
Val	Thr	Trp	Gly	Leu 165	Thr	Val	Thr	Arg	Gly 170	Pro	His	Lys	Lys	Arg 175	Gln
Asn	Leu	Gly	Ile 180	Туг	Arg	Gln	Gln	Leu 185	Ile	Gly	Ile	Asn	Lys 190	Leu	Ile
Met	Arg	Trp 195	Leu	Ser	His	Arg	Gly 200	Gly	Ala	Leu	Asp	Tyr 205	Gln	Glu	Phe
Arg	Lys 210	Leu	Asn	Pro	Asp	Thr 215	Pro	Tyr	Pro	Val.	Ala 220	Val	Val	Leu	Gly
Cys 225	Asp	Pro	Ala	Thr	Ile 230	Leu	Gly	Ala	Val	Thr 235	Pro	Val	Pro	Asp	Thr 240
Leu	Ser	Glu	Tyr	Gln 245	Phe	Ala	Gly	Leu	Leu 250	Arg	Gly	Ser	Arg	Thr 255	Glu
Leu	Val	Lys	Cys 260	Ile	Gly	Asn	Asp	Leu 265	Gln	Val	Pro	Ala	Arg 270	Ala	Glu
Ile	Val	Leu 275	Glu	Gly	Val	Ile	His 280	Pro	Asn	Glu	Thr	Ala 285	Leu	Glu	Gly
Pro	Tyr 290	Gly	Asp	His	Thr	Gly 295	Tyr	туг	Asn	Glu	Gln 300	Asp	His	Phe	Pro
Val 305	Phe	Thr	Val	Glu	Arg 310	Ile	Thr	Met	Arg	Glu 315	Asn	Pro	Ile	Туг	His 320
Ser	Thr	Tyr	Thr	Gly 325	Lys	Pro	Pro	Asp	Glu 330	Pro	Ala	Val	Leu	Gly 335	Val
Ala	Leu	Asn	Glu 340	Val	Phe	Val	Pro	Leu 345	Leu	Gln	Lys	Gln	Phe 350	Pro	Glu
Ile	Thr	Asp 355	Phe	Tyr	Leu	Pro	Pro 360	Glu	Gly	Cys	ser	Tyr 365	Arg	Met	Ala
Val	Val 370	Ser	Met	Lys	Lys	Gln 375	Tyr	Ala	Gly	His	Ala 380	Lys	Arg	Val	Met

Met Gly Cys Trp Ser Phe Leu Arg Gln Phe Met Tyr Thr Lys Phe Ile 385 390 395 400

Ile Val Val Asp Asp Asp Val Asp Val Arg Asp Trp Lys Glu Val Ile
405 410 415

Trp Ala Val Thr Thr Arg Met Asp Pro Val Arg Asp Thr Val Leu Met 420 425 430

Glu Asn Thr Pro Ile Asp Tyr Leu Asp Phe Ala Ser Pro Val Ser Gly
435 440 445

Leu Gly Gly Lys Met Gly Leu Asp Ala Thr Asn Lys Trp Pro Gly Glu 450 455 460

Thr Asp Arg Glu Trp Gly Arg Val Ile Lys Lys Asp Pro Ala Val Thr 465 470 475 480

Ala Lys Ile Asp Glu Ile Trp Glu Glu Leu Gly Leu 485 490

<210> 187

<211> 1191

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(1191)

<400> 187

atg ttc ttc aag cac atc gaa gcc gcc ccc gcc gat ccg att ctc ggt 48
Met Phe Phe Lys His Ile Glu Ala Ala Pro Ala Asp Pro Ile Leu Gly
1 5 10 15

ttg ggc gaa gca ttc aaa gcc gaa acc cgc ccc gaa aaa gtc aac ctc 96 Leu Gly Glu Ala Phe Lys Ala Glu Thr Arg Pro Glu Lys Val Asn Leu 20 25 30

ggc atc ggc gtg tac aaa gac gca tcc ggc gcg aca cct att gtc aaa 144 Gly Ile Gly Val Tyr Lys Asp Ala Ser Gly Ala Thr Pro Ile Val Lys 35 40 45

gcc gtc aaa gaa gcc gaa aaa cgc ctg ttg gaa agc gaa aca act aaa 192 Ala Val Lys Glu Ala Glu Lys Arg Leu Leu Glu Ser Glu Thr Thr Lys

50 55 60

220	tac	ct c	200	atc	aza	aac	a++	acc	a a c	tac	220	aza	caa	200	Caa	240
				Ile	_		_	_	_							240
65	- 1 -				70	<i>1</i>				75					80	
att	ctg	ctg	ttc	ggc	aaa	gac	cac	gaa	atc	atc	gcc	agc	cgt	cgc	gcc	288
Ile	Leu	Leu	Phe	Gly	Lys	Asp	His	Glu	Ile	Ile	Ala	Ser	Arg	Arg	Ala	
				85					90					95		
				agc												336
Lуs	Thr	Ala		Ser	Leu	Gly	Gly		Gly	Ala	Leu	Arg		Ala	Ala	
			100					105					110			
~~~	+++	~~~		~ ~+	~~~	++~	224	~~~	<b>~</b> ~~	200	n+ a	+~~	~ <del>+ +</del>	+ = =	+	384
		-		cgt Arq	_	_					_	~ ~				204
OIU	1.110	115	-Ly5	rig	OLII	шеи	120	н⊥α	CIII	1114	1110	125		DCT	71511	
		0														
ccg	act	tgg	ccc	aac	cac	aac	gcc	atc	gcc	aaa	gcq	gtc	ggt	atc	caa	432
Pro	Thr	Trp	Pro	Asn	His	Asn	Ala	Ile	Ala	Lys	Ala	Val	Gly	Ile	Gln	
	130					135					140					
gac	caa	cct	tat	cgc	tac	tat	gat	gcc	gcc	aaa	cac	ggt	ttg	gat	tgg	480
Asp	Gln	Pro	Tyr	Arg	Tyr	Tyr	Asp	Ala	Ala	Lys	His	Gly	Leu	Asp	Trp	
145					150					155					160	
-		_		gaa	-		_						_		_	528
Asp	GTĀ	Met	TTE	Glu	Asp	Leu	Ser	Gln		GIn	ГÀ2	GTA	Asp		Val	
				165					170					175		
cta	cta	cac	aac	tgc	tac	cac	aac	cct	acc	aat	atc	σac	cct	aca	ccc	576
_	_			Cys	_							-		_		
			180	-	-			185		-		_	190			
•																
gaa	caa	tgg	gaa	act	ctg	gca	aaa	ctt	tct	gcc	gaa	aaa	ggc	tgg	tta	624
Glu	Gln	Trp	Glu	Thr	Leu	Ala	Lys	Leu	ser	Ala	Glu	Lys	Gly	Trp	Leu	
		195					200					205				
	_		_	ttt	_								_	-	_	672
PLO	210	Pne	Asp	Phe	ALA	215	GIU	стλ	Pne	GTÀ	220	GTÀ	ьеи	GIU	GIU	
	210					213					220					
gat	qcc	tac	aac	ctq	cac	ata	ttc	tta	aaa	cac	aat	aca	qaa	tta	cta	720
_	_			Leu	_								_	-	-	. = -
225					230			`	-	235					240	
att	gcc	agc	tct	tat	tcc	aaa	aac	ttc	ggt	atg	tac	aac	gag	cgc	gtc	768
Ile	Ala	Ser	Ser	Tyr	Ser	Lys	Asn	Phe	Gly	Met	Tyr	Asn	Glu	Arg	Val	

WO 01/85772	PCT/GB01/02003

	245	250	255
	ttg gtg gcc gaa gat Leu Val Ala Glu Asp 265		
	aaa acc att atc cgt Lys Thr Ile Ile Arg 280	-	_
	aac act att gcg ctg Asn Thr Ile Ala Leu 295		-
= = =	att gcc gaa ctc gat Ile Ala Glu Leu Asp 310		
	aaa ttt gtc gag ttg Lys Phe Val Glu Leu 325		
	ttc att atc gaa caa Phe Ile Ile Glu Gln 345	,	
	gaa caa gtc gac cgt Glu Gln Val Asp Arg 360		
, ,	tcc ggc cgc atc aac Ser Gly Arg Ile Asn 375		5
	ctg tgc gaa agt atc Leu Cys Glu Ser Ile 390		1191
<210> 188 <211> 397 <212> PRT <213> Neisseria	meningitidis		

<400> 188

Met Phe Phe Lys His Ile Glu Ala Ala Pro Ala Asp Pro Ile Leu Gly
1 5 10 15

Leu	Gly	Glu	Ala 20	Phe	Lys	Ala	Glu	Thr 25	Arg	Pro	Glu	Lys	Val 30	Asn	Leu
Gly	Ile	Gly 35	Val	Tyr	Lys	Asp	Ala 40	Ser	Gly	Ala	Thr	Pro 45	Ile	Val	Lys
Ala	Val 50	Lys	Glu	Ala	Glu	L ys 55	Arg	Leu	Leu	Glu	Ser 60	Glu	Thr	Thr	Lys
Asn 65	Tyr	Leu	Thr	Ile	Asp 70	Gly	Val	Ala	Asp	Tyr 75	Asn	Glu	Gln	Thr	Gln 80
Ile	Leu	Leu	Phe	Gly 85	Lys	Asp	His	Glu	Ile 90	Ile	Ala	Ser	Arg	Arg 95	Ala
Lys	Thr	Ala	Gln 100	ser	Leu	Gly	Gly	Thr 105	Gly	Ala	Leu	Arg	Ile 110	Ala	Ala
Glu	Phe	Ala 115	Lys	Arg	Gln	Leu	Asn 120	Ala	Gln	Thr	Ile	Trp 125	Ile	ser	Asn
Pro	Thr 130	Trp	Pro	Asn	His	Asn 135	Ala	Ile	Ala	Lys	Ala 140	Val	Gly	Ile	Gln
Asp 145	Gln	Pro	Tyr	Arg	Tyr 150	Tyr	Asp	Ala	Ala	Lys 155	His	Gly	Leu	Asp	Trp 160
Asp	Gly	Met	Ile	Glu 165	Asp	Leu	Ser	Gln	Ala 170	Gln	Lys	Gly	Asp	Ile 175	Val
Leu	Leu	His	Gly 180	Суз	Суѕ	His	Asn	Pro 185	Thr	Gly	Ile	Asp	Pro 190	Thr	Pro
Glu	Gln	Trp 195	Glu	Thr	Leu	Ala	Lys 200	Leu	Ser	Ala	Glu	Lys 205	Gly	Trp	Leu
Pro	Leu 210	Phe	Asp	Phe	Ala	Tyr 215	Gln	Gly	Phe	Gly	Asn 220	Gly	Leu	Glu	Glu
Asp 225	Ala	Tyr	Gly	Leu	Arg 230	Val	Phe	Leu	Lys	His 235	Asn	Thr	Glu	Leu	Leu 240
Ile	Ala	ser	Ser	Tyr 245	Ser	Lys	Asn	Phe	Gly 250	Met	Tyr	Asn	Glu	Arg 255	
Gly	Ala	Phe	Thr 260	Leu	Val	Ala	Glu	Asp 265	Glu	Ala	Thr	Ala	Ala 270	Arg	Ala

His Ser Gln Val Lys Thr Ile Ile Arg Thr Leu Tyr Ser Asn Pro Ala 275 280 285

Ser His Gly Ala Asn Thr Ile Ala Leu Val Leu Lys Asn Asp Asp Leu 290 295 300

Lys Ala Gln Trp Ile Ala Glu Leu Asp Glu Met Arg Gly Arg Ile Lys 305 310 315 320

Ala Met Arg Gln Lys Phe Val Glu Leu Leu Lys Ala Lys Gly Ala Thr 325 330 335

Gln Asp Phe Asp Phe Ile Ile Glu Gln Asn Gly Met Phe Ser Phe Ser 340 345 350

Gly Leu Thr Pro Glu Gln Val Asp Arg Leu Lys Asn Glu Phe Ala Ile 355 360 365

Tyr Ala Val Arg Ser Gly Arg Ile Asn Val Ala Gly Ile Thr Asp Asp 370 375 380

Asn Ile Asp Tyr Leu Cys Glu Ser Ile Val Lys Val Leu 385 390 395

<210> 189

<211> 462

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(462)

<400> 189

ttg ctt tgc ccg gaa aaa atg tcg ggg atg gcg gga cag tat ccg tac 48
Leu Leu Cys Pro Glu Lys Met Ser Gly Met Ala Gly Gln Tyr Pro Tyr
1 5 10 15

ggc gtc cgg tcg ggt ttg cgg agg aac ggc ttg aaa ctt tgg gat att 96
Gly Val Arg Ser Gly Leu Arg Arg Asn Gly Leu Lys Leu Trp Asp Ile
20 25 30

cat ttt aga atg acc cgt ttt atc gtc gca aga tgc ggt tta ttg ttt 144
His Phe Arg Met Thr Arg Phe Ile Val Ala Arg Cys Gly Leu Leu Phe
35 40 45

gca acc ctt aaa Ala Thr Leu Lys 50			atg ttc gtg ctg Met Phe Val Leu 60	
atg ctg ttc tcc Met Leu Phe Ser 65			gcg gta aac atc Ala Val Asn Ile 75	
			ggc ata ggc cct Gly Ile Gly Pro	
gcg aag gcc att Ala Lys Ala Ile 100			aac ggt gcg ttc Asn Gly Ala Phe 110	-
	Thr Lys Val		ggc cct gcg gtg Gly Pro Ala Val 125	
			ccc gca cca aaa Pro Ala Pro Lys 140	
gca aaa ccg gct Ala Lys Pro Ala 145		-		462
<210> 190				
<211> 154				
<212> PRT <213> Neisseria	meningitidis			
1000 11000 20000				
<400> 190 Leu Leu Cys Pro 1	Glu Lys Met 5	Ser Gly Met	Ala Gly Gln Tyr	Pro Tyr 15
Gly Val Arg Ser 20	Gly Leu Arg	Arg Asn Gly 25	Leu Lys Leu Trp	Asp Ile
His Phe Arg Met 35	Thr Arg Phe	Ile Val Ala 40	Arg Cys Gly Leu 45	Leu Phe
Ala Thr Leu Lys 50	Gly Lys Thr 55	Met Lys Lys	Met Phe Val Leu 60	Phe Cys

370

Met Leu Phe Ser Cys Ala Phe Ser Leu Ala Ala Val Asn Ile Asn Ala

65 70 75 80 Ala Ser Gln Gln Glu Leu Glu Ala Leu Pro Gly Ile Gly Pro Ala Lys Ala Lys Ala Ile Ala Glu Tyr Arg Ala Gln Asn Gly Ala Phe Lys Ser 100 105 Val Asp Asp Leu Thr Lys Val Lys Gly Ile Gly Pro Ala Val Leu Ala 115 120 125 Lys Leu Lys Asp Gln Ala Ser Val Gly Ala Pro Ala Pro Lys Gly Pro 130 135 140 Ala Lys Pro Ala Leu Pro Ala Ala Lys Lys 145 150 <210> 191 <211> 684 <212> DNA <213> Neisseria meningitidis <220> <221> CDS <222> (1)..(684) <400> 191 atg ttt gct ttt tta gaa gcc ttt ttt gtc gaa tac ggt tat gcg gct 48 Met Phe Ala Phe Leu Glu Ala Phe Phe Val Glu Tyr Gly Tyr Ala Ala 5 10 15 gtt ttt ttt gta ttg gtc atc tgc ggt ttc ggc gtg ccg att ccc gag 96 Val Phe Phe Val Leu Val Ile Cys Gly Phe Gly Val Pro Ile Pro Glu 20 25 30 gat ttg acc ttg gta aca ggc ggc gtg att tcg ggt atg ggt tat acc 144 Asp Leu Thr Leu Val Thr Gly Gly Val Ile Ser Gly Met Gly Tyr Thr

gac ggc atc atg ttc gcc gcc gga cga att tgg ggg cag aaa atc cta 240
Asp Gly Ile Met Phe Ala Ala Gly Arg Ile Trp Gly Gln Lys Ile Leu

65 70 75 80

45

60

192

40

aat ccg cat att atg ttt gca gtc ggt atg ctc ggc gta ttg gtc ggg

Asn Pro His Ile Met Phe Ala Val Gly Met Leu Gly Val Leu Val Gly

55

35

				att Ile 85		_		_	_	_		_			-	288
~	_	-		ttc Phe	-						-			-	_	336
				ggt Gly												384
_	-	_	-	tca Ser		_	_				_	_		_	_	432
_				gtc Val						_		-				480
			_	tgg Trp 165	_	_	_		_		_	_		_		528
		-		ttg Leu						-	-	-				576
				caa Gln	_		_			_					_	624
		_		cgc Arg		_	_		_	_			_			672
_	aaa Lys		taa													684

<210> 192

<211> 227

<212> PRT

<213> Neisseria meningitidis

<400> 192

Met Phe Ala Phe Leu Glu Ala Phe Phe Val Glu Tyr Gly Tyr Ala Ala 1 5 10 15

Val Phe Phe Val Leu Val Ile Cys Gly Phe Gly Val Pro Ile Pro Glu 20 25 30

Asp Leu Thr Leu Val Thr Gly Gly Val Ile Ser Gly Met Gly Tyr Thr
35 40 45

Asn Pro His Ile Met Phe Ala Val Gly Met Leu Gly Val Leu Val Gly 50 55 60

Asp Gly Ile Met Phe Ala Ala Gly Arg Ile Trp Gly Gln Lys Ile Leu 65 70 75 80

Arg Phe Lys Pro Ile Ala Arg Ile Met Thr Pro Lys Arg Tyr Glu Gln 85 90 95

Val Gln Glu Lys Phe Asp Lys Tyr Gly Asn Trp Val Leu Phe Val Ala 100 105 110

Arg Phe Leu Pro Gly Leu Arg Thr Ala Val Phe Val Thr Ala Gly Ile 115 120 125

Ser Arg Lys Val Ser Tyr Leu Arg Phe Ile Ile Met Asp Gly Leu Ala 130 135 140

His Asn Ile Asp Trp Leu Met Ala Lys Met His Ser Leu Gln Ser Gly
165 170 175

Ile Phe Val Ile Leu Gly Ile Gly Ala Thr Val Val Ala Trp Ile Trp
180 185 190

Trp Lys Lys Arg Gln Arg Ile Gln Phe Tyr Arg Ser Lys Leu Lys Glu
195 200 205

Lys Arg Ala Gln Arg Lys Ala Ala Lys Ala Ala Lys Lys Ala Ala Gln 210 215 220

373

Ser Lys Gln

225

<210> 193

<211> 1089 <212> DNA <213> Neisseria meningitidis <220> <221> CDS <222> (1)..(1089) <400> 193 atg aat gac tac acg cag ctt caa ggt aaa aaa gac tac ctt aaa 48 Met Asn Asp Tyr Thr Gln Gln Leu Gln Gly Lys Lys Asp Tyr Leu Lys acc ctt ttt qca qqt ttg qat qtt cct gag tgg gaa gtg tac gaa tct 96 Thr Leu Phe Ala Gly Leu Asp Val Pro Glu Trp Glu Val Tyr Glu Ser 20 25 ccg gac aaa cat tac cgt atg cgt gcc gag ttc cgt att tgg cac gaa 144 Pro Asp Lys His Tyr Arg Met Arg Ala Glu Phe Arg Ile Trp His Glu 40 ggc ggg gaa atg ttt tat gcc atg ttt gaa aaa ggg cag aaa gcc agc 192 Gly Glu Met Phe Tyr Ala Met Phe Glu Lys Gly Gln Lys Ala Ser 50 55 ggc gca agc atg ata cgc tgc gac cgt ttt gaa gca gct tcc gag gct 240 Gly Ala Ser Met Ile Arg Cys Asp Arg Phe Glu Ala Ala Ser Glu Ala 65 70 75 80 gte aac ege etc atg ecc gag etg ate gee gee geg caa tec ecc 288 Val Asn Arg Leu Met Pro Glu Leu Ile Ala Ala Ala Gln Ser Pro 85 90 gaa ctc aaa aaa cgc tgg tat gcc gtc gaa ttt ctg tcc acg ctc agc 336 Glu Leu Lys Lys Arg Trp Tyr Ala Val Glu Phe Leu Ser Thr Leu Ser 100 105 110 ggg gaa atg ctg gtt acc atg att tac cac aaa agg ctt gat gct gag 384 Gly Glu Met Leu Val Thr Met Ile Tyr His Lys Arg Leu Asp Ala Glu 115 120 125 tgg atg cag gcg gcg caa gcg tta cag caa cag ttg gat att tcc gtt 432 Trp Met Gln Ala Ala Gln Ala Leu Gln Gln Leu Asp Ile Ser Val 130 135 140 att ggg cgg agc agg gga cag aaa ata gtc tta aaa cag gac tat gta Ile Gly Arg Ser Arg Gly Gln Lys Ile Val Leu Lys Gln Asp Tyr Val

155

160

150

acg Thr	_		-	_	-						-					528
gaa Glu		_				_			-		_	_				576
gaa Glu																624
ctg Leu		_							-	_	_		_		_	672
cga Arg 225	-	_	_	•		-						-	_			720
caa Gln				_	-		_							_	-	768
ctg Leu		-	-	_									_			816
aaa Lys .																864
act Thr			_	-	_	_	_	-			_		-		_	912
aag Lys 305	_		_	_		-							_			960
gaa Glu		_	-	_		_	_				_				_	1008
gaa Glu			_	_							_					1056

agt ggt gta ttg ttg aaa aag aaa atc ctt tga Ser Gly Val Leu Leu Lys Lys Lys Ile Leu 355 360 1089

<210> 194

<211> 362

<212> PRT

<213> Neisseria meningitidis

<400> 194

Met Asn Asp Tyr Thr Gln Gln Leu Gln Gly Lys Lys Asp Tyr Leu Lys 1 5 10 15

Thr Leu Phe Ala Gly Leu Asp Val Pro Glu Trp Glu Val Tyr Glu Ser
20 25 30

Pro Asp Lys His Tyr Arg Met Arg Ala Glu Phe Arg Ile Trp His Glu 35 40 45

Gly Glu Met Phe Tyr Ala Met Phe Glu Lys Gly Gln Lys Ala Ser 50 55 60

Gly Ala Ser Met Ile Arg Cys Asp Arg Phe Glu Ala Ala Ser Glu Ala 65 70 75 80

Val Asn Arg Leu Met Pro Glu Leu Ile Ala Ala Ala Ala Gln Ser Pro 85 90 95

Glu Leu Lys Lys Arg Trp Tyr Ala Val Glu Phe Leu Ser Thr Leu Ser 100 105 110

Gly Glu Met Leu Val Thr Met Ile Tyr His Lys Arg Leu Asp Ala Glu
115 120 125

Trp Met Gln Ala Ala Gln Ala Leu Gln Gln Gln Leu Asp Ile Ser Val 130 135 140

Thr Glu Thr Leu Lys Val Gly Asn Arg Asp Phe Arg Tyr Arg Gln Ile
165 170 175

Glu Gly Ser Phe Thr Gln Pro Asn Ala Ala Val Cys Gln Lys Met Leu 180 185 190

Glu Trp Ala Cys Arg Thr Ala Glu Gly Leu Gly Ser Asp Leu Leu Glu
195 200 205

Leu Tyr Cys Gly Asn Gly Asn Phe Thr Leu Pro Leu Ser Arg Tyr Phe 210 215 220

Arg Gln Val Leu Ala Thr Glu Ile Ser Lys Thr Ser Val Ser Ala Ala 225 230 235 240

Gln Trp Asn Ile Glu Ala Asn Arg Ile Gly Asn Ile Lys Ile Ala Arg 245 250 255

Leu Ser Ala Glu Glu Phe Thr Glu Ala Tyr Thr Gly Lys Arg Glu Phe 260 265 270

Lys Arg Leu Lys Asp Gly Gly Ile Ala Leu Thr Asp Tyr Ala Phe Ser 275 280 285

Thr Ile Phe Val Asp Pro Pro Arg Ala Gly Ile Asp Glu Glu Thr Leu 290 295 300

Lys Leu Val Ser Gln Phe Asp Asn Ile Ile Tyr Ile Ser Cys Asn Pro 305 310 315 320

Glu Thr Leu Arg Ala Asn Leu Asp Thr Leu Ala Glu Thr His Ala Val 325 330 335

Glu Arg Ala Ala Leu Phe Asp Gln Phe Pro Phe Thr His His Ile Glu 340 345 350

Ser Gly Val Leu Leu Lys Lys Lys Ile Leu 355 360

<210> 195

<211> 2145

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(2145)

<400> 195

atg aat acc cca ttg ttc cgt ctc agc ctg ctc tcg ctt acc ctg gcg 48

Met Asn Thr Pro Leu Phe Arg Leu Ser Leu Leu Ser Leu Thr Leu Ala

1 5 10 15

-			- ,			_	~			_	_	_	_	ctg Leu	-	96
	_		_			_	_			~			-	acc Thr		144
	_	_	_				-	_	_		_		_	atg Met	-	192
-				_					_					aac Asn		240
				_	-	_	_	~ ~	_					gtc Val 95	_	288
			_		-			-	_					cac His		336
	_			_	-		_	_	_		_	-		gta Val		384
					-		_							Gly		432
					-	_	_		-	_				ttg Leu	_	480
		_						_						gaa Glu 175		528
_	_			_	_	-								gac Asp		576
								_					-	ggt Gly		624

		_		aat Asn							-	_		-		672
	_		_	agc Ser			_			22		_			_	720
	_		_	atc Ile 245	_		_		-		-	-				768
	_		_	cgt Arg	-	_			_			-			-	816
	_	_	_	cgc Arg		-		_		-	-					864
			_	gcg Ala		_				_			_	_		912
_	_	_		gcc Ala				~		_	_			_	_	960
-	_			ggt Gly 325												1008
				cgg Arg		_					_	_	_		=	1056
_				ctg Leu												1104
			-	ttt Phe												1152
	_			gaa Glu	-			_								1200

_		_		~	_			_				_		ggc Gly 415	-	1248
														ggc Gly		1296
_	_		_			_					-			acc Thr	_	1344
	_					_	_						_	ccg Pro		1392
_			~		_	-	_				-	-	_	agc Ser	-	1440
_			_		_				-		_			atc Ile 495	-	1488
	_			_		-	-	_		-				atc Ile		1536
				_		_		_	-			-		ttc Phe		1584
_					_				-					gac Asp		1632
_	_	_	_	_	_	_		_						cac His		1680
			_							-			_	aaa Lys 575		1728
														gac Asp		1776

ctg	ttg	agc	gcg	aat	cct	gaa	ttt	ggc	gca	caa	gtc	ggc	cgc	act	tgg	1824
Leu	Leu	Ser	Ala	Asn	Pro	Glu	Phe	Gly	Ala	Gln	Val	Gly	Arg	Thr	Trp	
		595				-	600					605				
acg	gct	tcc	ctt	gcc	tac	cgc	ttc	caa	aac	ccg	aat	ctg	gaa	atc	ggc	1872
Thr	Ala	Ser	Leu	Ala	Tyr	Arg	Phe	Gln	Asn	Pro	Asn	Leu	Glu	Ile	Gly	
	610					615					620					
tgg	cgc	ggc	cgt	tat	gtt	caa	aaa	gcc	gtg	ggt	tcg	ata	ttg	gtg	gca	1920
Trp	Arg	Gly	Arg	Tyr	Val	Gln	Lys	Ala	Val	Gly	Ser	Ile	Leu	Val	Ala	
625					630					635					640	
ggt	caa	aaa	gac	cgc	aac	ggc	aaa	ttg	gaa	aac	gtt	gta	cgc	aaa	ggt	1968
Gly	Gln	Lys	Asp	Arg	Asn	Gly	Lys	Leu	Glu	Asn	Val	Val	Arg	Lys	Gly	
				645					650					655		
ttc	ggt	gtg	aac	gat	gtc	ttc	gcc	aac	tgg	aaa	ccg	ctg	ggc	aaa	gac	2016
Phe	Gly	Val	Asn	Asp	Val	Phe	Ala	Asn	Trp	Lys	Pro	Leu	Gly	Lys	Asp	
			660					665					670			
acg	ctc	aat	gtt	aat	ctt	tcg	gtt	aac	aac	gtg	ttc	aac	acg	ttc	tac	2064
Thr	Leu	Asn	Val	Asn	Leu	Ser	Val	Asn	Asn	Val	Phe	Asn	Thr	Phe	Tyr	
		675					680					685				
			•													
tat	ccg	cac	agc	caa	cga	tgg	acc	aat	acc	ctg	ccg	ggc	gtg	gga	cgt	2112
Tyr	Pro	His	Ser	Gln	Arg	Trp	Thr	Asn	Thr	Leu	Pro	Gly	Val	Gly	Arg	
	690					695					700					
gat	gta	cgc	ttg	ggc	gtg	aac	tac	aag	ttc	taa						2145
Asp	Val	Arg	Leu	Gly	Val	Asn	Tyr	Lys	Phe							
705					710					715						
<210)> 19	96														

<211> 714

<212> PRT

<213> Neisseria meningitidis

<400> 196

Met Asn Thr Pro Leu Phe Arg Leu Ser Leu Ser Leu Thr Leu Ala 1 5 10 15

Ala Gly Phe Ala His Ala Ala Glu Asn Asn Ala Lys Val Val Leu Asp 20 25 30

Thr Val Thr Val Lys Gly Asp Arg Gln Gly Ser Lys Ile Arg Thr Asn 35 40 45

Ile	Val 50	Thr	Leu	Gln	Gln	Ъуs 55	Asp	Glu	Ser	Thr	Ala 60	Thr	Asp	Met	Arg
GLu 65	Leu	Leu	Lys	Glu	Glu 70	Pro	Ser	Ile	Asp	Phe 75	Gly	Gly	Gly	Asn	Gly 80
Thr	Ser	Gln	Phe	Leu 85	Thr	Leu	Arg	Gly	Met 90	Gly	Gln	Asn	Ser	Val 95	Asp
Ile	Lys	Val	Asp 100	Asn	Ala	Tyr	Ser	Asp 105	Ser	Gln	Ile	Leu	Tyr 110	His	Gln
Gly	Arg	Phe 115	Ile	Val	Asp	Pro	Ala 120	Leu	Val	Lys	Val	Val 125	Ser	Val	Gln
Lys	Gly 130	Ala	Gly	Ser	Ala	ser 135	Ala	Gly	Ile	Gly	Ala 140	Thr	Asn	Gly	Ala
Ile 145	Ile	Thr	Lys	Thr	Val 150	Asp	Ala	Gln	Asp	Leu 155	Leu	Lys	Gly	Leu	Asp 160
Lys	Asn	Trp	Gly	Val 165	Arg	Leu	Asn	Ser	Gly 170	Phe	Ala	Ser	Asn	Glu 175	Gly
Val	Ser	Tyr	Gly 180	Ala	Ser	Val	Phe	Gly 185	Lys	Glu	Gly	Asn	Phe 190	Asp	Gly
Leu	Phe	ser 195	Tyr	Asn	Arg	Asn	Asn 200	Glu	Lys	Asp	Tyr	Glu 205	Ala	Gly	Lys
Gly	Phe 210	Arg	Asn	Asn	Phe	Asn 215	Gly	Gly	Lys	Thr	Val 220	Pro	Tyr	Ser	Ala
Leu 225	Asp	Lys	Arg	Ser	Tyr 230	Leu	Ala	Lys	Ile	Gly 235	Thr	Ser	Phe	Gly	Asp 240
Gly	Asp	His	Arg	Ile 245	Val	Leu	Ser	His	Met 250	Lys	Asp	Gln	His	Arg 255	Gly
Ile	Arg	Thr	Val 260	Arg	Glu	Glu	Phe	Thr 265	Val	Gly	Gly	Asp	Lys 270	Glu	Arg
Ile	Ser	Met 275	Glu	Arg	Gln	Ala	Pro 280	Ala	Tyr	Arg	Glu	Thr 285	Thr	Gln	Ser
Asn	Thr 290	Asn	Leu	Ala	Tyr	Thr 295	Gly	Lys	Asn	Leu	Gly	Phe	Val	Glu	Lys

Leu 305	Asp	Ala	Asn	Ala	Tyr 310	Val	Leu	Glu	Lys	Glu 315	Arg	Tyr	Ser	Ala	Asp 320
Asp	Ser	Gly	Thr	Gly 325	Tyr	Ala	Gly	Asn	Val .330	Lys	Gly	Pro	Asn	His 335	Thr
Gln	Ile	Thr	Thr 340	Arg	Gly	Met	Asn	Phe 345	Asn	Phe	Asp	Ser	Arg 350	Leu	Ala
Glu	Gln	Thr 355	Leu	Leu	Lys	Tyr	Gly 360	Ile	Asn	Tyr	Arg	His 365	Gln	Glu	Ile
Lys	Pro 370	Gln	Ala	Phe	Leu	Asn 375	Ser	Gln	Phe	Lys	Ile 380	Glu	Asp	Lys	Glu
Lys 385	Ala	Thr	Asp	Glu	Glu 390	Lys	Asn	Lys	Asn	Arg 395	Glu	Asn	Glu	Lys	Ile 400
Ala	Lys	Ala	Tyr	Arg 405	Leu	Thr	Asn	Pro	Thr 410	Lys	Thr	Asp	Thr	Gly 415	Ala
Tyr	Ile	Glu	Ala 420	Ile	His	Glu	Ile	Asp 425	Gly	Phe	Thr	Leu	Thr 430	Gly	Gly
Leu	Arg	Tyr 435	Asp	Arg	Phe	Lys	Val 440	Lys	Thr	His	Asp	Gly 445	Lys	Thr	Val
Ser	Ser 450	Asn	Asn	Leu	Asn	Pro 455	Ser	Phe	Gly	Val	Ile 460	Trp	Gln	Pro	His
Glu 465	His	Trp	Ser	Phe	ser 470	Ala	Ser	His	Asn	Tyr 475	Ala	Ser	Arg	Ser	Pro 480
Arg	Leu	Tyr	Asp	Ala 485	Leu	Gln	Thr	His	Gly 490	Lys	Arg	Gly	Ile	Ile 495	Ser
Ile	Ala	Asp	Gly 500	Thr	Lys	Ala	Glu	Arg 505	Ala	Arg	Asn	Thr	Glu 510	Ile	Gly
Phe	Asn	Tyr 515	Asn	Asp	Gly	Thr	Phe 520	Ala	Ala	Asn	Gly	Ser 525	Туг	Phe	Trp
Gln	Thr 530	Ile	Lys	Asp	Ala	Leu 535	Ala	Asn	Pro	Gln	Asn 540	Arg	His	Asp	Ser
Val 545	Ala	Val	Arg	Glu	Ala 550	Val	Asn	Ala	Gly	Tyr 555	Ile	Lys	Asn	His	Gly 560

Tyr Glu Leu Gly Ala Ser Tyr Arg Thr Gly Gly Leu Thr Ala Lys Val 565 570 575

Gly Val Ser His Ser Lys Pro Arg Phe Tyr Asp Thr His Lys Asp Lys 580 585 590

Leu Leu Ser Ala Asn Pro Glu Phe Gly Ala Gln Val Gly Arg Thr Trp 595 600 605

Thr Ala Ser Leu Ala Tyr Arg Phe Gln Asn Pro Asn Leu Glu Ile Gly 610 620

Trp Arg Gly Arg Tyr Val Gln Lys Ala Val Gly Ser Ile Leu Val Ala 625 630 635 640

Gly Gln Lys Asp Arg Asn Gly Lys Leu Glu Asn Val Val Arg Lys Gly 645 650 655

Phe Gly Val Asn Asp Val Phe Ala Asn Trp Lys Pro Leu Gly Lys Asp 660 665 670

Thr Leu Asn Val Asn Leu Ser Val Asn Asn Val Phe Asn Thr Phe Tyr 675 680 685

Tyr Pro His Ser Gln Arg Trp Thr Asn Thr Leu Pro Gly Val Gly Arg 690 695 700

Asp Val Arg Leu Gly Val Asn Tyr Lys Phe 705 710

<210> 197

<211> 2625

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(2625)

<400> 197

atg aaa acc tcc gaa ctg cgc caa aaa ttc cta aaa ttt ttt gaa acc 48
Met Lys Thr Ser Glu Leu Arg Gln Lys Phe Leu Lys Phe Phe Glu Thr
1 5 10 15

aaa ggc cac acc gtc gtc cgc tct tcc agc ctc gtg ccg cac gac gac 96

Lys Gly His Thr Val Val Arg Ser Ser Ser Leu Val Pro His Asp Asp ccg acc ctg ctg ttt acc aac gcg ggc atg aac cag ttt aaa gac gta Pro Thr Leu Leu Phe Thr Asn Ala Gly Met Asn Gln Phe Lys Asp Val ttc tta ggt ttc gac aaa cgc ccg tac agc cgc gcc acc acc gcg caa Phe Leu Gly Phe Asp Lys Arg Pro Tyr Ser Arg Ala Thr Thr Ala Gln aaa tgc gta cgc gca ggc ggc aaa cac aac gac ttg gaa aac gtc ggc Lys Cys Val Arg Ala Gly Gly Lys His Asn Asp Leu Glu Asn Val Gly tac acc gcc cgc cac acc ttc ttt gaa atg atg ggc aac ttc tcc Tyr Thr Ala Arg His His Thr Phe Phe Glu Met Met Gly Asn Phe Ser tte gge gac tac tte aaa ege gac gee ate eac tte get tgg gaa ttt Phe Gly Asp Tyr Phe Lys Arg Asp Ala Ile His Phe Ala Trp Glu Phe ctg act tcc ccc gaa tgg ctc aac atc cct aaa gac aaa ctg ttg gcg Leu Thr Ser Pro Glu Trp Leu Asn Ile Pro Lys Asp Lys Leu Leu Ala acc gtt tac gcg gaa gac gac gaa gcc tac aac atc tgg ttg aac gaa Thr Val Tyr Ala Glu Asp Asp Glu Ala Tyr Asn Ile Trp Leu Asn Glu atc ggt atg ccg tcc gag cgc atc gtc cgc atc ggc gac aac aaa ggc Ile Gly Met Pro Ser Glu Arg Ile Val Arg Ile Gly Asp Asn Lys Gly gcg aaa tac gca tcc gac aac ttc tgg caa atg ggc gac acc ggc cct Ala Lys Tyr Ala Ser Asp Asn Phe Trp Gln Met Gly Asp Thr Gly Pro tgc ggc ccc tgc tcc gaa att ttc tac gac cac ggc gaa gaa atc tgg Cys Gly Pro Cys Ser Glu Ile Phe Tyr Asp His Gly Glu Glu Ile Trp gge gge att eee gge agt eee gaa gae gge gae ege tgg ate gaa Gly Gly Ile Pro Gly Ser Pro Glu Glu Asp Gly Asp Arg Trp Ile Glu att tgg aac tgc gta ttt atg cag ttc aac cgc gac gaa caa ggc aat

Ile	Trp 210	Asn	Cys	Val	Phe	Met 215	Gln	Phe	Asn	Arg	Asp 220	Glu	Gln	Gly	Asn	
-								•	_			_		ttg Leu	_	720
-		_	_	_	_	_		_		_			_	atc Ile 255	-	768
_			_	_			_	-		-				gcg Ala	-	816
														atc Ile		864
	_	~		_			_		_	-				gaa Glu		912
_			-	_	-	_			_	-	_		-	cac His		960
		_			_		_						_	gcc Ala 335	_	1008
_	_			-			_			-	_		-	aaa Lys		1056
_			_	-	_	_			-	_	_	_		gcc Ala		1104
_	_	-			_	-	_	_	_			_	_	aaa Lys		1152
						-							-	acc Thr		1200
ggt	ttc	cca	tac	gac	ttg	act	gcc	gac	atc	tgc	cgc	gaa	cgc	aat	atc	1248

Gly	Phe	Pro	Tyr	Asp 405	Leu	Thr	Ala	Asp	Ile 410	Cys	Arg	Glu	Arg	Asn 415	Ile	
_	_	-	-	gca Ala				-	-	_	-	_		-	-	1296
_	_	_	_	gcc Ala		•			_		_		_			1344
_			_	acc Thr						_	_	-			_	1392
		-		gcc Ala				_				_		_	_	1440
				agc Ser 485												1488
				ggc Gly		-		_	_							1536
		_		gaa Glu	-	_	_							_	_	1584
				ggc	-					_	_		_		_	1632
				aaa Lys	-		_	_		_		_		_	-	1680
				acc Thr 565		_	_			-	_	_	_	_	-	1728
				gaa Glu					_			_	-			1776
cgt	ttc	gac	att	tcc	cat	ccc	caa	gcg	gta	act	gcc	gaa	gaa	att	gcc	1824

Arg	Phe	Asp 595	Ile	Ser	His	Pro	Gln 600	Ala	Val	Thr	Ala	Glu 605	Glu	Ile-	Ala	
_	_	_	_	_	gtc Val		_	-		_			-	-	-	1872
	_	_		_	agc Ser 630	_	_	_							_	1920
-				_	aaa Lys			_	-		-	_	_		_	1968
					gaa Glu			-								2016
55	_				ttc Phe				_	_		5 5		_	-	2064
~ -		_	-		gaa Glu	_				_		_				2112
					cgt Arg 710											2160
-			_		gac Asp	-	_	_				_			-	2208
	_			_	gaa Glu		_	_						_		2256
_					gcc Ala			_	_				_			2304
-	_			_	gcc Ala				_	-	-	~	_	_	-	2352
cgc	gaa	atc	gtt	acc	gat	tta	acc	ggt	aaa	tcc	gac	aac	gcc	gtg	att	2400

Arg Glu Ile Val Thr Asp Leu Thr Gly Lys Ser Asp Asn Ala Val Ile 785 790 795 800 ctt tta gcg gca gta aac gac ggc aaa gtc tcc ctg tgc gcc ggc gta 2448 Leu Leu Ala Ala Val Asn Asp Gly Lys Val Ser Leu Cys Ala Gly Val 805 810 tcc aaa ccg ttg acc ggc aaa gtg aaa gca ggc gat ctg gtt aaa ttt 2496 Ser Lys Pro Leu Thr Gly Lys Val Lys Ala Gly Asp Leu Val Lys Phe 825 830 820 gca gcc gaa caa gtc ggc ggc aaa ggc ggc aga cca gat ttg gcg 2544 Ala Ala Glu Gln Val Gly Gly Lys Gly Gly Gly Arg Pro Asp Leu Ala 835 840 845 caa gcc ggc ggc acg gat gcc gac aaa ttg ccc gcc gtg ttg gat agc 2592 Gln Ala Gly Gly Thr Asp Ala Asp Lys Leu Pro Ala Val Leu Asp Ser 850 855 2625 gtg aaa gac tgg gtc ggc gcg aag ctg gtt tga Val Lys Asp Trp Val Gly Ala Lys Leu Val 865 870 875 <210> 198 <211> 874 <212> PRT <213> Neisseria meningitidis <400> 198 Met Lys Thr Ser Glu Leu Arg Gln Lys Phe Leu Lys Phe Phe Glu Thr Lys Gly His Thr Val Val Arg Ser Ser Ser Leu Val Pro His Asp Asp 25 20 Pro Thr Leu Leu Phe Thr Asn Ala Gly Met Asn Gln Phe Lys Asp Val 35 40 Phe Leu Gly Phe Asp Lys Arg Pro Tyr Ser Arg Ala Thr Thr Ala Gln

Lys Cys Val Arg Ala Gly Gly Lys His Asn Asp Leu Glu Asn Val Gly 65 70 75 80

55

Tyr Thr Ala Arg His His Thr Phe Phe Glu Met Met Gly Asn Phe Ser 85 90 95

Phe	GТĀ	Asp	Tyr 100	Phe	Lys	Arg	Asp	A1a 105	Ile	His	Phe	Ala	110	GLu	Phe
Leu	Thr	Ser 115	Pro	Glu	Trp	Leu	Asn 120	Ile	Pro	Lys	Asp	Lys 125	Leu	Leu	Ala
Thr	Val 130	Tyr	Ala	Glu	Asp	Asp 135	Glu	Ala	Tyr	Asn	Ile 140	Trp	Leu	Asn	Glu
Ile 145	Gly	Met	Pro	Ser	Glu 150	Arg	Ile	Val	Arg	Ile 155	Gly	Asp	Asn	Lys	Gly 160
Ala	Lys	Tyr	Ala	Ser 165	Asp	Asn	Phe	Trp	Gln 170	Met	Gly	Asp	Thr	Gly 175	Pro
Cys	Gly	Pro	Cys 180	Ser	Glu	Ile	Phe	Tyr 185	Asp	His	Gly	Glu	Glu 190	Ile	Trp
Gly	Gly	Ile 195	Pro	Gly	Ser	Pro	Glu 200	Glu	Asp	Gly	Asp	Arg 205	Trp	Ile	Glu
Ile	Trp 210	Asn	Суз	Val	Phe	Met 215	Gln	Phe	Asn	Arg	Asp 220	Glu	Gln	Gly	Asn
Met 225	Asn	Pro	Leu	Pro	Lуs 230	Pro	Ser	Val	Asp	Thr 235	Gly	Met	Gly	Leu	Glu 240
Arg	Ile	Ala	Ala	Val 245	Met	Gln	His	Val	His 250	Ser	Asn	Туг	Glu	Ile 255	Asp
Leu	Phe	Gln	Asp 260	Leu	Leu	Lys	Ala	Val 265	Ala	Arg	Glu	Thr	Gly 270	Ala	Pro
Phe	Arg	Met 275	Glu	Glu	Pro	Ser	Leu 280	Lys	Val	Ile	Ala	Asp 285	His	Ile	Arg
Ser	Cys 290	Ser	Phe	Leu	Ile	Ala 295	Asp	Gly	Val	Leu	Pro 300	Ser	Asn	Glu	Gly
Arg 305	Gly	Туг	Val	Leu	Arg 310	Arg	Ile	Ile	Arg	Arg 315	Ala	Val	Arg	His	Gly 320
Tyr	Lys	Leu	Gly	Gln 325	Ser	Lys	Pro	Phe	Phe 330	His	Lys	Leu	Val	Ala 335	Asp
Leu	Val	Lys	Glu 340	Met	Gly	Gly	Ala	Tyr 345	Pro	Glu	Leu	Lys	Glu 350	Lys	Gln

A⊥a	Gln	355	Glu	Glu	Ala	Leu	Lys 360	Asn	Glu	Glu	Ser	Arg 365	Phe	ALa	GLn
Thr	Leu 370	Glu	Thr	Gly	Met	Ala 375	Leu	Leu	Glu	Asn	Ala 380	Leu	Val	Lys	Gly
Gly 385	Lys	Thr	Leu	Gly	Gly 390	Glu	Ile	Ile	Phe	Lys 395	Leu	Tyr	Asp	Thr	Туг 400
Gly	Phe	Pro	Tyr	Asp 405	Leu	Thr	Ala	Asp	Ile 410	Cys	Arg	Glu	Arg	Asn 415	Ile
Glu	Pro	Asp	Glu 420	Ala	Gly	Phe	Glu	Arg 425	Glu	Met	Glu	Ala	Gln 430	Arg	Ala
Arg	Ala	Arg 435	Ala	Ala	Gln	Ser	Phe 440	Lys	Ala	Asn	Ala	Gln 445	Leu	Pro	Туг
Asp	Gly 450	Gln	Asp	Thr	Glu	Phe 455	Lys	Gly	Tyr	Ser	Glu 460	Arg	Gln	Thr	Glu
Ser 465	Lys	Val	Leu	Ala	Leu 470	Tyr	Lys	Asp	Gly	Glu 475	Gln	Val	Asn	Glu	Leu 480
Asn	Glu	Gly	Asp	Ser 485	Gly	Ala	Val	Val	Ile 490	Asp	Phe	Thr	Pro	Phe 495	Туr
Ala	Glu	Ser	Gly 500	Gly	Gln	Val	Gly	Asp 505	Val	Gly	Tyr	Ile	Phe 510	Ser	Gly
Glu	Asn	Arg 515	Phe	Glu	Val	Arg	Asp 520	Thr	Gln	Lys	Ile	Lys 525	Ala	Ala	Val
Phe	Gly 530	Gln	Phe	Gly	Val	Gln 535	Thr	Ser	Gly	Arg	Leu 540	Lys	Val	Gly	Asp
Ser 545	Val	Thr	Ala	Lys	Val 550	Asp	Asp	Glu	Ile	Arg 555	Asn	Ala	Asn	Met	Arg 560
Asn	His	ser	Ala	Thr 565	His	Leu	Met	His	Lys 570	Ala	Leu	Arg	Asp	Val 575	Leu
Gly	Arg	His	Val 580	Glu	Gln	Lys	Gly	ser 585	Leu	Val	Thr	Ala	Glu 590	Ser	Thr
Arg	Phe	Asp 595	Ile	Ser	His	Pro	Gln 600	Ala	Val	Thr	Ala	Glu 605	Glu	Ile	Al.a

Glu Val Glu Arg Arg Val Asn Glu Ala Ile Leu Ala Asn Val Ala Val Asn Ala Ala Ile Met Ser Met Glu Asp Ala Gln Lys Thr Gly Ala Met Met Leu Phe Gly Glu Lys Tyr Gly Glu Glu Val Arg Val Leu Gln Met Gly Gly Phe Ser Thr Glu Leu Cys Gly Gly Thr His Val Ser Arg Thr Gly Asp Ile Gly Leu Phe Lys Ile Ile Ser Glu Gly Gly Ile Ala Ala Gly Val Arg Arg Ile Glu Ala Ile Thr Gly Leu Asn Ala Leu Lys Trp Ala Gln Glu Glu Arg Leu Val Lys Asp Ile Ile Ala Glu Thr Lys Ala Gln Thr Glu Lys Asp Val Leu Ala Lys Ile Gln Ala Gly Ala Ala His Ala Lys Ala Leu Glu Lys Glu Leu Ala Arg Ala Lys Ala Glu Leu Ala Val His Ala Gly Ala Lys Leu Leu Asp Asp Ala Lys Asp Leu Gly Ala Ala Lys Leu Val Ala Ala Gln Ile Glu Ala Asp Ala Ala Leu Arg Glu Ile Val Thr Asp Leu Thr Gly Lys Ser Asp Asn Ala Val Ile Leu Leu Ala Ala Val Asn Asp Gly Lys Val Ser Leu Cys Ala Gly Val Ser Lys Pro Leu Thr Gly Lys Val Lys Ala Gly Asp Leu Val Lys Phe Ala Ala Glu Gln Val Gly Gly Lys Gly Gly Gly Arg Pro Asp Leu Ala Gln Ala Gly Gly Thr Asp Ala Asp Lys Leu Pro Ala Val Leu Asp Ser

Val Lys Asp Trp Val Gly Ala Lys Leu Val 865 870

<210> 199

<211> 207

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(207)

<400> 199

gtg caa aga ggc cgt ctg aaa ggt ctc gtt tgc cgt agg ttg ggt cgc 48
Val Gln Arg Gly Arg Leu Lys Gly Leu Val Cys Arg Arg Leu Gly Arg
1 5 10 15

gac cca aca aat ttt gtg aag tat aaa aat gtt ggt cat gac cca acc 96
Asp Pro Thr Asn Phe Val Lys Tyr Lys Asn Val Gly His Asp Pro Thr
20 25 30

tac ctg cct ttt tgt aca aag agg cta tct gaa agg cct tgt ttg ccg 144
Tyr Leu Pro Phe Cys Thr Lys Arg Leu Ser Glu Arg Pro Cys Leu Pro
35 40 45

tat ggt ggg tcg cga ccc agc aga ttt tta tta ggg tat gac cca agc 192
Tyr Gly Gly Ser Arg Pro Ser Arg Phe Leu Leu Gly Tyr Asp Pro Ser
50 55 60

tac ttg cta cga taa 207
Tyr Leu Leu Arg
65

<210> 200

<211> 68

<212> PRT

<213> Neisseria meningitidis

<400> 200

Val Gln Arg Gly Arg Leu Lys Gly Leu Val Cys Arg Arg Leu Gly Arg

1 5 10 15

Asp Pro Thr Asn Phe Val Lys Tyr Lys Asn Val Gly His Asp Pro Thr
20 25 30

Tyr Leu Pro Phe Cys Thr Lys Arg Leu Ser Glu Arg Pro Cys Leu Pro 35 40 45

Tyr Gly Gly Ser Arg Pro Ser Arg Phe Leu Leu Gly Tyr Asp Pro Ser 50 55 60

Tyr Leu Leu Arg

<210> 201

<211> 2277

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(2277)

<400> 201

atg gca caa act aca ctc aaa ccc att gtt tta tca att ctt tta atc 48
Met Ala Gln Thr Thr Leu Lys Pro Ile Val Leu Ser Ile Leu Leu Ile
1 5 10 15

aac aca ccc ctc ctc gcc caa gcg cat gaa act gag caa tcg gtg gat 96
Asn Thr Pro Leu Leu Ala Gln Ala His Glu Thr Glu Gln Ser Val Asp
20 25 30

ttg gaa acg gtc agc gtc gtc ggc aaa agc cgt ccg cgc gcc acg tcg 144 Leu Glu Thr Val Ser Val Val Gly Lys Ser Arg Pro Arg Ala Thr Ser 35 40 45

ggg ctg ttg cac act tcg acc gcc tcc gac aaa atc atc tcc ggc gat 192 Gly Leu Leu His Thr Ser Thr Ala Ser Asp Lys Ile Ile Ser Gly Asp 50 55 60

acc ttg cgc caa aaa gcc gtc aac ttg ggc gac gct tta gac ggc gta 240
Thr Leu Arg Gln Lys Ala Val Asn Leu Gly Asp Ala Leu Asp Gly Val
65 70 75 80

ccg ggc atc cac gct tcg caa tac ggc ggc ggc gcg tct gct ccc gtc 288

Pro Gly Ile His Ala Ser Gln Tyr Gly Gly Gly Ala Ser Ala Pro Val

85 90 95

att cgc ggt caa aca ggc agg cgg att aaa gtg ttg aac cat cac ggc 336

Ile Arg Gly Gln Thr Gly Arg Ile Lys Val Leu Asn His His Gly

100 105 110

-			-	atg Met		-		_		_		-		_	-	384
_		•		tcg Ser		-				_	_		_	_	_	432
				tcg Ser												480
5 5				gaa Glu 165		_		_		-	_	_		-		528
		_		agc Ser	_			_	_							576
				ttg Leu						_			-		_	624
			_	el À aaa	-		_	_	-	_		-		_		672
_	_		-	agc Ser		_	-					_			_	720
				gaa Glu 245												768
-	-			ggt Gly	_		-		-		-		-	_	-	816
	_			atc Ile			_	_	_				_			864
				cac His				_	_							912

_		ttg Leu	_	-				_	_	_						960
		agc Ser		-	_			-	_	-			_		_	1008
	-	gcc Ala	-		_		_					-	_	_	=	1056
_		ctg Leu 355		_		_				_			_		-	1104
_	-	gaa Glu							-				_			1152
_	-	cac His					_	_			_					1200
		caa Gln				_	-			_			-		_	1248
		ccg Pro	_	_		_			Val				_			1296
2 3	_	gaa Glu 435	_	_			_			_		_			-	1344
		gaa Glu														1392
-		gaa Glu							_		_					1440
		acc Thr							-							1488

					_	_		-			_	_	-	ctg Leu	_	1536
	_			_							_	-		aac Asn		1584
	_	•									-			aat Asn		1632
			_			_		_	_					ctg Leu	_	1680
		-		-							_			tta Leu 575		1728
_		_						_	_	_	_	_	_	aag Lys		1776
2 2	_						_	-					_	Gly ggc		1824
				_		_	_		_			-		ggc	_	1872
														aga Arg		1920
			_		_				_	_	-			aat Asn 655	_	1968
			_	_		_					_		_	tcg ser	_	2016
	-	_		_	_		-	-			_			gcc Ala		2064

Asn Lys Leu .	gcc cgc ta Ala Arg T _i	_		-		_	
aac ctc ggc Asn Leu Gly . 705	Ala Asn T						
tgg tac gtc Trp Tyr Val					_	=	
agc agc ttt Ser Ser Phe	_	-	_				
ggc gtg aac Gly Val Asn 755							2277
<210> 202 <211> 758							
<212> PRT <213> Neisse	ria menin	gitidis					
				Val Leu 10	Ser Ile	Leu Leu 15	Ile
<213> Neisse <400> 202 Met Ala Gln	Thr Thr L	eu Lys	Pro Ile	10		15	
<213> Neisse <400> 202 Met Ala Gln 1	Thr Thr L 5 Leu Leu A 20	eu Lys la Gln	Pro Ile Ala His 25	10 Glu Thr	Glu Gln	15 Ser Val 30	Asp
<213> Neisse <400> 202 Met Ala Gln 1 Asn Thr Pro Leu Glu Thr	Thr Thr L 5 Leu Leu A 20 Val Ser V	eu Lys la Gln :	Pro Ile Ala His 25 Gly Lys 40	10 Glu Thr Ser Arg	Glu Gln Pro Arg 45	Ser Val 30 Ala Thr	Asp
<213> Neisse <400> 202 Met Ala Gln 1 Asn Thr Pro Leu Glu Thr 35 Gly Leu Leu	Thr Thr L 5 Leu Leu A 20 Val Ser V His Thr S	eu Lys la Gln : al Val er Thr . 55	Pro Ile Ala His 25 Gly Lys 40 Ala Ser	Glu Thr Ser Arg	Glu Gln Pro Arg 45 Ile Ile 60	Ser Val 30 Ala Thr	Asp Ser Asp
<213> Neisse <400> 202 Met Ala Gln 1 Asn Thr Pro Leu Glu Thr 35 Gly Leu Leu 50 Thr Leu Arg	Thr Thr Long Street Str	eu Lys la Gln al Val er Thr 55 la Val 70	Pro Ile Ala His 25 Gly Lys 40 Ala Ser Asn Leu	Glu Thr Ser Arg Asp Lys Gly Asp 75	Glu Gln Pro Arg 45 Ile Ile 60 Ala Leu	Ser Val 30 Ala Thr Ser Gly Asp Gly	Asp Ser Asp Val 80

Glu	Thr	Gly 115	Asp	Met	Ala	Asp	Phe 120	Ser	Pro	Asp	His	Ala 125	Ile	Met	Val
Asp	Thr 130	Ala	Leu	Ser	Gln	Gln 135	Val	Glu	Ile	Leu	Arg 140	Gly	Pro	Val	Thr
Leu 145	Leu	туг	Ser	Ser	Gly 150	Asn	Val	Ala	Gly	Leu 155	Val	Asp	Val	Ala	Asp 160
Gly	Lys	Ile	Pro	Glu 165	Lys	Met	Pro	Glu	Asn 170	Gly	Val	Ser	Gly	Glu 175	Leu
Gly	Leu	Arg	Leu 180	Ser	Ser	Gly	Asn	Leu 185	Glu	Lys	Leu	Thr	ser 190	Gly	Gly
Ile	Asn	Ile 195	Gly	Leu	Gly	Lys	Asn 200	Phe	Val	Leu	His	Thr 205	Glu	Gly	Leu
Tyr	Arg 210	Lys	Ser	Gly	Asp	Tyr 215	Ala	Val	Pro	Arg	Tyr 220	Arg	Asn	Leu	Lys
Arg 225	Leu	Pro	Asp	Ser	His 230	Ala	Asp	Ser	Gln	Thr 235	Gly	Ser	Ile	Gly	Leu 240
Ser	Trp	Val	Gly	Glu 245	Lys	Gly	Phe	Ile	Gly 250	Val	Ala	Tyr	Ser	Asp 255	Arg
Arg	Asp	Gln	Tyr 260	Gly	Leu	Pro	Ala	His 265	Ser	His	Glu	Tyr	Asp 270	Asp	Cys
His	Ala	Asp 275	Ile	Ile	Trp	Gln	Lys 280	Ser	Leu	Ile	Asn	Lys 285	Arg	Tyr	Leu
Gln	Leu 290	Tyr	Pro	His	Leu	Leu 295	Thr	Glu	Glu	Asp	Ile 300	Asp	Tyr	Asp	Asn
Pro 305	Gly	Leu	Ser	Cys	Gly 310	Phe	His	Asp	Asp	Asp 315	Asn	Ala	His	Ala	His 320
Thr	His	Ser	Gly	Arg 325	Pro	Trp	Ile	Asp	Leu 330	Arg	Asn	Lys	Arg	Tyr 335	Glu
Leu	Arg	Ala	Glu 340	Trp	Lys	Gln	Pro	Phe 345	Pro	Gly	Phe	Glu	Ala 350	Leu	Arg
Val	His	Leu 355	Asn	Arg	Asn	Asp	Tyr 360	Arg	His	Asp	Glu	Lys 365	Ala	Gly	Asp

Ala	Val 370	Glu	Asn	Phe	Phe	Asn 375	Asn	Gln	Thr	Gln	Asn 380	Ala	Arg	Ile	Glu
Leu 385	Arg	His	Gln	Pro	Ile 390	Gly	Arg	Leu	Lys	Gl.y 395	Ser	Trp	Gly	Val	Gln 400
Tyr	Leu	Gln	Gln	Lys 405	Ser	Ser	Ala	Leu	ser 410	Ala	Ile	Ser	Glu	Ala 415	Val
Lys	Gln	Pro	Met 420	Leu	Leu	Asp	Asn	Lys 425	Val	Gln	His	Tyr	Ser 430	Phe	Phe
Gly	Val	Glu 435	Gln	Ala	Asn	Trp	Asp 440	Asn	Phe	Thr	Leu	Glu 445	Gly	Gly	Val
Arg	Val 450	Glu	Lys	Gln	Lys	Ala 455	Ser	Ile	Gln	Tyr	Asp 460	Lys	Ala	Leu	Ile
Asp 465	Arg	Glu	Asn	Tyr	Tyr 470	Asn	His	Pro	Leu	Pro 475	Asp	Leu	Gly	Ala	His 480
Arg	Gln	Thr	Ala	Arg 485	Ser	Phe	Ala	Leu	ser 490	Gly	Asn	Trp	Tyr	Phe 495	Thr
Pro	Gln	His	Lys 500	Leu	Ser	Leu	Thr	Ala 505	Ser	His	Gln	Glu	Arg 510	Leu	Pro
Ser	Thr	Gln 515	Glu	Leu	Tyr	Ala	His 520	Gly	Lys	His	Val	Ala 525	Thr	Asn	Thr
Phe	Glu 530	Val	Gly	Asn	Lys	His 535	Leu	Asn	Lys	Glu	Arg 540	Ser	Asn	Asn	Ile
Glu 545	Leu	Ala	Leu	Gly	Tyr 550	Glu	Gly	qaA	Arg	Trp 555	Gln	Tyr	Asn	Leu	Ala 560
Leu	Tyr	Arg	Asn	Arg 565	Phe	Gly	Asn	Tyr	Ile 570	Туг	Ala	Gln	Thr	Leu 575	Asn
Asp	Gly	Arg	Gly 580	Pro	Lys	Ser	Ile	Glu 585	Asp	Asp	Ser	Glu	Met 590	Lys	Leu
Val	Arg	Tyr 595	Asn	Gln	Ser	Gly	Ala 600	Asp	Phe	Tyr	Gly	Ala 605	Glu	Gly	Glu
Ile	Tyr 610	Phe	Lys	Pro	Thr	Pro 615	Arg	Tyr	Arg	Ile	Gly 620	Val	ser	Gly	Asp

Tyr Val Arg Gly Arg Leu Lys Asn Leu Pro Ser Leu Pro Gly Arg Glu 630 635 Asp Ala Tyr Gly Asn Arg Pro Phe Ile Ala Gln Asp Asp Gln Asn Ala 645 650 Pro Arg Val Pro Ala Ala Arg Leu Gly Phe His Leu Lys Ala Ser Leu 660 665 670 Thr Asp Arg Ile Asp Ala Asn Leu Asp Tyr Tyr Arg Val Phe Ala Gln 675 680 685 Asn Lys Leu Ala Arg Tyr Glu Thr Arg Thr Pro Gly His His Met Leu 695 Asn Leu Gly Ala Asn Tyr Arg Arg Asn Thr Arg Tyr Gly Glu Trp Asn 710 715 Trp Tyr Val Lys Ala Asp Asn Leu Leu Asn Gln Ser Val Tyr Ala His 725 730 Ser Ser Phe Leu Ser Asp Thr Pro Gln Met Gly Arg Ser Phe Thr Gly 745 Gly Val Asn Val Lys Phe 755 <210> 203 <211> 225 <212> DNA <213> Neisseria meningitidis <220> <221> CDS <222> (1)..(225) <400> 203 atg agg ctg gca acc aag gat ttg gcg gaa gcc att agg aaa gga cag Met Arg Leu Ala Thr Lys Asp Leu Ala Glu Ala Ile Arg Lys Gly Gln 1 5 10 15 gtt cgc aaa tca agc ttt aac aca gaa caa tta agg gca att gaa aaa Val Arg Lys Ser Ser Phe Asn Thr Glu Gln Leu Arg Ala Ile Glu Lys

25

gga gaa tct aaa ata ccg gat tac act tgg cat cat cat caa gat aca 144
Gly Glu Ser Lys Ile Pro Asp Tyr Thr Trp His His His Gln Asp Thr
35 40 45

gga agg atg caa ttg att cgt gaa ggc ttg cat cat gat acc ggc cat 192
Gly Arg Met Gln Leu Ile Arg Glu Gly Leu His His Asp Thr Gly His
50 55 60

att ggt tgg gaa gca atg aac aaa gga agg taa 225
Ile Gly Trp Glu Ala Met Asn Lys Gly Arg
65 70 75

<210> 204

<211> 74

<212> PRT

<213> Neisseria meningitidis

<400> 204

Met Arg Leu Ala Thr Lys Asp Leu Ala Glu Ala Ile Arg Lys Gly Gln
1 5 10 15

Val Arg Lys Ser Ser Phe Asn Thr Glu Gln Leu Arg Ala Ile Glu Lys
20 25 30

Gly Glu Ser Lys Ile Pro Asp Tyr Thr Trp His His His Gln Asp Thr 35 40 45

Gly Arg Met Gln Leu Ile Arg Glu Gly Leu His His Asp Thr Gly His
50 55 60

Ile Gly Trp Glu Ala Met Asn Lys Gly Arg
65 70

<210> 205

<211> 1176

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(1176)

<400> 205

atg gca aaa atg atg aaa tgg gcg gct gtt gcg gcg gtc gcg gca 48 Met Ala Lys Met Met Lys Trp Ala Ala Val Ala Ala Val Ala Ala

1				5					10					15		
gcq	gtt	tgg	ggc	gga	tgg	tct	tat	ctg	aag	ccc	gag	ccg	cag	gct	gct	96
	Val							_	_			_	_	_	_	
			20					25					30			
tat	att	acg	gaa	acg	gtc	agg	cgc	ggc	gac	atc	agc	cgg	acg	gtt	tct	144
Tyr	Ile	Thr	Glu	Thr	Val	Arg	Arg	Gly	Asp	Ile	Ser	Arg	Thr	Val	Ser	
		35					40					45				
gca	aca	ggg	gag	att	tcg	ccg	tcc	aac	ctg	gta	tcg	gtc	ggc	gcg	cag	192
Ala	Thr	Gly	Glu	Ile	Ser	Pro	Ser	Asn	Leu	Val	Ser	Val	Gly	Ala	Gln	
	50					55					60					
gca	tcg	ggg	cag	att	aag	aaa	ctt	tat	gtc	aaa	ctc	ggg	caa	cag	gtt	240
Ala	Ser	Gly	Gln	Ile	Lys	Lys	Leu	Tyr	Val	Lys	Leu	Gly	Gln	Gln	Val	
65					70					75					80	
aaa	aag	ggc	gat	ttg	att	gcg	gaa	atc	aat	tcg	acc	tcg	cag	acc	aat	288
Lys	Lys	Gly	Asp	Leu	Ile	Ala	Glu	Ile	Asn	Ser	Thr	ser	Gln	Thr	Asn	
				85					90					95		
acg	ctc	aat	acg	gaa	aaa	tcc	aaa	ttg	gaa	acg	tat	cag	gcg	aag	ctg	336
Thr	Leu	Asn	Thr	Glu	Lys	Ser	Lys	Leu	Glu	Thr	Туг	Gln	Ala	Lys	Leu	
			100					105					110			
gtg	tcg	gca	cag	att	gca	ttg	ggc	agc	gcg	gag	aag	aaa	tat	aag	cgt	384
Val	Ser	Ala	Gln	Ile	Ala	Leu	Gly	Ser	Ala	Glu	Lys	Lys	Tyr	Lys	Arg	
		115					120					125				
cag	gcg	gcg	ttg	tgg	aag	gat	gat	gcg	acc	gct	aaa	gaa	gat	ttg	gaa	432
Gln	Ala	Ala	Leu	Trp	Lys	Asp	Asp	Ala	Thr	Ala	Lys	Glu	Asp	Leu	Glu	
	130					135					140					
agc	gca	cag	gat	gcg	ctt	gcc	gcc	gcc	aaa	gcc	aat	gtt	gcc	gag	ctg	480
Ser	Ala	Gln	Asp	Ala	Leu	Ala	Ala	Ala	Lys	Ala	Asn	Val	Ala	Glu	Leu	
145					150					155					160	
aag	gct	cta	atc	aga	cag	agc	aaa	att	tcc	atc	aat	acc	gcc	gag	tcg	528
Lys	Ala	Leu	Ile	Arg	Gln	Ser	Lys	Ile	Ser	Ile	Asn	Thr	Ala	Glu	Ser	
				165					170					175		
gaa	ttg	ggc	tac	acg	cgc	att	acc	gca	acg	atg	gac	ggc	acg	gtg	gtg	576
_	Leu								-			-		_	-	
			180					185					190			
gcq	att	ctc	gtg	gaa	gag	gga	caq	act	gta	aac	gca	gcq	caq	tct	acq	624
_	Ile				_										_	

195 200 205

					.								~			670
	acg Thr		_					_	_		_	_			•	672
FLO	210	TTC	var	GLII	пси	215	ASII	пси	Top	ricc	220	шси	77011	дур	1100	
	20															
cag	att	gcc	gag	ggc	gat	att	acc	aag	gtg	aag	gcg	ggg	cag	gat	att	720
Gln	Ile	Ala	Glu	Gly	Asp	Ile	Thr	Lys	Val	Lys	Ala	Gly	Gln	Asp	Ile	
225					230					235					240	
tcg	ttt	acg	att	ttg	tcc	gaa	ccg	gat	acg	ccg	att	aag	gcg	aag	ctc	768
Ser	Phe	Thr	Ile	Leu	Ser	Glu	Pro	Asp		Pro	Ile	Lys	Ala	-	Leu	
				245					250					255		
														.	~~~	016
_	agc Ser	•	_			_		_	_	_	_					816
Asp	DET	var	260	FIO	GTA	шеи	1111	265	Mec	Der	Set	GIY	270	туr	Abii	
			200					200					_, -			
aqc	agt	acq	gat	acq	gct	tcc	aat	gcg	gtc	tac	tat	tat	gcc	cgt	tcg	864
~	Ser	-	-	_	-				-					_	-	
		275					280					285				
ttt	gtg	ccg	aat	ccg	gac	ggc	aaa	ctc	gcc	acg	ggg	atg	acg	acg	cag	912
Phe	Val	Pro	Asn	Pro	Asp	Gly	Lys	Leu	Ala	Thr	Gly	Met	Thr	Thr	Gln	
	290					295					300					
		1-3-							4_			_ 4. 4.	_ 4_ 4_			0.60
	acg Thr	-	-		_						_			_	_	960
305	TIIT	var	Gru	176	310	Эту	val	пуъ	Yell	315	пец	116	116	F 1. O	320	
ctg	acc	gtg	aaa	aat	cgc	ggc	ggc	agg	gcg	ttt	gtg	cgc	gtg	ttg	ggt	1008
Leu	Thr	Val	ьуѕ	Asn	Arg	Gly	Gly	Arg	Ala	Phe	Val	Arg	Val	Leu	Gly	
				325					330					335		
	gac															1056
Ala	Asp	Gly	_	Ala	Ala	Glu	Arg		Ile	Arg	Thr	Gly		Arg	Asp	
			340					345					350			
2 a t	atg	22t	3.00	a a a	at a	מפמ	3.00	aaa	t t a	222	asa	aaa	~ ~ ~	222	ata	1104
-	Met															7704
~ 0_		355		0		-1-	360	0-1		-1 ~		365	10	-1-		
gtc	atc	tcc	gaa	ata	acc	gcc	gcc	gag	cag	cag	gaa	agc	ggc	gaa	cgc	1152
Val	Ile	Ser	Glu	Ile	Thr	Ala	Ala	Glu	Gln	Gln	Glu	Ser	Gly	Glu	Arg	
	370					375					380					
									*							.
_	cta			-												1176
Ala	Leu	сΤХ	ĢТĀ	Pro	Pro	Arg	Arg									

385 390

<210> 206

<211> 392

<212> PRT

<213> Neisseria meningitidis

<400> 206

Met Ala Lys Met Met Lys Trp Ala Ala Val Ala Ala Val Ala Ala Ala 1 5 10 15

Ala Val Trp Gly Gly Trp Ser Tyr Leu Lys Pro Glu Pro Gln Ala Ala
20 25 30

Tyr Ile Thr Glu Thr Val Arg Arg Gly Asp Ile Ser Arg Thr Val Ser
35 40 45

Ala Thr Gly Glu Ile Ser Pro Ser Asn Leu Val Ser Val Gly Ala Gln 50 55 60

Ala Ser Gly Gln Ile Lys Lys Leu Tyr Val Lys Leu Gly Gln Gln Val 65 70 75 80

Lys Lys Gly Asp Leu Ile Ala Glu Ile Asn Ser Thr Ser Gln Thr Asn 85 90 95

Thr Leu Asn Thr Glu Lys Ser Lys Leu Glu Thr Tyr Gln Ala Lys Leu 100 105 110

Val Ser Ala Gln Ile Ala Leu Gly Ser Ala Glu Lys Lys Tyr Lys Arg 115 120 125

Gln Ala Ala Leu Trp Lys Asp Asp Ala Thr Ala Lys Glu Asp Leu Glu 130 135 140

Lys Ala Leu Ile Arg Gln Ser Lys Ile Ser Ile Asn Thr Ala Glu Ser 165 170 175

Glu Leu Gly Tyr Thr Arg Ile Thr Ala Thr Met Asp Gly Thr Val Val
180 185 190

Ala Ile Leu Val Glu Glu Gly Gln Thr Val Asn Ala Ala Gln Ser Thr 195 200 205

Pro Thr Ile Val Gln Leu Ala Asn Leu Asp Met Met Leu Asn Lys Met 210 215 220

Gln Ile Ala Glu Gly Asp Ile Thr Lys Val Lys Ala Gly Gln Asp Ile 225 230 235 240

Ser Phe Thr Ile Leu Ser Glu Pro Asp Thr Pro Ile Lys Ala Lys Leu 245 250 255

Asp Ser Val Asp Pro Gly Leu Thr Thr Met Ser Ser Gly Gly Tyr Asn 260 265 270

Ser Ser Thr Asp Thr Ala Ser Asn Ala Val Tyr Tyr Tyr Ala Arg Ser 275 280 285

Phe Val Pro Asn Pro Asp Gly Lys Leu Ala Thr Gly Met Thr Thr Gln 290 295 300

Asn Thr Val Glu Ile Asp Gly Val Lys Asn Val Leu Ile Ile Pro Ser 305 310 315 320

Leu Thr Val Lys Asn Arg Gly Gly Arg Ala Phe Val Arg Val Leu Gly 325 330 335

Ala Asp Gly Lys Ala Ala Glu Arg Glu Ile Arg Thr Gly Met Arg Asp 340 345 350

Ser Met Asn Thr Glu Val Lys Ser Gly Leu Lys Glu Gly Asp Lys Val 355 360 365

Val Ile Ser Glu Ile Thr Ala Ala Glu Gln Glu Ser Gly Glu Arg 370 375 380

Ala Leu Gly Gly Pro Pro Arg Arg 385 390

<210> 207

<211> 342

<212> DNA

<213> Neisseria meningitidis

<220>

<221> CDS

<222> (1)..(342)

<400> 207

ttg	ttt	gta	tgc	ttt	gaa	aaa	tgt	ttg	ttt	ccg	gat	ttt	gcc	att	CCC	48
Leu	Phe	Val	Cys	Phe	Glu	Lys	Cys	Leu	Phe	Pro	Asp	Phe	Ala	Ile	Pro	
1				5					10					15		
			J				<u> </u>						+	.		0.6
	cgg		_	_	_	_	_	-								96
Ile	Arg	Phe	Cys	Ala	Val	Arg	Cys	Val	Leu	Ala	Arg	Thr	Cys	Ser	Lys	
			20					25					30			
tca	gat	ata	att	ככמ	αta	+++	aaa	act	tta	att	add	gat	aca	dac	ttt	144
_	_		_	_	_			_								
per	Asp		Val	PLO	Val	FIIE	_	ALA	пец	тте	ALG	_	Ата	Asp	FIIE	
		35					40					45				
caa	tat	att	ttt	ctc	agc	tac	aac	aac	gaa	ggc	ttg	atg	tct	gtc	ggg	192
Gln	Tyr	Ile	Phe	Leu	Ser	Tyr	Asn	Asn	Glu	Gly	Leu	Met	Ser	Val	Gly	
	50					55				_	60				-	
	30					33					00					
cag	gta	agg	gag	att	ttt	gag	cgt	ttc	ggc	aaa	tat	aat	ttg	gtt	caa	240
Gln	Val	Arg	Glu	Ile	Phe	Glu	Arg	Phe	Gly	Lys	Tyr	Asn	Leu	Val	Gln	
65					70					75					80	
aca	qaa	tat	caa	cat	+++	aar	aca	cat	aad	aca	สลล	aac	cat	aat	cat	288
_	_			_		_	_	_	_		-		_			200
Tur	Glu	ryr	Arg		Pne	цуs	Ата	Asp		THE	GLU	ASII	Arg		HIS	
				85					90					95		
aag	gca	aat	tcg	ata	ttc	gaa	tat	ctg	cat	gag	acc	ttt	gca	aaa	ata	336
Lvs	Ala	Asn	Ser	Ile	Phe	Glu	Tvr	Leu	His	Glu	Thr	Phe	Ala	Lvs	Ile	
-1-			100				- 1 -	105					110			
			100					100					110			
gtc	tgt															342
Val	Cys															
/210)> 20	٥.														
													,			
	1> 1:															
<212	2> PF	RT														
<213	3> Ne	eisse	eria	men	ingit	idis	3									
<400	0> 20	28														
	Phe		Ctra	Dho	~1.,	Tric	Crra	T 011	Dho	Dro	7\ an	Dho	70.7 ~	т1 о	Dro	
_	FIIC	Val	Суѕ		Gru	пур	Суз	пеп		F 1. O	Map	FIIC	ALG		FIO	
1				5					10					15		
Ile	Arg	Phe	Cys	Ala	Val	Arg	Cys	Val	Leu	Ala	Arg	Thr	Cys	ser	Lys	
			20					25					30			
			=					-								
α	70	77-7	77- 7	D ** -	77-7	D	~ 1	7N "I	т	T1 -	70	7\	7N T	71 ~	Dl	
ser	Asp		val	Pro	val	Fue	_	Ата	ьeu	тте	Arg	_	А⊥а	Asp	Fue	
		35					40					45				
Gln	Tyr	Ile	Phe	Leu	Ser	Tyr	Asn	Asn	Glu	Gly	Leu	Met	Ser	Val	Gly	

50 55 60

Gln Val Arg Glu Ile Phe Glu Arg Phe Gly Lys Tyr Asn Leu Val Gln 65 70 75 80

Thr Glu Tyr Arg Arg Phe Lys Ala Asp Lys Thr Glu Asn Arg Asn His 85 90 95

Lys Ala Asn Ser Ile Phe Glu Tyr Leu His Glu Thr Phe Ala Lys Ile 100 105 110

Val Cys

<210> 209

<211> 24

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Primer Sequence

<400> 209

ttggttaatt ggttgtaaca ctgg 24

<210> 210

<211> 19

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Primer Sequence

<400> 210

attctcatgt ttgacagcg 19

<210> 211

<211> 18

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Primer Sequence

<400> 211				
atcctacaac ctcaagct				18
<210> 212		-		
<211> 18				
<212> DNA				
<213> Artificial Sequenc	e			
<220>				
<223> Description of Art	ificial	Sequence: Primer	Sequence	
		•		
<400> 212				
atcccattct aaccaagc				18
(010) 012				
<210> 213 <211> 19				
<211> 19 <212> DNA				
<213> Artificial Sequenc	a			
varov internetar bequene	_			
<220>				
<223> Description of Art.	ificial	Sequence: Primer	Sequence	
_		-	-	
<400> 213				
aagagattac gcgcagacc				19
<210> 214				
<211> 214				
<212> DNA				
<213> Artificial Sequence	<u> </u>			
	-			
<220>				
<223> Description of Art	ificial	Sequence:Primer	Sequence	
<400> 214				
aatacgcaac cgcctctc				18

PCT/GB01/02003

WO 01/85772